RS PRO Carbon Steel Flat Head Blind Rivet Nut, M5 x 23.2mm long

Supplier Part Number: RNSFHJK05100



FEATURES

- **Material:** Carbon Steel ensures high strength and durability.
- **Finish:** Clear Trivalent Chromate Zinc provides excellent corrosion resistance.
- **Thread Size:** M5 allows for compatibility with standard metric fasteners.
- **Diameter:** 9.9 mm for precise fitting in pre-drilled holes.
- **Fixing Hole Diameter:** 10 mm ensures easy installation.
- **Length:** 23.2 mm for optimal grip range.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M5 Carbon Steel Rivet Nut is designed for secure fastening in a variety of materials. Ideal for applications requiring a strong, reliable threaded insert, this rivet nut provides a durable solution for high-stress environments.


General Specifications


Finish	Clear, Trivalent Chromate, Zinc
Material	Carbon Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M5
Fixing Hole Diameter	10 mm
Head Type	Flat


Mechanical Specifications

Diameter	9.9 mm
Length	23.2 mm
Maximum Grip	10 mm
Minimum Grip	5 mm
Shear Strength	2000 N
Tensile Strength	295 N
Maximum Tightening Torque	3 Nm

Technical Diagrams







Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.1	5.0	8.0	7.9	12.2	1.6	16.8	2.0	245	500
	5.0	10.0	8.0	7.9	12.2	1.6	22.0	2.0	245	500
M5	0.1	5.0	10.0	9.9	14.0	1.6	18.4	2.0	295	250
	5.0	10.0	10.0	9.9	14.0	1.6	23.2	2.0	295	250
M6	0.1	5.0	12.0	11.9	16.0	1.6	18.6	4.2	390	250
	5.0	10.0	12.0	11.9	16.0	2.0	22.9	4.2	390	200
M8	0.1	5.0	15.0	14.9	18.2	2.0	21.0	4.2	490	100
	5.0	10.0	15.0	14.9	18.2	2.0	25.5	4.2	490	100