RS PRO Carbon Steel Reduced Head Blind Rivet Nut, M12 x 27.5mm long

Supplier Part Number: RNSRH1265



FEATURES

- **Material:** Carbon steel construction ensures high strength and durability.
- **Finish:** Clear trivalent chromate and zinc finish offers excellent corrosion resistance.
- **Thread Size:** M12 thread size for compatibility with a wide range of applications.
- **Diameter:** 15.9 mm diameter for precise fitting.
- **Fixing Hole Diameter:** 16 mm fixing hole diameter for easy installation.
- **Length:** 27.5 mm length for versatile use.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M12 Rivet Nut is designed for secure fastening in a variety of applications. Made from durable carbon steel, it provides reliable performance and is ideal for use in environments where strength and corrosion resistance are essential.


General Specifications


Finish	Clear, Trivalent Chromate, Zinc
Material	Carbon Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M12
Fixing Hole Diameter	16 mm
Head Type	Reduced


Mechanical Specifications

Diameter	15.9 mm
Length	27.5 mm
Maximum Grip	6.5 mm
Minimum Grip	4 mm
Shear Strength	6500 N
Tensile Strength	48000 N
Maximum Tightening Torque	44 Nm

Technical Diagrams







Thread Size mm	Article Number	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity	Price £ Per 1000
A		G	G		B	H	T	L				
M3	RNSRH0320	0.5	2.0	5.0	4.9	6.0	0.5	9.0	1.0	3900	2000	£39.94
	RNSRH0335	1.5	3.0	5.0	4.9	6.0	0.5	11.5	1.0	3900	2000	£38.01
M4	RNSRH0420	0.5	2.0	6.0	5.9	7.0	0.5	11.5	3.0	6800	1500	£34.58
	RNSRH0440	2.0	4.0	6.0	5.9	7.0	0.5	13.0	3.0	6800	1500	£44.68
M5	RNSRH0520	0.5	2.0	7.0	6.9	8.0	0.5	11.5	6.0	10000	1000	£37.95
	RNSRH0540	2.0	4.0	7.0	6.9	8.0	0.6	13.0	6.0	10000	500	£48.59
M6	RNSRH0625	0.5	2.5	9.0	8.9	10.0	0.6	14.0	10.0	15000	500	£46.50
	RNSRH0650	2.5	5.0	9.0	8.9	10.0	0.6	16.0	10.0	15000	400	£51.64
M8	RNSRH0830	0.5	3.0	11.0	10.9	12.0	0.6	16.5	24.0	27000	250	£62.80
	RNSRH0850	3.0	5.0	11.0	10.9	12.0	0.6	18.5	24.0	27000	250	£63.83
M10	RNSRH1035	1.0	3.5	13.0	12.9	14.0	0.8	19.5	32.0	28500	250	£108.03
	RNSRH1060	3.5	6.0	13.0	12.9	14.0	0.8	22.0	32.0	28500	250	£110.87
M12	RNSRH1240	1.0	4.0	16.0	15.9	17.5	0.8	24.0	44.0	48000	100	£302.92
	RNSRH1265	4.0	6.5	16.0	15.9	17.5	0.8	27.5	44.0	48000	100	£271.51