RS PRO A4/316 Stainless Steel Countersunk Head Blind Rivet Nut, M8 x 18.5mm long

Supplier Part Number: RNSS4CH0845



FEATURES

- **Material:** A4/316 stainless steel provides superior corrosion resistance.
- **Diameter:** 10.9 mm diameter ensures compatibility with a range of applications.
- **Thread Size:** M8 thread size for secure and robust fastening.
- **Fixing Hole Diameter:** 11 mm for easy installation.
- **Length:** 18.5 mm length for versatile use in different settings.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

The RS PRO M8 Rivet Nut is designed for secure fastening in various industrial applications. Made from A4/316 stainless steel, it offers excellent corrosion resistance, making it ideal for use in harsh environments. This rivet nut is suitable for applications requiring a strong and reliable threaded insert.


General Specifications


Material	A4/316 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M8
Fixing Hole Diameter	11 mm
Head Type	Countersunk


Mechanical Specifications

Diameter	10.9 mm
Length	18.5 mm
Maximum Grip	3 mm
Minimum Grip	0.5 mm
Shear Strength	4400 N
Tensile Strength	27000 N
Maximum Tightening Torque	24 Nm

Technical Diagrams







Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M3	0.5	1.5	5.0	4.9	7.5	1.5	8.5	1.0	3900	2000
M4	0.5	2.0	6.0	5.9	9.0	1.5	12.0	3.0	6800	1500
M5	0.5	2.0	7.0	6.9	10.0	1.5	13.0	6.0	10000	1000
M6	0.5	2.5	9.0	8.9	12.0	1.5	15.5	10.0	15000	500
M8	0.5	3.0	11.0	10.9	14.0	1.5	18.5	24.0	27000	300
M10	1.0	3.5	13.0	12.9	16.0	1.7	21.0	32.0	28500	150