
RS PRO A4/316 Stainless Steel Reduced Head Blind Rivet Nut, M5 x 13mm long

Supplier Part Number: RNSS4RHPH0525



FEATURES

- **Material:** A4/316 stainless steel ensures high corrosion resistance and durability.
- **Diameter:** 6.9 mm diameter allows for precise fitting in pre-drilled holes.
- **Length:** 13 mm length provides a secure grip and strong hold.
- **Thread Size:** M5 thread size for compatibility with standard fasteners.
- **Fixing Hole Diameter:** 7 mm fixing hole diameter for easy installation.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality M5 rivet nut designed for secure fastening in various industrial applications. Made from A4/316 stainless steel, this rivet nut provides excellent corrosion resistance and durability, making it ideal for use in harsh environments.


General Specifications


Material	A4/316 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M5
Fixing Hole Diameter	7 mm
Head Type	Reduced


Mechanical Specifications

Diameter	6.9 mm
Length	13 mm
Maximum Grip	2.5 mm
Minimum Grip	0.5 mm
Shear Strength	2000 N
Tensile Strength	10000 N
Maximum Tightening Torque	6.5 Nm

Technical Diagrams







Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.5	2.0	6.0	5.9	7.0	0.5	12.0	4.0	6800	1500
M5	0.5	2.5	7.0	6.9	8.0		13.0	6.5	10000	1000
M6	1.0	3.0	9.0	8.9	10.0	0.6	16.0	12.0	15000	500
M8	1.0	3.5	11.0	10.9	12.5		17.5	31.0	27000	300
M10	1.0	4.0	13.0	12.9	14.3	0.9	21.0	42.0	28500	150