RS PRO A2/304 Stainless Steel Countersunk Head Blind Rivet Nut, M8 x 26.5mm long

Supplier Part Number: RNSSCHC0845



FEATURES

- **Material:** A2/304 stainless steel provides excellent corrosion resistance and durability.
- **Thread Size:** M8 thread size ensures compatibility with a wide range of bolts and screws.
- **Diameter:** 10.9 mm diameter allows for easy installation in pre-drilled holes.
- **Fixing Hole Diameter:** 11 mm fixing hole diameter ensures a snug fit for secure fastening.
- **Length:** 26.5 mm length offers versatility for different material thicknesses.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality M8 rivet nut made from A2/304 stainless steel, designed for secure fastening in various industrial applications. This rivet nut is ideal for creating strong, reliable threads in thin materials where traditional tapping is not feasible.


General Specifications


Material	A2/304 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M8
Fixing Hole Diameter	11 mm
Head Type	Countersunk


Mechanical Specifications

Diameter	10.9 mm
Length	26.5 mm
Maximum Grip	4.5 mm
Minimum Grip	1.5 mm
Shear Strength	4400 N
Tensile Strength	27000 N
Maximum Tightening Torque	24 Nm

Technical Diagrams







Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Body Overall Thickness mm Length mm (T) (L)	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H				
M4	1.5	3.5	6.0	5.9	9.0	17.5	3.0	6800	1000
M5	1.5	3.5	7.0	6.9	10.0	20.0	6.0	10000	500
M6	1.5	4.0	9.0	8.9	12.0	23.0	10.0	15000	500
M8	1.5	4.5	11.0	10.9	14.0	26.5	24.0	27000	250
M10	1.5	5.0	13.0	12.9	16.0	1.7 30.0	32.0	28500	100