RS PRO A2/304 Stainless Steel Reduced Head Blind Rivet Nut, M4 x 15.5mm long

Supplier Part Number: RNSSRHPHC0420



FEATURES

- **Material:** A2/304 stainless steel offers excellent corrosion resistance and durability.
- **Thread Size:** M4 thread size ensures compatibility with a wide range of fasteners.
- **Length:** 15.5 mm length provides ample grip range for secure fastening.
- **Fixing Hole Diameter:** 6 mm fixing hole diameter allows for easy installation.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality M4 rivet nut made from A2/304 stainless steel, designed for secure fastening in various industrial applications. This rivet nut is ideal for providing strong, reliable threads in thin materials where traditional tapping is not possible.


General Specifications

Material	A2/304 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M4
Fixing Hole Diameter	6 mm
Head Type	Reduced

Mechanical Specifications

Diameter	5.9 mm
Length	15.5 mm
Maximum Grip	2 mm
Minimum Grip	0.5 mm
Shear Strength	1500 N
Tensile Strength	6800 N
Maximum Tightening Torque	4 Nm

Technical Diagrams



Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.5	2.0	6.0	5.9	7.0	0.5	15.5	4.0	6800	1000
	2.0	4.0	6.0	5.9	7.0	0.5	17.5	4.0	6800	1000
M5	0.5	2.5	7.0	6.9	8.0	0.5	18.0	6.5	10000	1000
	2.0	4.0	7.0	6.9	8.0	0.6	20.0	6.5	10000	1000
M6	1.0	3.5	9.0	8.9	10.0	0.6	21.5	12.0	15000	500
	3.0	5.0	9.0	8.9	10.0	0.6	23.0	12.0	15000	500
M8	1.0	3.5	11.0	10.9	12.5	0.6	24.0	31.0	27000	250
	3.0	5.5	11.0	10.9	12.5	0.9	26.0	31.0	27000	250
M10	1.0	4.0	13.0	12.9	14.5	0.9	30.5	42.0	28500	150