RS PRO A2/304 Stainless Steel Reduced Head Blind Rivet Nut, M5 x 18mm long

Supplier Part Number: RNSSRHPHC0525



FEATURES

- **Material:** A2/304 stainless steel ensures excellent corrosion resistance and durability.
- **Thread Size:** M5 thread size provides compatibility with a wide range of applications.
- **Length:** 18 mm length offers versatility for different installation requirements.
- **Fixing Hole Diameter:** 7 mm fixing hole diameter allows for easy installation.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality M5 rivet nut made from A2/304 stainless steel, designed for secure fastening in various industrial applications. With a length of 18 mm, this rivet nut provides reliable performance and corrosion resistance, making it ideal for use in demanding environments.


General Specifications

Material	A2/304 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M5
Fixing Hole Diameter	7 mm
Head Type	Reduced

Mechanical Specifications

Diameter	6.9 mm
Length	18 mm
Maximum Grip	2.5 mm
Minimum Grip	0.5 mm
Shear Strength	2000 N
Tensile Strength	10000 N
Maximum Tightening Torque	6.5 Nm

Technical Diagrams



Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.5	2.0	6.0	5.9	7.0	0.5	15.5	4.0	6800	1000
	2.0	4.0	6.0	5.9	7.0	0.5	17.5	4.0	6800	1000
M5	0.5	2.5	7.0	6.9	8.0	0.5	18.0	6.5	10000	1000
	2.0	4.0	7.0	6.9	8.0	0.6	20.0	6.5	10000	1000
M6	1.0	3.5	9.0	8.9	10.0	0.6	21.5	12.0	15000	500
	3.0	5.0	9.0	8.9	10.0	0.6	23.0	12.0	15000	500
M8	1.0	3.5	11.0	10.9	12.5	0.6	24.0	31.0	27000	250
	3.0	5.5	11.0	10.9	12.5	0.9	26.0	31.0	27000	250
M10	1.0	4.0	13.0	12.9	14.5	0.9	30.5	42.0	28500	150