RS PRO A2/304 Stainless Steel Reduced Head Blind Rivet Nut, M8 x 24mm long

Supplier Part Number: RNSSRHPHC0835



FEATURES

- **Material:** A2/304 stainless steel provides excellent corrosion resistance.
- **Thread Size:** M8 thread size for compatibility with a wide range of applications.
- **Length:** 24 mm length offers versatility in different installation scenarios.
- **Fixing Hole Diameter:** 11 mm fixing hole diameter ensures a secure fit.

RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Product Description

RS PRO offers a high-quality M8 rivet nut designed for secure fastening in various industrial applications. Made from A2/304 stainless steel, this rivet nut provides excellent corrosion resistance and durability, making it ideal for use in harsh environments. Its precision engineering ensures reliable performance in demanding settings.


General Specifications

Material	A2/304 Stainless Steel
Product Type	Rivet Nut
Sub Type	Nut
Thread Size	M8
Fixing Hole Diameter	11 mm
Head Type	Reduced

Mechanical Specifications

Diameter	10.9 mm
Length	24 mm
Maximum Grip	3.5 mm
Minimum Grip	1 mm
Shear Strength	4400 N
Tensile Strength	27000 N
Maximum Tightening Torque	31 Nm

Technical Diagrams



Thread Size mm	Grip Range Min mm	Grip Range Max mm	Hole Size mm	Body Diameter mm	Flange Diameter mm	Flange Thickness mm	Body Overall Length mm	Max Tightening Torque Nm	Tensile Strength N	Box Quantity
A	G	G		B	H	T	L			
M4	0.5	2.0	6.0	5.9	7.0	0.5	15.5	4.0	6800	1000
	2.0	4.0	6.0	5.9	7.0	0.5	17.5	4.0	6800	1000
M5	0.5	2.5	7.0	6.9	8.0	0.5	18.0	6.5	10000	1000
	2.0	4.0	7.0	6.9	8.0	0.6	20.0	6.5	10000	1000
M6	1.0	3.5	9.0	8.9	10.0	0.6	21.5	12.0	15000	500
	3.0	5.0	9.0	8.9	10.0	0.6	23.0	12.0	15000	500
M8	1.0	3.5	11.0	10.9	12.5	0.6	24.0	31.0	27000	250
	3.0	5.5	11.0	10.9	12.5	0.9	26.0	31.0	27000	250
M10	1.0	4.0	13.0	12.9	14.5	0.9	30.5	42.0	28500	150