

Cucumber Report

14-Oct-2023, 7:13:30 pm

Start : Oct 14, 7:13:20.447 pm

End : Oct 14, 7:13:29.666 pm

Duration : 9.219 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 3

FAILED - 2

SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>LimeOrder</u>	9.219 s	3	1	2	0	7	3	2	2

#	Feature Name	Scenario Name
1	<u>LimeOrder</u>	<u>To select woment footwear item</u>
2		<u>User to select Add to cart product</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SmokeTest	3	1	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>LimeOrder</u>	3	1	2	0	9.219 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>LimeOrder</u>	<u>To click on women</u>	2	2	0	0	0.822 s
2		<u>To select woment footwear item</u>	3	1	1	1	6.296 s
3		<u>User to select Add to cart product</u>	2	0	1	1	2.032 s

LimeOrder



FAILED	DURATION - 9.219 s	Scenarios Total - 3 Pass - 1 Fail - 2 Skip - 0		Steps Total - 7 Pass - 3 Fail - 2 Skip - 2	
/ 7:13:20.447 pm // 7:13:29.666 pm /					

To click on women

PASSED	DURATION - 0.822 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 7:13:20.451 pm // 7:13:21.273 pm /				
LimeOrder				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	Given User launch the URL "https://www.limeroad.com/"	PASSED	0.640 s
2	When Usee clicks on shop women	PASSED	0.145 s

To select woment footwear item

FAILED	DURATION - 6.296 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:13:21.291 pm // 7:13:27.587 pm /				
LimeOrder				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	When User click on women products	PASSED	3.211 s

#	Step / Hook Details	Status	Duration
2	<p>And User click on footwear flipflops</p> <pre> org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PRABHU', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:332) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:647) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at com.Base.Base_Class.mouseHover(Base_Class.java:93) at com.stepdefinition.StepDefinition_Class.user_click_on_footwear_flipflops(StepDefinition_Class.java:37) at ?.User click on footwear flipflops(file:///C:/Users/ADMINE/eclipse-workspace/SeleniumBasics/LimeRoad/src/test/java/com/feature/lime. feature:12) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PRABHU', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:279) at org.openqa.selenium.json.Json.toJson(Json.java:44) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at com.Base.Base_Class.mouseHover(Base_Class.java:93) at com.stepdefinition.StepDefinition_Class.user_click_on_footwear_flipflops(StepDefinition_Class.java:37) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java. </pre>	FAILED	3.066 s



#	Step / Hook Details	Status	Duration
	<p>Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:328) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:155) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$21(JsonOutput.java:168) at java.base/java.util.LinkedHashMap\$LinkedValues.forEach(LinkedHashMap.java:647) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:168) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:177) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:65) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:176) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:264) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:255) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:227) at org.openqa.selenium.remote.http.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:117) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:618) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:639) at com.Base.Base_Class.mouseHover(Base_Class.java:93) at com.stepdefinition.StepDefinition_Class.user_click_on_foodwear_flipflops(StepDefinition_Class.java:37) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:234) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.152) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PRABHU', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.152, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\ADMINI~1\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51213}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ac3c161c747b93c143e52668e0603afa *** Element info: {Using=xpath, value=//a[text()='flip flops']}</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:204) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:155) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:75) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:84) </pre> <p>* Not displayable characters are replaced by '?'. </p>		

#	Step / Hook Details	Status	Duration
3	And User click on Women Toe Separator Slippers	SKIPPED	0.003 s

User to select Add to cart product

<div>FAILED</div> <div>DURATION - 2.032 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:13:27.634 pm // 7:13:29.666 pm /				
LimeOrder				
@SmokeTest				

#	Step / Hook Details	Status	Duration
1	When User select size <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=117.0.5938.152) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'PRABHU', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.152, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\ADMINI~\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51213}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ac3c161c747b93c143e52668e0603afa *** Element info: {Using=xpath, value= //span[text()=' 8 (UK) ']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) </pre>	FAILED	2.027 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy19.click(Unknown Source) at com.stepdefinition.StepDefinition_Class.user_select_size(StepDefinition_Class.java:50) at ?.User select size(file:///C:/Users/ADMINE/eclipse-workspace/SeleniumBasics/LimeRoad/src/test/java/com/feature/lime.feature:16) * Not displayable characters are replaced by '?'. </pre>		
2	And User click on add to cart	SKIPPED	0.001 s