PICK N DROP EXTERNAL API DOCUMENTATION

PND EXTERNAL API COLLECTION

What is PND External API?

PND External API service gives you the capability to integrate your online system with PND portal. Our API services currently provides you the capability to

- (✓) Fetch particular order details
- (✓) Fetch particular order log or order status
- (✓) Fetch order comments
- (**√**) Create new comment for order
- (✓) Create a Pickup list

API Limits

Dev: Pickup list: 100 per day

Order view details (Details, Comment, Status): 6000 per day (prod)/1000 per day (dev)

Every vendor is provided with an API token key, x-api-key, secret-key & api-key. Use these keys to make an api request into the server.

If you forgot the x-api-key, secret-key & api-key or want to request a new x-api-key, secret-key & api-key, contact our IT Admin.

GET Order Details

The Endpoint allows us to get the details of the order in our system. These details are the same as the details that you see in our system when you view the order page.

Dev: https://externalapi.pickndropnepal.com/api/v1/dev/orders?code=order_code

Prod: https://externalapi.pickndropnepal.com/api/v1/prod/orders?code=order code

Headers

secret-key your secret-key

```
x-api-key your x-api-key
```

```
api-key your api-keys
```

```
token default value<AUTH>
```

Prams

```
code order_code your order code in system
```

Example:

```
curl -X GET https://externalapi.pickndropnepal.com/api/v1/dev/orders?
code=A00220527-230
-H "token: AUTH" -H "api-key: <your api-key>" -H "x-api-key: <your x-api-key>"
-H "secret-key: <your-secret key>"
```

Result:

```
{
    "success": true,
    "status_code": 200,
    "order_code": "A00220527-230",
    "cod_amount": 123.5,
    "delivery_charge": 100.0,
    "current_status": "RECEIVED",
    "last_updated_at": "2022-05-27 20:04:47"
}
```

GET Order Status

The Endpoint allows us to get the status of the particular orders in our system. The Api will provide all the status done in a particular order. Status will be in a descending order.

DEV: https://externalapi.pickndropnepal.com/api/v1/dev/orders/statuslogs?code=order_code

 $\label{lem:prod} PROD: \ https://externalapi.pickndropnepal.com/api/v1/prod/orders/statuslogs? \\ code=order_code$

Headers

secret-key	your secret-key	

x-api-key	your x-api-key	

api-key your api-keys	api-key	your api-keys	
-----------------------	---------	---------------	--

token default value<AUTH>

Prams

code order_code your order code in system

Example:

```
curl -X GET https://externalapi.pickndropnepal.com/api/v1/dev/orders/statuslogs?
code=A00220527-230
-H "token: AUTH" -H "api-key: <your api-key>" -H "x-api-key: <your x-api-key>"
-H "secret-key: <your-secret key>"
```

Result:

```
{
    "status_code": 200,
```

GET Order Comment

The Endpoint allows us to get the comment of the particular orders in our system. The Api will provide all the comments done in a particular order. Comment will be in a descending order.

```
DEV: https://externalapi.pickndropnepal.com/api/v1/dev/orders/comments?
code=order_code
```

```
PROD: https://externalapi.pickndropnepal.com/api/v1/prod/orders/comments?code=order_code
```

Headers

secret-key	your secret-key

```
x-api-key your x-api-key
```

```
api-key your api-keys
```

token default value<AUTH>

Prams

code order_code your order code in system

Example:

```
curl -X GET https://externalapi.pickndropnepal.com/api/v1/dev/orders/comments?
code=A00220527-230
-H "token: AUTH" -H "api-key: <your api-key>" -H "x-api-key: <your x-api-key>"
-H "secret-key: <your-secret key>"
```

Result:

```
{
    "success": true,
    "status_code": 200,
    "comments":
    {
            "order_code": "A00220527-230",
            "comments": "test comment",
            "commented_by":
                "id": "C99161D2D1FB43F1A0196479AE731FEC",
                "full_name": "A one",
                "email": "tobeupdated@pickndropnepal.com"
            },
             "commented_type": "VENDOR",
             "posted_date_time": "2022-05-27 20:36:19"
        }
    ]
}
```

Possible Error in GET Requests:

```
* When token, x-api-key, api-key & secret-key is not provided:
Response Status 401:
{
    "message": "Unauthorized"
}
* When Unknown order Code Provided:
Response status 404:
{
    "message": "Either order code is not found in the system or not received yet!",
    "success": false,
}
* When comments are not found in the system
```

```
{
    "success": False,
    "status_code": 404,
    "message": "Comments not available right now!"
}
* When logs not found in the system
{
    "success": False,
    "status_code": 404,
    "message": "Order Logs are not available right now!"
}
* Internal Server Error--> When server has problem
* Limit Exceeded --> when exceed the limit of access
* Forbidden --> When x-api-key is not valid
```

POST Create Pickup List

This endpoint allows you to create a pickup list from your system. Vendors must provide necessary details from their end to create a pickup list through this endpoint.

```
DEV: https://externalapi.pickndropnepal.com/orders/v1/dev/pickuplist
```

```
PROD: https://externalapi.pickndropnepal.com/orders/v1/prod/pickuplist
```

Headers

secret-key your secret-key	
----------------------------	--

x-api-key	your x-api-key	

```
api-key your api-keys
```

token default value<AUTH>

Prams

Parameters	Requirement	Description
is_paid	required	Whether the customer has paid the COD of package or not
package_price	required	Price of the package
customer_fullname	required	Customer name
customer_primary_mobile_Number	required	Customer mobile number
customer_Secondary_mobile_Number	Optional	Customer secondary mobile number
customer_location	required	Customer address
dest_branch_code	required	Destination branch name

Example:

```
curl -X POST -H "Content-Type: application/json" -H "api-key:<your api-key>"
-H "secret-key:<your secret-key>" -H "x-api-key:<your x-api-key>"
 -H "token: AUTH" https://externalapi.pickndropnepal.com/orders/v1/dev/pickuplist
--data-raw "{
    "orders": [
       {
            "is_paid":true,
            "package_price":123.50,
            "customer_full_name":"John Doe",
            "customer_primary_mobile_number": "9801235800",
            "customer_secondary_mobile_number":"",
            "customer_location":"Gushinghal, Sanepa, Lalitpur",
            "dest_branch_code":"KTM"
       }
   ]
}"
```

Result:

This endpoint allows you to create a comment from your system. Vendor must provide necessary details from their end to create a comment through this endpoint.

DEV: https://externalapi.pickndropnepal.com/api/v1/dev/orders/comment

PROD: https://externalapi.pickndropnepal.com/api/v1/prod/orders/comment

Headers

secret-key	your secret-key
secret-key	your secret-key

x-api-key your x-api-key

api-key your api-keys

token default value<AUTH>

Prams

Parameters	Requirement	Description
order_code	required	Order code in system
comment	required	Text comment for the package

Example:

```
curl -X POST -H "Content-Type: application/json"
-H "api-key:<your api-key>" -H "secret-key:<your secret-key>"
-H "x-api-key:<your x-api-key>" -H "token: AUTH"
https://externalapi.pickndropnepal.com/api/v1/dev/orders/comment
--data-raw '{
    "comment": "test comment",
    "order_code":" A00220527-230"
}'
```

Result:

```
{
    "success": true,
    "status_code":201,
    "message": "Comment successfully posted!"
}
```

Possible Error in POST Requests:

```
*When order code in not found in the system
     "message": "Unauthorized!",
     "success": False,
     "status_code": 401
}
*When payload does not contain requested parameters
     "message": "Please pass order code and comment in request payload!",
     "success": false,
     "status_code": 400
* When provided api-key doesn't belong to the user
{
     "message": "Unauthorized!",
     "success": False,
     "status code": 401
*When orders item payload does not contain require parameters
{
     "message": "Some item does not have is_paid, package_price,
     customer_full_name, customer_primary_mobile_number,
     customer_secondary_mobile_number, dest_branch_code and customer_location,
fields and values",
     "success": False,
     "status code": 400
*When length of orders array in payload is not in between 0 and 50
{
     "message": "Orders size must be in between 0 and 50.",
     "success": False,
     "status code": 400
*When order attributes in payload is not array
{
     "message": "Orders data must be in Array!",
     "success": False,
     "status_code": 400
}
```

```
*When payload not contains orders
{
    "message": "Request payload must have orders. Please pass required item
values.",
    "success": False,
    "status_code": 400
}
*When server has problem
{
    "status_code": 500,
    "success": False,
    "message": "Something went wrong, Please try again later."
}
```

Please use this api endpoints very carefully.

No Spamming or running scripts to overload the server.



Phone: - 9801235800

Gurshingal, Lalitpur

Pick N Drop