

Blog Functions.

1. AddNewBlog

Write a function to add newBlog in database

starter code -

```
const { PrismaClient } = require("@prisma/client");
const prisma = new PrismaClient()

async function addBlog(userId, title, body){
  //write logic here
}

addBlog(1,"coding blocks", "coding mtlab coding Blogs")
.then((blog)=>{
  console.log("Blog added:",blog);
})
```

▼ Solution

```
const { PrismaClient } = require("@prisma/client");
const prisma = new PrismaClient()

async function addBlog(userId, title, body){
  let newBlog = await prisma.blog.create({
    data:{
      title,
      body,
      userID
    }
  })
  return newBlog;
}
```

```

}
addBlog(1,"coding blocks", "coding mtlab coding Blogs")
.then((blog)=>{
  console.log("Blog added:",blog);
})

```

2. GetAllBlogs

Write a function to getAllBlog from the database.

starter code -

```

const { PrismaClient } = require("@prisma/client");
const prisma = new PrismaClient()

async function getAllBlogs(){
  //write logic here
}
getAllBlogs()
.then((blogs)=>{
  console.log("Blogs fetched:",blogs);
})

```

▼ Solution

```

const { PrismaClient } = require("@prisma/client");
const prisma = new PrismaClient()

async function getAllBlogs(){
  //write logic here
  let allblogs= await prisma.blog.findMany({});
  return allblogs;
}
getAllBlogs()
.then((blogs)=>{
  console.log("Blogs fetched:",blogs);
})

```

3. GetBlogsAndUserDetails

Write a function to get all the blogs of a user given userId (using joins).

```
const { PrismaClient } = require("@prisma/client");
const prisma = new PrismaClient()

async function getBlogsAndUserDetails(userId){
  //write logic here
  let allblogsAnduserDetails= await prisma.blog.findMany({
    where:{
      userId:userId
    }
    select:{
      user: true,
      title: true,
      body: true
    }
  });
  return allblogsAnduserDetails;
}
getBlogsAndUserDetails(1)
.then((blogs)=>{
  console.log("Blogs fetched:",blogs);
})
```

```
//equivalent sql query
SELECT
  b.title,
  b.body,
  u.id AS user_id,
  u.name AS user_name,
  u.email AS user_email,
  u.createdAt AS user_created_at
FROM
  "Blog" AS b
```

```
JOIN
  "User" AS u
ON
  b.userId = u.id
WHERE
  b.userId = 1;
```

 Transactions.