

Group Statistics

	Group	N	Mean	Std. Deviation	Std. Error Mean
Accuracy	GBCN	20	84.6290	11.65016	2.60506
	HAC	20	71.5955	17.32844	3.87476

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means					95% Confidence Interval of the Difference	
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower	Upper
Accuracy	Equal variances assumed	.779	.383	2.791	38	.008	13.03350	4.66905	3.58150	22.48550
	Equal variances not assumed			2.791	33.262	.009	13.03350	4.66905	3.53708	22.52992

Independent Samples Effect Sizes


				95% Confidence Interval	
Standardizer ^a			Point Estimate	Lower	Upper
Accuracy	Cohen's d	14.76484	.883	.227	1.528
	Hedges' correction	15.06447	.865	.222	1.498
	Glass's delta	17.32844	.752	.080	1.407

a. The denominator used in estimating the effect sizes.

Cohen's d uses the pooled standard deviation.

Hedges' correction uses the pooled standard deviation, plus a correction factor.

Glass's delta uses the sample standard deviation of the control group.



Group Statistics

	Group	N	Mean	Std. Deviation	Std. Error Mean
Accuracy	GBCN	20	84.6290	11.65016	2.60506
	TTA	20	38.6665	27.76050	6.20744

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
Accuracy	Equal variances assumed	8.640	.006	6.828	38	.000	45.96250	6.73191	32.33447	59.59053
	Equal variances not assumed			6.828	25.491	.000	45.96250	6.73191	32.11141	59.81359

Independent Samples Effect Sizes


		Standardizer ^a	Point Estimate	95% Confidence Interval	
Accuracy	Cohen's d	21.28816	2.159	1.364	2.936
	Hedges' correction	21.72016	2.116	1.337	2.878
	Glass's delta	27.76050	1.656	.832	2.454

a. The denominator used in estimating the effect sizes.

Cohen's d uses the pooled standard deviation.

Hedges' correction uses the pooled standard deviation, plus a correction factor.

Glass's delta uses the sample standard deviation of the control group.



Group Statistics

	Group	N	Mean	Std. Deviation	Std. Error Mean
Accuracy	GBCN	20	84.6290	11.65016	2.60506
	RBSP	20	80.7005	6.27968	1.40418

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means					95% Confidence Interval of the Difference	
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower	Upper
Accuracy	Equal variances assumed	11.495	.002	1.327	38	.192	3.92850	2.95940	-2.06249	9.91949
	Equal variances not assumed			1.327	29.181	.195	3.92850	2.95940	-2.12251	9.97951

Independent Samples Effect Sizes


		Standardizer ^a	Point Estimate	95% Confidence Interval	
				Lower	Upper
Accuracy	Cohen's d	9.35844	.420	-.210	1.044
	Hedges' correction	9.54835	.411	-.206	1.023
	Glass's delta	6.27968	.626	-.032	1.269

a. The denominator used in estimating the effect sizes.

Cohen's d uses the pooled standard deviation.

Hedges' correction uses the pooled standard deviation, plus a correction factor.

Glass's delta uses the sample standard deviation of the control group.



Group Statistics

	Group	N	Mean	Std. Deviation	Std. Error Mean
Accuracy	GBCN	20	84.6290	11.65016	2.60506
	KDRS	20	74.8810	19.52562	4.36606

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means					95% Confidence Interval of the Difference	
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower	Upper
Accuracy	Equal variances assumed	2.154	.150	1.917	38	.063	9.74800	5.08417	-.54437	20.04037
	Equal variances not assumed			1.917	31.006	.064	9.74800	5.08417	-.62115	20.11715

Independent Samples Effect Sizes


		Standardizer ^a	Point Estimate	95% Confidence Interval	
				Lower	Upper
Accuracy	Cohen's d	16.07757	.606	-.032	1.237
	Hedges' correction	16.40383	.594	-.031	1.212
	Glass's delta	19.52562	.499	-.146	1.133

a. The denominator used in estimating the effect sizes.

Cohen's d uses the pooled standard deviation.

Hedges' correction uses the pooled standard deviation, plus a correction factor.

Glass's delta uses the sample standard deviation of the control group.



Error Bars: 95% CI

Error Bars: 95% CI