



# *Applied Real Analysis*

AMATH 331



Prof. Henry Shum

# Preface

---

**Disclaimer** Much of the information on this set of notes is transcribed directly/indirectly from the lectures of AMATH 331 during Winter 2020 as well as other related resources. I do not make any warranties about the completeness, reliability and accuracy of this set of notes. Use at your own risk.

For any questions, send me an email via <https://notes.sibeliusp.com/contact/>.

You can find my notes for other courses on <https://notes.sibeliusp.com/>.

---

*Sibeliusp Peng*

# Contents

---

Preface	1
1 Real Numbers	3
1.1 Decimal expansions and the real number line . . . . .	3

# Real Numbers

---

**Refs** 1 for review. 2.1-2.2, 2.9

## 1.1 Decimal expansions and the real number line

### finite decimal expansion

A finite decimal expansion has the form

$$x = a_0.a_1a_2a_3 \dots a_N$$

where  $a_0$  is an integer (positive, negative or zero) for  $1 \leq n \leq N$   $a_n \in \{0, 1, \dots, 9\}$

*Example.*

$$\begin{aligned} &1.45 \\ &-38.298743 \end{aligned}$$

You can think of this as


$$x = a_0 + a_1 \left( \frac{1}{10} \right) + \dots + a_N \left( \frac{1}{10^N} \right)$$

**Warning** This looks like the usual decimal representation but it is not the same for negative numbers.

Any finite decimal expansion can be replaced on the real number line.

*Example.*

Where is  $1_{\circ}45$ ?



We can similarly define infinite decimal expansions

infinite decimal expansions

$$x = a_0 a_1 a_2 \dots$$

*Example.*

$$1.450000000 \dots$$

$$\pi = 3.1415926535 \dots$$

Assuming the real number line has no gaps, every infinite decimal expansion  $x$  corresponds to a point on the line.

Given any positive integer  $k$ , let  $y = a_0 a_1 a_2 \dots a_k$  be the finite decimal expansion of  $x$  to the  $k$ -th decimal space. Then,  $x$  lies in the interval from  $y$  to  $(y + 10^{-k})$ . So,  $y$  approximates  $x$  to an accuracy of  $1/10^k$ . As we increase  $k$ , we improve the accuracy; in fact, the error can be made arbitrarily small.

The converse direction: given a point on the real number line, can we find its decimal expansion?

Yes!

It is possible for two decimal expansions to represent the same point. This happens

precisely when one ends in an infinite string of 0's.

*Example.*

|

1.000...      and      0.999...  
25.300...      and      25.2999...

# Index

---

## F

finite decimal expansion..... 3

## I

infinite decimal expansions..... 4