

```
In [2]: import numpy as np
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LogisticRegression
from sklearn.metrics import accuracy_score
```

```
In [3]: df = pd.read_csv("train.csv")
print(df.head())
```

	PassengerId	Survived	Pclass	\
0	1	0	3	
1	2	1	1	
2	3	1	3	
3	4	1	1	
4	5	0	3	

	Name	Sex	Age	SibSp	\
0	Braund, Mr. Owen Harris	male	22.0	1	
1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	
2	Heikkinen, Miss. Laina	female	26.0	0	
3	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	
4	Allen, Mr. William Henry	male	35.0	0	

	Parch	Ticket	Fare	Cabin	Embarked
0	0	A/5 21171	7.2500	NaN	S
1	0	PC 17599	71.2833	C85	C
2	0	STON/O2. 3101282	7.9250	NaN	S
3	0	113803	53.1000	C123	S
4	0	373450	8.0500	NaN	S

```
In [4]: print("Shape of dataset:", df.shape)
```

Shape of dataset: (891, 12)

```
In [5]: df.info()
```

```
<class 'pandas.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
#   Column      Non-Null Count  Dtype
---  -
0   PassengerId  891 non-null    int64
1   Survived     891 non-null    int64
2   Pclass       891 non-null    int64
3   Name         891 non-null    str
4   Sex          891 non-null    str
5   Age         714 non-null    float64
6   SibSp        891 non-null    int64
7   Parch        891 non-null    int64
8   Ticket       891 non-null    str
9   Fare         891 non-null    float64
10  Cabin        204 non-null    str
11  Embarked     889 non-null    str
dtypes: float64(2), int64(5), str(5)
memory usage: 83.7 KB
```

```
In [6]: print(df.describe())
```

	PassengerId	Survived	Pclass	Age	SibSp \
count	891.000000	891.000000	891.000000	714.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008
std	257.353842	0.486592	0.836071	14.526497	1.102743
min	1.000000	0.000000	1.000000	0.420000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000
50%	446.000000	0.000000	3.000000	28.000000	0.000000
75%	668.500000	1.000000	3.000000	38.000000	1.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000

	Parch	Fare
count	891.000000	891.000000
mean	0.381594	32.204208
std	0.806057	49.693429
min	0.000000	0.000000
25%	0.000000	7.910400
50%	0.000000	14.454200
75%	0.000000	31.000000
max	6.000000	512.329200

```
In [8]: print(df["Survived"].value_counts())
```

```
Survived
0      549
1      342
Name: count, dtype: int64
```

```
In [10]: features = [
    "Pclass",
    "Sex",
    "Age",
    "SibSp",
    "Parch",
    "Fare",
    "Embarked"
]

X = df[features].copy()
y = df["Survived"]
```

```
In [9]: print(df["Survived"].value_counts(normalize=True))
```

```
Survived
0      0.616162
1      0.383838
Name: proportion, dtype: float64
```

```
In [11]: X["Age"] = X["Age"].fillna(X["Age"].median())
X["Fare"] = X["Fare"].fillna(X["Fare"].median())
X["Embarked"] = X["Embarked"].fillna(X["Embarked"].mode()[0])

print(X.isnull().sum())
```

```
Pclass      0
Sex          0
Age          0
SibSp        0
Parch        0
Fare         0
Embarked     0
dtype: int64
```

```
In [12]: X = pd.get_dummies(
        X,
        columns=["Sex", "Embarked"],
        drop_first=True
    )

    print(X.head())
```

	Pclass	Age	SibSp	Parch	Fare	Sex_male	Embarked_Q	Embarked_S
0	3	22.0	1	0	7.2500	True	False	True
1	1	38.0	1	0	71.2833	False	False	False
2	3	26.0	0	0	7.9250	False	False	True
3	1	35.0	1	0	53.1000	False	False	True
4	3	35.0	0	0	8.0500	True	False	True

```
In [13]: X_train, X_test, y_train, y_test = train_test_split(
        X,
        y,
        test_size=0.2,
        random_state=42
    )

    print("Training data:", X_train.shape)
    print("Testing data:", X_test.shape)
```

Training data: (712, 8)

Testing data: (179, 8)

```
In [14]: X_train, X_test, y_train, y_test = train_test_split(
        X,
        y,
        test_size=0.2,
        random_state=42
    )

    print("Training data:", X_train.shape)
    print("Testing data:", X_test.shape)
```

Training data: (712, 8)

Testing data: (179, 8)

```
In [29]: model = LogisticRegression(max_iter=1000)
        _=model.fit(X_train,y_train);
```

```
In [30]: y_pred = model.predict(X_test)

    print("Predictions:")
    print(y_pred)
```

Predictions:

```
[0 0 0 1 1 1 0 1 1 0 0 0 0 0 1 0 1 0 0 0 0 1 0 0 0 0 0 1 0 1 1 1 0 0 0
 1 1 0 0 0 0 0 1 0 0 0 0 0 0 1 1 0 1 0 1 0 1 1 1 0 1 1 0 0 1 0 0 0 1 1 1 1
 0 0 1 1 1 0 0 1 1 0 0 0 0 1 1 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1
 0 1 0 1 0 0 0 1 0 0 1 1 0 0 1 1 1 1 0 1 0 0 1 0 1 1 0 0 1 0 1 0 0 0 1 0 0
 1 0 0 0 0 1 0 0 0 1 1 1 0 0 0 1 0 0 0 1 0 0 1 1 0 1 0 0 0 1 1]
```

```
In [20]: accuracy = accuracy_score(y_test, y_pred)

    print("Model Accuracy:", accuracy)
    print("Model Accuracy (%)ate:", accuracy * 100)
```

Model Accuracy: 0.8100558659217877
 Model Accuracy (%): 81.00558659217877

```
In [21]: y_probability = model.predict_proba(X_test)

print("Probability Predictions:")
print(y_probability[:10])
```

Probability Predictions:
 [[0.89000888 0.10999112]
 [0.77786006 0.22213994]
 [0.86543114 0.13456886]
 [0.11373855 0.88626145]
 [0.26359019 0.73640981]
 [0.06875179 0.93124821]
 [0.31600646 0.68399354]
 [0.90921227 0.09078773]
 [0.24249543 0.75750457]
 [0.07816499 0.92183501]]

```
In [22]: results = pd.DataFrame({
    "Actual": y_test.values,
    "Predicted": y_pred,
    "Survival Probability": y_probability[:, 1]
})

print(results.head(10))
```

	Actual	Predicted	Survival Probability
0	1	0	0.109991
1	0	0	0.222140
2	0	0	0.134569
3	1	1	0.886261
4	1	1	0.736410
5	1	1	0.931248
6	1	1	0.683994
7	0	0	0.090788
8	1	1	0.757505
9	1	1	0.921835

```
In [23]: new_passenger = pd.DataFrame({
    "Pclass": [3],
    "Age": [22],
    "SibSp": [0],
    "Parch": [0],
    "Fare": [7.25],
    "Sex_male": [1],
    "Embarked_Q": [0],
    "Embarked_S": [1]
})

prediction = model.predict(new_passenger)
probability = model.predict_proba(new_passenger)

print("Prediction:", prediction)
print("Probability:", probability)
```

Prediction: [0]
 Probability: [[0.87258821 0.12741179]]

```
In [24]: print("Passenger Details:")
print("Pclass: 3")
print("Age: 22")
print("SibSp: 0")
print("Parch: 0")
print("Fare: 7.25")
print("Sex: Male")
print("Embarked: Southampton")

if prediction[0] == 1:
    print("Prediction: SURVIVED")
else:
    print("Prediction: NOT SURVIVED")
```

Passenger Details:
Pclass: 3
Age: 22
SibSp: 0
Parch: 0
Fare: 7.25
Sex: Male
Embarked: Southampton
Prediction: NOT SURVIVED

```
In [25]: from sklearn.metrics import confusion_matrix

cm = confusion_matrix(y_test, y_pred)

print("Confusion Matrix:")
print(cm)
```

Confusion Matrix:
[[90 15]
[19 55]]

```
In [26]: from sklearn.metrics import classification_report

print("Classification Report:")
print(classification_report(y_test, y_pred))
```

Classification Report:

	precision	recall	f1-score	support
0	0.83	0.86	0.84	105
1	0.79	0.74	0.76	74
accuracy			0.81	179
macro avg	0.81	0.80	0.80	179
weighted avg	0.81	0.81	0.81	179

```
In [27]: print("Final Model Summary")
print("-----")
print("Training Samples:", X_train.shape[0])
print("Testing Samples:", X_test.shape[0])
print("Accuracy:", accuracy * 100, "%")
```

Final Model Summary

Training Samples: 712

Testing Samples: 179

Accuracy: 81.00558659217877 %

In []: