



FSD WORKBOOK:

1. Make folder : make folder and open in VS Code





2: Create a file: ctrl+N

Create a file : name as index.html



2. Add in: ! and enter then you will get format of HTML



NOW YOUR FILE IS PREPARE TO WORK

1. HTML
2. CSS
3. JAVA SCRIPT
4. BOOTSTRAP
5. NODEJS
6. REACT

Note:

We will understand difference between them by a example

1. HTML: HOW TO CREATE HTML FILE CRAETED

```
html

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>

</body>
</html>
```



AS YOU CAN SEE <body>.....</body>

<body> : for Starting

.....

</body>: for Ending


We always write code in between!!



```
<> index.html ●
<> index.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7  </head>
8  <body>
9    <h1>Hello Students!</h1>
10   <p>This is my first page in FSD ADVANCE.</p>
11 </body>
12 </html>
13
```

Output:

Run: by cont+S for save code and then




```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>Hello Students!</h1>
10  <p>This is my first page in FSD ADVANCE.</p>
11 </body>
12 </html>
13
```

then Go live



Output:




Hello Students!


This is my first page in FSD ADVANCE.

CSS: HOW TO CREATE CSS FILE AND CONNECT TO HTML


Create a file of style.css and save ctrl+S then file created



Now add a sample code:



Output:



Hello Students!

This is my first page in FSD ADVANCE.

Now connect to HTML:


```
html

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Hello Students!</h1>
  <p>This is my first page in FSD ADVANCE.</p>
</body>
</html>
```



NOTE:

`<link rel="stylesheet" href="style.css">`

OUTPUT:




Comparing output between HTML and CSS

HTML	
CSS	

3. JAVA SCRIPT: how to create java script file in html

Extension: script.js



Now ctrl+ S


Connect to HTML File:

Link it in index.html

Click the index.html tab, scroll to the bottom, and add this line **just before** </body>:

```
html


<script src="script.js"></script>
</body>
```



The screenshot shows the VS Code editor with the 'index.html' file open. The file explorer on the left shows 'index.html', 'script.js', and 'style.css'. The breadcrumb navigation at the top of the editor shows 'index.html > html > body > script'. The code in the editor is as follows:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7   <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10   <h1>Hello Students!</h1>
11   <p>This is my first page in FSD ADVANCE.</p>
12   <script src="script.js"></script>
13 </body>
14 </html>
15
```

Output:



4. Bootstrap:

```
index.html script.js style.css
index.html > html > body > div.container.mt-5.text-center

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7      <link rel="stylesheet" href="style.css">
8  </head>
9  <body>
10     <h1>Hello Students!</h1>
11     <p>This is my first page in FSD ADVANCE.</p>
12     <script src="script.js"></script>
13     <div class="container mt-5 text-center">
14         <h1 class="text-primary">Hello Students!</h1>
15         <p class="text-muted">This is my first page in FSD ADVANCE.</p>
16         <button class="btn btn-success">Click Me</button>
17     </div>
18 </body>
19 </html>
20
```

127.0.0.1:5500/index.html

Enter passphrase

Hello Students!

This is my first page in FSD ADVANCE.

Hello Students!

This is my first page in FSD ADVANCE.

Click Me

WHY WE NEED BOOTSTRAP ...SAME WORK WE CAN DO BY JAVASCRIPT

They do completely different jobs

	JavaScript	Bootstrap
What it is	A programming language	A CSS framework (pre-written styling rules)
What it does	Makes things interactive/dynamic — respond to clicks, fetch data, change content	Makes things look good — colors, spacing, buttons, layouts
Can it style a button green?	Technically yes, but you'd have to write the CSS yourself	Yes — just add <code>class="btn btn-success"</code> , done
Can it show an alert on click?	Yes — that's exactly what JS is for	No — Bootstrap has zero interactivity logic

Simple way to think about it

- **HTML** = the skeleton (structure)
- **CSS / Bootstrap** = the clothes (how it looks)
- **JavaScript** = the muscles (how it moves/reacts)

You can't make something "look styled" with JavaScript without writing a ton of CSS rules manually inside JS — which is messy and not how real projects work. Bootstrap just gives you **ready-made CSS classes** so you don't have to write:

```
css

button {
  background-color: green;
  color: white;
  padding: 10px 20px;
  border-radius: 5px;
  border: none;
}
```

