



**Vidyavardhini's College of Engineering and Technology**

**Department of Artificial Intelligence & Data Science**

Experiment No.3
Apply Stop Word Removal on given English and Indian Language Text
Date of Performance:
Date of Submission:



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

**Aim:** Apply Stop Word Removal on given English and Indian Language Text.

**Objective:** To write program for Stop word removal from a sentence given in English and any Indian Language.

### Theory:

The process of converting data to something a computer can understand is referred to as pre-processing. One of the major forms of pre-processing is to filter out useless data. In natural language processing, useless words (data), are referred to as stop words.

Stopwords are the most common words in any natural language. For the purpose of analyzing text data and building NLP models, these stopwords might not add much value to the meaning of the document.

**Stop Words:** A stop word is a commonly used word (such as “the”, “a”, “an”, “in”) that a search engine has been programmed to ignore, both when indexing entries for searching and when retrieving them as the result of a search query. We need to perform tokenization before removing any stopwords.

### Why do we need to Remove Stopwords?

Removing stopwords is not a hard and fast rule in NLP. It depends upon the task that we are working on. For tasks like text classification, where the text is to be classified into different categories, stopwords are removed or excluded from the given text so that more focus can be given to those words which define the meaning of the text.

Here are a few key benefits of removing stopwords:

- On removing stopwords, dataset size decreases and the time to train the model also decreases
- Removing stopwords can potentially help improve the performance as there are fewer and only meaningful tokens left. Thus, it could increase classification accuracy



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

- Even search engines like Google remove stopwords for fast and relevant retrieval of data from the database

We can remove stopwords while performing the following tasks:

- Text Classification
  - Spam Filtering
  - Language Classification
  - Genre Classification
- Caption Generation
- Auto-Tag Generation

### Avoid Stopword Removal

- Machine Translation
- Language Modeling
- Text Summarization
- Question-Answering problems

### Different Methods to Remove Stopwords

#### 1. Stopword Removal using NLTK

NLTK, or the Natural Language Toolkit, is a treasure trove of a library for text preprocessing. It's one of my favorite Python libraries. NLTK has a list of stopwords stored in 16 different languages.

You can use the below code to see the list of stopwords in NLTK:

```
import nltk  
  
from nltk.corpus import stopwords  
  
set(stopwords.words('english'))
```

#### 2. Stopword Removal using spaCy:

CSDL/013: Natural Language Processing Lab



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

**spaCy** is one of the most versatile and widely used libraries in NLP. We can quickly and efficiently remove stopwords from the given text using SpaCy.

It has a list of its own stopwords that can be imported as **STOP\_WORDS** from the **spacy.lang.en.stop\_words** class.

### 3. Stopword Removal using Gensim

**Gensim** is a pretty handy library to work with on NLP tasks. While pre-processing, gensim provides methods to remove stopwords as well. We can easily import the **remove\_stopwords** method from the class **gensim.parsing.preprocessing**.

#### Code:

```
!pip install nltk
text = 'TON 618 is a hyperluminous, broad-absorption-line, radio-loud
quasar and Lyman-alpha blob located near the border of the
constellations Canes Venatici and Coma Berenices, with the projected
comoving distance of approximately 18.2 billion light-years from
Earth.'
text
'TON 618 is a hyperluminous, broad-absorption-line, radio-loud quasar and
Lyman-alpha blob located near the border of the constellations Canes
Venatici and Coma Berenices, with the projected comoving distance of
approximately 18.2 billion light-years from Earth.'

#Stopwords
```

```
from nltk.corpus import stopwords
stop_words = stopwords.words('english')
from nltk.tokenize import word_tokenize
words = word_tokenize(text)

#### Applying stop words
holder = list()
for w in words:
    if w not in set(stop_words):
        holder.append(w)
holder
```



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

```
['TON', '618', 'hyperluminous', ',', 'broad-absorption-line', ',',  
'radio-loud', 'quasar', 'Lyman-alpha', 'blob', 'located', 'near',  
'border', 'constellations', 'Canes', 'Venatici', 'Coma', 'Berenices',  
,', 'projected', 'comoving', 'distance', 'approximately', '18.2',  
'billion', 'light-years', 'Earth', '.']  
  
#### List Comprehension for stop words  
holder = [w for w in words if w not in set(stop_words)]  
print(holder)  
['TON', '618', 'hyperluminous', ',', 'broad-absorption-line', ',',  
'radio-loud', 'quasar', 'Lyman-alpha', 'blob', 'located', 'near',  
'border', 'constellations', 'Canes', 'Venatici', 'Coma', 'Berenices',  
,', 'projected', 'comoving', 'distance', 'approximately', '18.2',  
'billion', 'light-years', 'Earth', '.']  
  
### Stemming  
from nltk.stem import PorterStemmer, SnowballStemmer, LancasterStemmer  
porter = PorterStemmer()  
snow = SnowballStemmer(language = 'english')  
lancaster = LancasterStemmer()  
words = ['play', 'plays', 'played', 'playing', 'player']  
  
#### Porter Stemmer  
porter_stemmed = list()  
for w in words:  
    stemmed_words = porter.stem(w)  
    porter_stemmed.append(stemmed_words)  
porter_stemmed  
['play', 'play', 'play', 'play', 'player']  
  
#### Porter Stemmer List Comprehension  
porter_stemmed = [porter.stem(x) for x in words]  
print (porter_stemmed)  
['play', 'play', 'play', 'play', 'player']  
  
#### Snowball Stemmer  
snow_stemmed = list()  
for w in words:  
    stemmed_words = snow.stem(w)  
    snow_stemmed.append(stemmed_words)  
snow_stemmed  
['play', 'play', 'play', 'play', 'player']  
  
#### Snowball Stemmer List Comprehension  
snow_stemmed = [snow.stem(x) for x in words]  
print (snow_stemmed)
```



# Vidyavardhini's College of Engineering and Technology

## Department of Artificial Intelligence & Data Science

```
['play', 'play', 'play', 'play', 'player']

#### Lancaster Stemmer
lancaster_stemmed = list()
for w in words:
    stemmed_words = lancaster.stem(w)
    lancaster_stemmed.append(stemmed_words)
lancaster_stemmed
['play', 'play', 'play', 'play', 'play']

#### Lancaster Stemmer List Comprehension
lancaster_stemmed = [lancaster.stem(x) for x in words]
print (lancaster_stemmed)
['play', 'play', 'play', 'play', 'play']

### Lemmatization : This has a more expansive vocabulary than Stemming
from nltk.stem import WordNetLemmatizer
wordnet = WordNetLemmatizer()
lemmatized = [wordnet.lemmatize(x) for x in words]
lemmatized
['play', 'play', 'played', 'playing', 'player']
```

### Conclusion:

Stop word removal is a crucial text preprocessing step in natural language processing (NLP) that involves removing common, low-information words (stop words) from a text corpus. The specific set of stop words can vary between languages, and it's essential to understand how this process works for both English and Indian languages.