

HOMEWORK 7

6500-324: DATA MANAGEMENT FOR INFORMATION SYSTEMS (Fall 2022)

©2022 by ecourse.org

Part 1. Multiple Choice or True/False

1. (1 point) Find all employees who have a job as salesman.
A) select all salesman from emp;
B) select empno, ename from emp where job = 'salesman';
C) select Count(*) from salesman;
D) select Count(*) from emp where job = 'salesman';
2. (1 point) Find all managers who make more than 2000 dollars
A) select ename from emp where job = 'MANAGER' or sal > 2000;
B) select manager from emp where sal > 2000;
C) select ename from emp where job = 'MANAGER' and sal > 2000;
D) select ename from emp where job = MANAGER and sal > 2000;
3. (1 point) What can the statement "select constraint_name from user_constraints where table_name = 'ACCOUNTS'" do?
A) find all the primary keys on Account table
B) find all the foreign keys on Account table
C) find all domain validation rules on Account table
D) All of the above
4. (1 point) Find those employees whose name starts with letter K
A) select * from emp where ename like '*K*';
B) select * from emp where ename like '%K%';
C) select * from emp where ename like 'K*';
D) select * from emp where ename like 'K%';
5. (1 point) Find the department located in BOSTON in the following table: DEPT(DEPTNO, DNAME, LOC)
A) select department from DEPT where loc= BOSTON;
B) select deptno from DEPT where location = 'BOSTON';
C) select dname from dept where loc=BOSTON;
D) select * from DEPT where loc='BOSTON';
6. (1 point) Finds all salesmen who are making less than 1500 dollars
A) select salesman from emp where sal < 1500;
B) select * from emp where sal < 1500;
C) select ename from salesman where sal < 1500;
D) select ename from emp where job = 'SALESMAN' and sal < 1500;
7. (1 point) Find the number of employees in each department

- A) select sum(*) from emp group by deptno;
B) select count(empno) from emp group by deptno;
C) select sum(empno) from emp group by deptno;
D) select count(empno) from emp group by dname;
E) select count(empno) from dept, emp group by dname;
8. (1 point) The second referential integrity rule states that
A) each table must have a primary key
B) the data for a foreign key column must exist in the corresponding primary key column
C) recursive relationship is always optional to optional
D) columns with frequent changes in value should not be made a primary key
9. (1 point) What type of join is needed when you wish to include rows in the left table no matter whether they have matching records in the right table or not?
A) inner join
B) outer join
C) left join
D) right join
E) none of the above
10. (1 point) The following SQL is which type of join:
<pre>
SELECT CUSTOMER_T. CUSTOMER_ID,
ORDER_T. CUSTOMER_ID, NAME, ORDER_ID
FROM CUSTOMER_T,ORDER_T
WHERE CUSTOMER_T. CUSTOMER_ID = ORDER_T. CUSTOMER_ID
</pre>
A) implicit inner join
B) Natural join
C) Outer join
D) Cartesian join