

HOMEWORK 8

6500-324: DATA MANAGEMENT FOR INFORMATION SYSTEMS (Fall 2022)

©2022 by ecourse.org

Part 1. Multiple Choice or True/False

1. (1 point) Which is the correct statement to find the number of employees in each department using table EMP?
A) select deptno, count(empno) from emp, dept where emp.deptno=dept.deptno group by dname;
B) select deptno, count(empno) from emp group by deptno;
C) select deptno, count(empno) from emp, dept group by deptno;
D) select deptno, count(empno) from emp group by dept;
2. (1 point) Find the location that has average salary more than 4000 dollars. Usually each location may have several departments.
A) select loc from dept, emp where dept.deptno = emp.deptno group by loc having avg(sal) > 4000;
B) select loc from emp group by loc having avg(sal) > 4000;
C) select loc from dept group by loc having avg(sal) > 4000;
D) select loc from dept where deptno in (select deptno from emp group by loc having avg(sal) > 4000);
E) select loc from dept where deptno in (select deptno from emp group by deptno having avg(sal) > 4000);
3. (1 point) Find the range of salaries (min, max) of each department in the following table:

EMP(EID, ENAME, SAL, DEPT)
A) select min(sal), max(sal) from emp group by deptno;
B) select min(sal), max(sal) from emp group by dept;
C) select min(sal) as min, max(sal) as max from employees group by dept
D) select range(sal) from emp group by dept;
4. (1 point) Find those departments whose minimum salary is more than 2000
A) select dname, min(sal) from dept, emp group by deptno having min(sal) > 2000;
B) select dname, min(sal) from emp group by deptno having min(sal) > 2000;
C) select deptno from emp group by deptno where min(sal) < 2000;
D) select deptno, min(sal) from emp group by deptno having min(sal) > 2000;
5. (1 point) Find the total number of employees hired in January of all years
A) select count(*) from emp where to_char(hiredate, 'Month') = 'January';
B) select count(*) from emp group by deptno having to_char(hiredate, 'Month') = 'January';
C) select count(*) from emp group by month having to_char(hiredate, 'Month') = 'January';
D) select sum(empno) from emp where to_char(hiredate, 'Month') = 'January';
6. (1 point) The SQL keyword BETWEEN is used:
A) for ranges.
B) to limit the columns displayed.
C) as a wildcard.
D) None of the above is correct.

7. (1 point) A subquery in an SQL SELECT statement:
- A) can only be used with two tables.
 - B) can always be duplicated by a join.
 - C) has a distinct form that cannot be duplicated by a join.
 - D) cannot have its results sorted using ORDER BY.
8. (1 point) Using the SQL GROUP BY phrase with a SELECT statement can help detect which of the following problems?
- A) The multivalue, multicolumn problem
 - B) The inconsistent values problem
 - C) The missing values problem
 - D) The general-purpose remarks column problem
9. (1 point) Based on the following table, which is the correct SQL statement to find the employees who work in the same department as SMITH?
- A) select ename from emp where job = (select ename from emp where ename = 'SMITH');
 - B) select ename from emp where deptno = (select deptno from emp where ename = 'SMITH');
 - C) select ename from emp where dname = (select dname from emp where ename = 'SMITH');
 - D) select ename from emp where deptno = (select * from emp where ename = 'SMITH');
10. (1 point) Based on the following table, which is the correct SQL statement to find the employees who was hired in the same year as TURNER?
- A) select ename from emp where hiredate = (select hiredate from emp where ename = 'TURNER');
 - B) select ename from emp where hiredate in (select * from emp where ename = 'TURNER');
 - C) select ename from emp where to_char(hiredate, 'YYYY') in (select to_char(hiredate, 'YYYY') from emp where ename = 'TURNER');
 - D) select ename from emp where * = (select * from emp where ename = 'TURNER');