# All api calls should be made by making the following changes in header:

Authorization type: Bearer Token

Token: {YOUR\_API\_TOKEN}

# **INDEX**

SR. NO	API	
1	GET	https://baal.herokuapp.com/states
2	GET	https://baal.herokuapp.com/cities/{stateid}
3	GET	https://baal.herokuapp.com/banks
4	POST	https://baal.herokuapp.com/search

```
GET https://baal.herokuapp.com/states => displays list of all states
```

**NO REQUEST BODY** 

```
RESPONSE BODY:
```

#### **ERROR:**

```
{
    "status": 403,
    "message": "UNAUTHORISED"
}
```

**GET** https://baal.herokuapp.com/cities/{stateid } => displays list of all cities for the given state id

## **NO REQUEST BODY**

```
RESPONSE BODY:
```

```
SUCCESS
```

### **ERROR:**

```
{
    "status": 403,
    "message": "UNAUTHORISED"
}
```

```
GET <a href="https://baal.herokuapp.com/banks">https://baal.herokuapp.com/banks</a> => displays data of banks

NO REQUEST BODY:

RESPONSE BODY:
SUCCESS

{
    "success": true,
    "data": [
        {
            "_id": "sample id",
            "bank_id": 1,
            "bank_name": "Andhra Bank"
        },
    ]
}
ERROR
```

"status": 403,

"message": "UNAUTHORISED"

```
POST
                   https://baal.herokuapp.com/search => displays data of banks upon given keyword
REQUEST BODY
    "arr":["narayanapuram"]
RESPONSE BODY:
SUCCESS
    "status": true,
    "data": [
            "branch_id": 16,
            "bank_id": 1,
            "state_id": 1,
            "city_name": "Anantapuram",
            "city_id": 3,
            "branch_address": "�d no 3 323,tapovanam circle,a narayanapuram road,anantapuram,515001,andhra pradesh",
            "branch_timing": "N/A",
            "branch_phone": "040-23234313",
            "branch_coords": "14.666149295865939, 77.60183321016349",
           "is_bank": true
```

**ERROR** 

status: false,

data: []