

1) Create the table Member, Books and Issue without any constraints as mentioned in the schema description above.

Database changed

```
mysql> create table member
-> (member_id int,
-> member_name varchar(30),
-> member_address varchar(50),
-> acc_open_date date,
-> membership_type varchar(20),
-> fees_paid int,
-> max_books_allowed int,
-> penalty_amount decimal(7,2));
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> create table library
-> (book_no int,
-> book_name varchar(30),
-> author_name varchar(30),
-> cost decimal(7,2),
-> category char(10));
mysql> create table books
-> (lib_issue_id int,
-> book_no int,
-> member_id int,
-> issue_date date,
-> return_date date);
```

2) View the structure of the tables.

```
mysql> desc member;
```

| Field | Type | Null | Key | Default | Extra |
|-------------------|--------------|------|-----|---------|-------|
| member_id | int | YES | | NULL | |
| member_name | varchar(30) | YES | | NULL | |
| member_address | varchar(50) | YES | | NULL | |
| acc_open_date | date | YES | | NULL | |
| membership_type | varchar(20) | YES | | NULL | |
| fees_paid | int | YES | | NULL | |
| max_books_allowed | int | YES | | NULL | |
| penalty_amount | decimal(7,2) | YES | | NULL | |

8 rows in set (0.00 sec)

```
mysql> desc library;
```

| Field | Type | Null | Key | Default | Extra |
|-------------|--------------|------|-----|---------|-------|
| book_no | int | YES | | NULL | |
| book_name | varchar(30) | YES | | NULL | |
| author_name | varchar(30) | YES | | NULL | |
| cost | decimal(7,2) | YES | | NULL | |
| category | char(10) | YES | | NULL | |

5 rows in set (0.00 sec)

```
mysql> desc books;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|------|------|-----|---------|-------|
| lib_issue_id | int | YES | | NULL | |
| book_no | int | YES | | NULL | |
| member_id | int | YES | | NULL | |
| issue_date | date | YES | | NULL | |

| return_date | date | YES | | NULL | |
|-------------|------|-----|--|------|--|
| | | | | | |

3) Drop the Member table

```
mysql> drop table member;
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> desc table;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1

```
mysql> show tables;
```

| Tables_in_fbs |
|---------------|
| account |
| books |
| countries |
| customer |
| department |
| employee |
| fbs_student |
| job_histroy |
| jobs |
| library |
| project |
| student |

4) Create the table Member again as per the schema description with the following constraints.

a. Member_Id - Primary Key

b. Membership_type - 'Lifetime', 'Annual', 'Half Yearly', 'Quarterly'

```
mysql> create table member
```

```
-> (member_id int primary key,
```

```
-> member_name varchar(30),
```

```
-> member_address varchar(50),
```

```
-> acc_open_date date,
```

```
-> membership_type varchar(20) check(membership_type
```

```
in("lifetime","Annual","half yearly","Quarterly")),
```

```
-> max_books_allowed int,
```

```
-> penalty_amount decimal(7,2));
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> desc member;
```

| Field | Type | Null | Key | Default | Extra |
|-------------------|--------------|------|-----|---------|-------|
| member_id | int | NO | PRI | NULL | |
| member_name | varchar(30) | YES | | NULL | |
| member_address | varchar(50) | YES | | NULL | |
| acc_open_date | date | YES | | NULL | |
| membership_type | varchar(20) | YES | | NULL | |
| max_books_allowed | int | YES | | NULL | |
| penalty_amount | decimal(7,2) | YES | | NULL | |

7 rows in set (0.00 sec)

```
mysql> show create table member;
```

```
+-----
```

```
+-----
+-----
+-----
```

| | |
|-------|--------------|
| Table | Create Table |
|-------|--------------|

```
| member | CREATE TABLE `member` (  
  `member_id` int NOT NULL,  
  `member_name` varchar(30) DEFAULT NULL,  
  `member_address` varchar(50) DEFAULT NULL,  
  `acc_open_date` date DEFAULT NULL,  
  `membership_type` varchar(20) DEFAULT NULL,  
  `max_books_allowed` int DEFAULT NULL,  
  `penalty_amount` decimal(7,2) DEFAULT NULL,  
  PRIMARY KEY (`member_id`),  
  CONSTRAINT `member_chk_1` CHECK ((`membership_type` in  
(_utf8mb4'lifetime',_utf8mb4'Annual',_utf8mb4'half  
yearly',_utf8mb4'Quarterly')))  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci |
```

```
1 row in set (0.01 sec)
```

5) Modify the table Member increase the width of the member name to 30 characters.

```
mysql> alter table member modify column member_name varchar(30);
Query OK, 0 rows affected (0.03 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
mysql> desc member;
```

| Field | Type | Null | Key | Default | Extra |
|-------------------|--------------|------|-----|---------|-------|
| member_id | int | NO | PRI | NULL | |
| member_name | varchar(30) | YES | | NULL | |
| member_address | varchar(50) | YES | | NULL | |
| acc_open_date | date | YES | | NULL | |
| membership_type | varchar(20) | YES | | NULL | |
| max_books_allowed | int | YES | | NULL | |
| penalty_amount | decimal(7,2) | YES | | NULL | |

6) Add a column named as Reference of Char(30) to Issue table

```
mysql> alter table books add column reference char(30);
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc books;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|----------|------|-----|---------|-------|
| lib_issue_id | int | YES | | NULL | |
| book_no | int | YES | | NULL | |
| member_id | int | YES | | NULL | |
| issue_date | date | YES | | NULL | |
| return_date | date | YES | | NULL | |
| reference | char(30) | YES | | NULL | |

7) Delete/Drop the column Reference from Issue.

```
mysql> desc books;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|----------|------|-----|---------|-------|
| lib_issue_id | int | YES | | NULL | |
| book_no | int | YES | | NULL | |
| member_id | int | YES | | NULL | |
| issue_date | date | YES | | NULL | |
| return_date | date | YES | | NULL | |
| reference | char(30) | YES | | NULL | |

```
6 rows in set (0.00 sec)
```

```
mysql> alter table books drop column reference;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc books;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|------|------|-----|---------|-------|
| lib_issue_id | int | YES | | NULL | |
| book_no | int | YES | | NULL | |
| member_id | int | YES | | NULL | |
| issue_date | date | YES | | NULL | |
| return_date | date | YES | | NULL | |

8) Rename the table Issue to Lib_Issue.

```
mysql> rename table books to lib_issue;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> desc lib_issue;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|------|------|-----|---------|-------|
| lib_issue_id | int | YES | | NULL | |
| book_no | int | YES | | NULL | |
| member_id | int | YES | | NULL | |
| issue_date | date | YES | | NULL | |
| return_date | date | YES | | NULL | |

```
*****
*****
```

9) Insert following data in table Member

| Member ID | Member Name | Member Address | Acc_Open_Date | Membership_type | Fees_Paid | Max_Books_Allowed | Penalty_Amount |
|-----------|--------------|----------------|---------------|-----------------|-----------|-------------------|----------------|
| 1 | Richa Sharma | Pune | 10-12-05 | Lifetime | 25000 | 5 | 50 |
| 2 | Garima Sen | Pune | current date | Annual | 1000 | 3 | Null |

ans-->

```
mysql> insert into member values(1,"Richa sharma","pune","2005-12-10","Annul",25000,5,50);
Query OK, 1 row affected (0.04 sec)
```

```
mysql> insert into member values(2,"garima sen","pune",now(),"lifetime",1000,3,Null);
Query OK, 1 row affected, 1 warning (0.02 sec)
```

```
mysql> select * from member;
```

| member_id | member_name | member_address | acc_open_date | membership_type | fees_paid | max_book_allowed | penalty_amount |
|-----------|--------------|----------------|---------------|-----------------|-----------|------------------|----------------|
| 1 | Richa sharma | pune | 2005-12-10 | Annul | 25000 | 5 | 50.00 |
| 2 | garima sen | pune | 2024-06-07 | lifetime | 1000 | 3 | NULL |

10) Insert at least 5 records with suitable data

```
mysql> insert into member values(3,"prachiti thakur","Pune","2004-06-04","Quarterly",8000,4,NULL);
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into member values(4,"shreya zinzade","Mumbai","2005-04-06","Half Yearly",5000,6,60);
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into member values(5,"pari thakur","Nagpur","2006-06-01","Half Yearly",6700,6,40);
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into member values(6,"akash patil","banglore","2023-12-01","Lifetime",4000,3,30);
Query OK, 1 row affected (0.02 sec)
```

```
mysql> insert into member values(7,"mihir joshi","mumbai","2022-11-01","Quarterly",3400,3,20);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from member;
```

| member_id | member_name | member_address | acc_open_date | membership_type |
|-----------|------------------|----------------|---------------|-----------------|
| fees_paid | max_book_allowed | penalty_amount | | |
| 1 | Richa sharma | pune | 2005-12-10 | lifetime |
| 25000 | 5 | 50.00 | | |
| 2 | garima sen | pune | 2024-06-07 | Annul |
| 1000 | 3 | NULL | | |
| 3 | prachiti thakur | Pune | 2004-06-04 | quarterly |
| 8000 | 4 | NULL | | |
| 4 | shreya zinzade | Mumbai | 2005-04-06 | half yearly |
| 5000 | 6 | 60.00 | | |
| 5 | pari thakur | Nagpur | 2006-06-01 | half yearly |
| 6700 | 6 | 40.00 | | |
| 6 | akash patil | banglore | 2023-12-01 | lifetime |
| 4000 | 3 | 30.00 | | |
| 7 | mihir joshi | mumbai | 2022-11-01 | quarterly |
| 3400 | 3 | 20.00 | | |

11) Modify the column Member_name. Decrease the width of the member name to 20 characters. (If it does not allow state the reason for that)

```
mysql> alter table member modify column member_name varchar(20);
```

12) Try to insert a record with Max_Books_Allowed = 110, Observe the error that comes.

```
mysql> insert into member values(8,"pragati saste","satara","2002-03-04","Lifetime",900,1,30);
Query OK, 1 row affected (0.02 sec)
```

```
mysql> select * from member;
```

| member_id | member_name | member_address | acc_open_date | membership_type |
|-----------|------------------|----------------|---------------|-----------------|
| fees_paid | max_book_allowed | penalty_amount | | |
| 1 | Richa sharma | pune | 2005-12-10 | lifetime |
| 25000 | 5 | 50.00 | | |
| 2 | garima sen | pune | 2024-06-07 | Annul |
| 1000 | 3 | NULL | | |
| 3 | prachiti thakur | Pune | 2004-06-04 | quarterly |
| 8000 | 4 | NULL | | |
| 4 | shreya zinzade | Mumbai | 2005-04-06 | half yearly |
| 5000 | 6 | 60.00 | | |
| 5 | pari thakur | Nagpur | 2006-06-01 | half yearly |
| 6700 | 6 | 40.00 | | |
| 6 | akash patil | banglore | 2023-12-01 | lifetime |
| 4000 | 3 | 30.00 | | |
| 7 | mihir joshi | mumbai | 2022-11-01 | quarterly |
| 3400 | 3 | 20.00 | | |
| 8 | pragati saste | satara | 2002-03-04 | lifetime |
| 900 | 1 | 30.00 | | |

13) Generate another table named Member101 using a Create command along with a simple SQL query on member table.

```
mysql> create table member101 as(select * from member);
Query OK, 8 rows affected (0.04 sec)
```

Records: 8 Duplicates: 0 Warnings: 0

```
mysql> select * from member101;
```

| member_id | member_name | member_address | acc_open_date | membership_type |
|-----------|------------------|----------------|---------------|-----------------|
| fees_paid | max_book_allowed | penalty_amount | | |
| 1 | Richa sharma | pune | 2005-12-10 | lifetime |
| 25000 | 5 | 50.00 | | |
| 2 | garima sen | pune | 2024-06-07 | Annul |
| 1000 | 3 | NULL | | |
| 3 | prachiti thakur | Pune | 2004-06-04 | quarterly |
| 8000 | 4 | NULL | | |
| 4 | shreya zinzade | Mumbai | 2005-04-06 | half yearly |
| 5000 | 6 | 60.00 | | |
| 5 | pari thakur | Nagpur | 2006-06-01 | half yearly |
| 6700 | 6 | 40.00 | | |
| 6 | akash patil | banglore | 2023-12-01 | lifetime |
| 4000 | 3 | 30.00 | | |
| 7 | mihir joshi | mumbai | 2022-11-01 | quarterly |
| 3400 | 3 | 20.00 | | |
| 8 | pragati saste | satara | 2002-03-04 | lifetime |
| 900 | 1 | 30.00 | | |

14) Add the constraints on columns `max_books_allowed` and `penalty_amt` as follows

- a. `max_books_allowed < 100`
- b. `penalty_amt` maximum 10000

Also give names to the constraints

```
mysql> alter table member101 add constraint maxbook check(max_book_allowed<100);
mysql> alter table member101 add constraint penalty check(penalty_amount
<=1000);
```

Query OK, 8 rows affected (0.05 sec)

Records: 8 Duplicates: 0 Warnings: 0

```
mysql> show create table member101;
```

[illegible]

```

| member101 | CREATE TABLE `member101` (
  `member_id` int NOT NULL,
  `member_name` varchar(20) DEFAULT NULL,
  `member_address` varchar(50) DEFAULT NULL,
  `acc_open_date` date DEFAULT NULL,
  `membership_type` enum('lifetime','Annul','half yearly','quarterly') DEFAULT
NULL,
  `fees_paid` int DEFAULT NULL,
  `max_book_allowed` int DEFAULT NULL,
  `penalty_amount` decimal(7,2) DEFAULT NULL,
  CONSTRAINT `maxbook` CHECK ((`max_book_allowed` < 100)),
  CONSTRAINT `penulty` CHECK ((`penalty_amount` <= 1000))
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci |
*****
*****

```

15) Drop the table books

```
mysql> show tables;
```

```

+-----+
| Tables_in_agmnt |
+-----+
| book             |
| library          |
| member           |
| member101        |
+-----+

```

4 rows in set (0.00 sec)

```
mysql> drop table book;
```

Query OK, 0 rows affected (0.01 sec)

```
mysql> desc book;
```

ERROR 1146 (42S02): Table 'agmnt.book' doesn't exist

```
mysql>
```

```

*****
*****

```

16) Create table Books again as per the schema description with the following constraints.

a. Book_No - Primary Key

b. Book_Name - Not Null

c. Category - System, Fiction, Database, RDBMS, Other

```
mysql> create table book
```

```
  -> (book_no int primary key,
```

```
  -> book_name varchar(30) not null,
```

```
  -> author_name varchar(30),
```

```
  -> cost decimal(7,2),
```

```
  -> category enum("system","fiction","databases","RDBMS","others"));
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> desc book;
```

```

+-----+-----+-----+-----+-----+-----+
| Field | Type | Key | Default | Extra | Null |
+-----+-----+-----+-----+-----+-----+
| book_no | int | PRI | NULL | | NO |
| book_name | varchar(30) | | NULL | | NO |
| author_name | varchar(30) | | NULL | | YES |
| cost | decimal(7,2) | | NULL | | YES |
| category | enum('system','fiction','databases','RDBMS','others') | | NULL | | YES |

```



```

| NULL | |
+-----+-----+-----+-----+-----+
+-----+-----+-----+
*****
*****

```

17) Insert data in Book table as follows:

Book_N

0

Book Name Author Cost Categorymysql> insert into book values(1,"Lets us c","Denis Ritchie" ,450,"system"),

-> (2,"oracle complete ref","loni",550,"databases");

101 Let us C Denis

Ritchie

450 System

102 Oracle -

Complete Ref

Loni 550 Database

103 Mastering SQL Loni 250 Database

104 PL SQL-Ref Scott

Urman

750 Databas

-->mysql> insert into book values(1,"Lets us c","Denis Ritchie" ,450,"system"),

-> (2,"oracle complete ref","loni",550,"databases");

mysql> insert into book values(103,"Mastering SQL","Loni

"> ",250,"databases"),(104,"Pl-Sql","scott urman",750,"databases");

Query OK, 2 rows affected (0.00 sec)

```

*****
*****

```

18) Insert more records in Book table

mysql> insert into book values(105,"Ravan","sharad tandale",350,"fiction");

Query OK, 1 row affected (0.01 sec)

mysql> insert into book values(106,"c++","balgurusami",560,"system");

Query OK, 1 row affected (0.02 sec)

mysql> insert into book values(107,"00p","graddy bouch",890,"system");

Query OK, 1 row affected (0.00 sec)

mysql> select * from book;

```

+-----+-----+-----+-----+-----+
| book_no | book_name          | author_name  | cost   | category |
+-----+-----+-----+-----+-----+
| 101     | Lets us c          | Denis Ritchie | 450.00 | system   |
| 102     | oracle complete ref | loni         | 550.00 | databases |
| 103     | Mastering SQL      | Loni         |        |          |
|         | 250.00 | databases |         |          |
| 104     | Pl-Sql             | scott urman  | 750.00 | databases |
| 105     | Ravan              | sharad tandale | 350.00 | fiction   |
| 106     | c++                 | balgurusami  | 560.00 | system    |
| 107     | 00p                 | graddy bouch | 890.00 | system    |
+-----+-----+-----+-----+-----+

```

7 rows in set (0.00 sec)

```

*****
*****

```

19) View the data in the tables using simple SQL query.

mysql> select * from book;

```

+-----+-----+-----+-----+-----+
| book_no | book_name          | author_name  | cost   | category |
+-----+-----+-----+-----+-----+
| 101     | Lets us c          | Denis Ritchie | 450.00 | system   |
| 102     | oracle complete ref | loni         | 550.00 | databases |
| 103     | Mastering SQL      | Loni         |        |          |

```

| | | | | | |
|-----|--------|-----------|----------------|--------|-----------|
| | 250.00 | databases | | | |
| 104 | Pl-Sql | | scott urman | 750.00 | databases |
| 105 | Ravan | | sharad tandale | 350.00 | fiction |
| 106 | c++ | | balgurusami | 560.00 | system |
| 107 | 00p | | graddy bouch | 890.00 | system |

20) Insert into Book following data.
 105, National Geographic, Adis Scott, 1000, Scienc
 -->

```
mysql> insert into book values(105,"national geographic","adis
scott",100,"science");
ERROR 1265 (01000): Data truncated for column 'category' at row 1
mysql> insert into book values(105,"national geographic","adis
scott",100,"others");
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from book;
+-----+-----+-----+-----+-----+
| book_no | book_name          | author_name | cost  | category |
+-----+-----+-----+-----+-----+
| 101     | Lets us c          | Denis Ritchie | 450.00 | system   |
| 102     | oracle complete ref | loni         | 550.00 | databases |
| 103     | Mastering SQL      | loni         | 550.00 | databases |
| 104     | Pl-Sql             | scott urman  | 750.00 | databases |
| 105     | national geographic | adis scott   | 100.00 | others   |
| 106     | c++                | balgurusami  | 560.00 | system   |
| 107     | 00p                | graddy bouch | 890.00 | system   |
+-----+-----+-----+-----+-----+
*****
```

21) Rename the table Lib_Issue to Issue

```
mysql> rename table lib_issue to issue;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> show tables;
+-----+
| Tables_in_agmnt |
+-----+
| book             |
| issue            |
| library          |
| member           |
| member101        |
+-----+
*****
```

22) Drop table Issue.

```
mysql> drop table issue;
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> show tables;
+-----+
| Tables_in_agmnt |
+-----+
| book            |
| library         |
| member          |
| member101       |
+-----+
*****
```

23) As per the given structure Create table Issue again with following constraints.

☞ Lib_Issue_Id-Primary key
☞ Book_No- foreign key
☞ Member_id - foreign key
☞ Issue_date
☞ Return_date

```
mysql> alter table member101 add primary key(member_id);
Query OK, 0 rows affected (0.05 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> create table issue
-> (lib_issue_id int primary key,
-> book_no int,
-> member_id int,
-> issue_date date,
-> return_date date,
-> foreign key(book_no)
-> references book(book_no),
-> foreign key(member_id)
-> references member101(member_id));
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> show create table issue;
| issue | CREATE TABLE `issue` (
  `lib_issue_id` int NOT NULL,
  `book_no` int DEFAULT NULL,
  `member_id` int DEFAULT NULL,
  `issue_date` date DEFAULT NULL,
  `return_date` date DEFAULT NULL,
  PRIMARY KEY (`lib_issue_id`),
  KEY `book_no` (`book_no`),
  KEY `member_id` (`member_id`),
  CONSTRAINT `issue_ibfk_1` FOREIGN KEY (`book_no`) REFERENCES `book`
(`book_no`),
  CONSTRAINT `issue_ibfk_2` FOREIGN KEY (`member_id`) REFERENCES `member101`
(`member_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci |
```

24) Insert following data into Issue table.

```
mysql> insert into issue (lib_issue_id,book_no,member_id,issue_date)
values(7001,101,1,"2006-12-10"),
-> (7002,102,2,"2006-12-25"),(7003,104,1,"2006-12-06");
Query OK, 3 rows affected (0.00 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> insert into issue
(lib_issue_id,book_no,member_id,issue_date)values(7004,101,1,"2006-06-04"),
-> (7005,104,2,"2006-11-06"),(7006,101,3,"2006-02-18");
```

25) Remove the constraints on Issue table

```
mysql> alter table issue drop primary key;
mysql> alter table issue drop constraint `issue_ibfk_1`;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table issue drop constraint `issue_ibfk_2`;
```

```
| issue | CREATE TABLE `issue` (  
  `lib_issue_id` int NOT NULL,  
  `book_no` int DEFAULT NULL,  
  `member_id` int DEFAULT NULL,  
  `issue_date` date DEFAULT NULL,  
  `return date` date DEFAULT NULL,
```

```

PRIMARY KEY (`lib_issue_id`),
KEY `book_no` (`book_no`),
KEY `member_id` (`member_id`),
CONSTRAINT `issue_ibfk_1` FOREIGN KEY (`book_no`) REFERENCES `book`
(`book_no`),
CONSTRAINT `issue_ibfk_2` FOREIGN KEY (`member_id`) REFERENCES `member101`
(`member_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci |

```

```

*****
*****

```

29) Try to delete the record of member id 1 from member table and observe the error

```

delete from member101 where member_id=1;
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key
constraint fails (`agnmt`.`issue`, CONSTRAINT `issue_ibfk_2` FOREIGN KEY
(`member_id`) REFERENCES `member101` (`member_id`))
we cannot delete it as it is referred to the another table as a foreign key
solution on delete set=NULL or on delete cascade, while adding foreign key
constraint,

```

```

*****
*****

```

30) View the data and structure of all the three tables Member, Issue, Book

mysql> desc member101;

```

+-----+-----+-----+-----+-----+
+----+-----+-----+
| Field                | Type                | Null |
Key | Default | Extra |
+-----+-----+-----+-----+-----+
+----+-----+-----+
| member_id            | int                 | NO   |
PRI | NULL    |      |
| member_name          | varchar(20)         | YES  |
| NULL                |                     |      |
| member_address       | varchar(50)         | YES  |
| NULL                |                     |      |
| acc_open_date        | date                | YES  |
| NULL                |                     |      |
| membership_type      | enum('lifetime','Annul','half yearly','quarterly') | YES  |
| NULL                |                     |      |
| fees_paid            | int                 | YES  |
| NULL                |                     |      |
| max_book_allowed     | int                 | YES  |
| NULL                |                     |      |
| penalty_amount       | decimal(7,2)        | YES  |
| NULL                |                     |      |
+-----+-----+-----+-----+-----+
+----+-----+-----+
8 rows in set (0.00 sec)

```

mysql> select * from member101;

```

+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+
| member_id | member_name | member_address | acc_open_date | membership_type |
| fees_paid | max_book_allowed | penalty_amount |
+-----+-----+-----+-----+-----+
+-----+-----+-----+-----+-----+
|          1 | Richa sharma | pune          | 2005-12-10    | lifetime        |
|        25000 |          5 |          50.00 |
|          2 | garima sen   | pune          | 2024-06-07    | Annul           |
|         1000 |          3 |          NULL  |
|          3 | prachiti thakur | Pune          | 2004-06-04    | quarterly       |

```

| | | | | | | |
|------|---|----------------|----------|-------|------------|-------------|
| 8000 | 4 | shreya zinzade | Mumbai | NULL | 2005-04-06 | half yearly |
| 5000 | 6 | pari thakur | Nagpur | 60.00 | 2006-06-01 | half yearly |
| 6700 | 6 | akash patil | banglore | 40.00 | 2023-12-01 | lifetime |
| 4000 | 3 | mihir joshi | mumbai | 30.00 | 2022-11-01 | quarterly |
| 3400 | 3 | pragati saste | satara | 20.00 | 2002-03-04 | lifetime |
| 900 | 1 | | | 30.00 | | |

8 rows in set (0.00 sec)

```
mysql> desc book;
```

| Field | Type | Null |
|-------------|---|-------|
| Key | Default | Extra |
| book_no | int | NO |
| PRI | NULL | |
| book_name | varchar(30) | NO |
| NULL | | |
| author_name | varchar(30) | YES |
| NULL | | |
| cost | decimal(7,2) | YES |
| NULL | | |
| category | enum('system','fiction','databases','RDBMS','others') | YES |
| NULL | | |

5 rows in set (0.00 sec)

```
mysql> select * from book;
```

| book_no | book_name | author_name | cost | category |
|---------|---------------------|---------------|--------|-----------|
| 101 | Lets us c | Denis Ritchie | 450.00 | system |
| 102 | oracle complete ref | loni | 550.00 | databases |
| 103 | Mastering SQL | loni | 550.00 | databases |
| 104 | Pl-Sql | scott urman | 750.00 | databases |
| 105 | national geographic | adis scott | 100.00 | others |
| 106 | c++ | balgurusami | 560.00 | system |
| 107 | 00p | graddy bouch | 890.00 | system |

7 rows in set (0.00 sec)

```
mysql> desc issue;
```

| Field | Type | Null | Key | Default | Extra |
|--------------|------|------|-----|---------|-------|
| lib_issue_id | int | NO | PRI | NULL | |
| book_no | int | YES | MUL | NULL | |
| member_id | int | YES | MUL | NULL | |
| issue_date | date | YES | | NULL | |
| return_date | date | YES | | NULL | |

5 rows in set (0.00 sec)

```
mysql> select * from issue;
```

-----+

| lib_issue_id | book_no | member_id | issue_date | return_date |
|--------------|---------|-----------|------------|-------------|
| 7001 | 101 | 1 | 2006-12-10 | NULL |
| 7002 | 102 | 2 | 2006-12-25 | NULL |
| 7003 | 104 | 1 | 2006-01-15 | NULL |
| 7004 | 101 | 1 | 2006-06-04 | NULL |
| 7005 | 104 | 2 | 2006-11-06 | NULL |
| 7006 | 101 | 3 | 2006-02-18 | NULL |

31) Modify the Return_Date of 7004,7005 to 15 days after the Issue_date.

```
mysql> update issue set return_date=date_add(issue_date,interval 15 day);
Query OK, 6 rows affected (0.03 sec)
Rows matched: 6 Changed: 6 Warnings: 0
```

```
mysql> select * from issue;
```

| lib_issue_id | book_no | member_id | issue_date | return_date |
|--------------|---------|-----------|------------|-------------|
| 7001 | 101 | 1 | 2006-12-10 | 2006-12-25 |
| 7002 | 102 | 2 | 2006-12-25 | 2007-01-09 |
| 7003 | 104 | 1 | 2006-01-15 | 2006-01-30 |
| 7004 | 101 | 1 | 2006-06-04 | 2006-06-19 |
| 7005 | 104 | 2 | 2006-11-06 | 2006-11-21 |
| 7006 | 101 | 3 | 2006-02-18 | 2006-03-05 |

32) Remove all the records from Issue table where member_ID is 1 and Issue date in before 10-Dec-06.

```
mysql> select * from issue;
```

| lib_issue_id | book_no | member_id | issue_date | return_date |
|--------------|---------|-----------|------------|-------------|
| 7001 | 101 | 1 | 2006-12-10 | 2006-12-25 |
| 7002 | 102 | 2 | 2006-12-25 | 2007-01-09 |
| 7003 | 104 | 1 | 2006-01-15 | 2006-01-30 |
| 7004 | 101 | 1 | 2006-06-04 | 2006-06-19 |
| 7005 | 104 | 2 | 2006-11-06 | 2006-11-21 |
| 7006 | 101 | 3 | 2006-02-18 | 2006-03-05 |

```
6 rows in set (0.00 sec)
```

```
mysql> delete from issue where member_id=1 and issue_date<"2006-12-10";
Query OK, 2 rows affected (0.03 sec)
```

```
mysql> select * from issue;
```

| lib_issue_id | book_no | member_id | issue_date | return_date |
|--------------|---------|-----------|------------|-------------|
| 7001 | 101 | 1 | 2006-12-10 | 2006-12-25 |
| 7002 | 102 | 2 | 2006-12-25 | 2007-01-09 |
| 7005 | 104 | 2 | 2006-11-06 | 2006-11-21 |
| 7006 | 101 | 3 | 2006-02-18 | 2006-03-05 |

33) Remove all the records from Book table with category other than RDBMS and Database.

```
mysql> delete from book where category not in("databases","RDBMS");
```

```
ERROR 1451 (23000): Cannot delete or update a parent row: a foreign key
constraint fails (`agnmt`.`issue`, CONSTRAINT `issue_ibfk_1` FOREIGN KEY
(`book_no`) REFERENCES `book` (`book_no`))
mysql>
```

```
*****
*****
```

34) Remove the table Member

```
mysql> drop table book;
```

```
ERROR 3730 (HY000): Cannot drop table 'book' referenced by a foreign key
constraint 'issue_ibfk_1' on table 'issue'.
```

```
mysql> drop table member101;
```

```
ERROR 3730 (HY000): Cannot drop table 'member101' referenced by a foreign key
constraint 'issue_ibfk_2' on table 'issue'.
```