

USED NEW BALANCE 574 CLASSIC FREE — PARTS ANATOMY

Total Parts: 13



LATERAL SIDE (OUTBOARD)



MEDIAL SIDE (INBOARD)

- | | | | |
|--|---|--|---|
| <p>① Midsole
Foam layer that provides cushioning.</p> | <p>⑤ Quarter Panel (Medial)
Inboard side panel of the upper.</p> | <p>⑨ Laces
Lacing that secures the upper.</p> | <p>⑬ Tongue Label
Branding / size label on the tongue.</p> |
| <p>② Toe Box (Vamp)
Front upper that covers the toes.</p> | <p>⑥ Quarter Panel (Lateral)
Outboard side panel of the upper.</p> | <p>⑩ Heel Tab
Pull tab at the back for easy wear.</p> | |
| <p>③ Outsole
Bottom layer that grips the ground.</p> | <p>⑦ Heel Collar (Topline)
Padded area around the ankle.</p> | <p>⑪ N Logo (Brand Mark)
The New Balance "N" on the side.</p> | |
| <p>④ Heel Counter
Stiff support that holds the heel in place.</p> | <p>⑧ Tongue
The padded flap under the laces.</p> | <p>⑫ Eyelets
Holes for the laces.</p> | |

Dimensions

All dimensions extracted from the 3D mesh after axis canonicalisation and scale calibration. ± values are 2σ bootstrap-resample ranges.

Dimension	Value	Notes
Overall length	270.0 ± 0.3 mm	Toe-to-heel bounding box. ± = 2σ bootstrap range.
Overall width	108.2 ± 0.4 mm	Maximum lateral-medial bbox
Overall height	122.0 ± 0.1 mm	Sole to collar
Outsole thickness	17.8 mm	Top of outsole component above ground
Midsole thickness	23.6 mm	Between outsole top and upper start
Heel stack height	41.1 mm	Sole+midsole height at 20% of length (under heel)
Forefoot stack height	42.9 mm	Sole+midsole height at 80% of length (under metatarsals)
Drop (heel – forefoot)	-1.8 mm	Headline runner-shoe metric. ~10 mm typical for trainers.
Heel height	42.9 ± 0.3 mm	Sole top at the rear 30%
Toe spring	14.9 mm	Lowest point of frontmost 5% of upper above ground
Sole flex point	78.3 %	X-position (% of length) where sole curvature is thinnest
Insole length	261.2 mm	Footbed length at the level of the midsole top
Forefoot girth	970.9 ± 57.8 mm	Alpha-shape perimeter of YZ section at x = +0.65 L
Instep girth	746.0 ± 63.3 mm	Alpha-shape perimeter of YZ section at midfoot (concave-aware)
Throat opening	13.5 mm	Lacing throat width — clearance between lateral & medial uppers
Ankle opening (L × W)	24.1 × 37.3 mm	Collar opening dimensions at the topmost slice
Size: CM (shoe length)	27.0 cm	Last length / 10 — matches NB/Adidas chart 'CM' column
Size: US men's	9.0	1 US = 10 mm of last length
Size: UK men's	8.5	US men's – 0.5
Size: EU	42.5	US men's + 33.5
Foot length (est.)	258.0 mm	Last length – 12 mm toe room

Components (Bill of Materials)

Canonical-vocabulary component list. Confidence ≥ 0.5 means the cluster is a single, real component (high face count, low colour variance, sensible area). Rows below 0.5 are flagged for human review. Perim = cutting-line length used directly for pattern grading.

#	Component	Material	Area (mm²)	Perim (mm)	Color	Conf	Notes
1	eva-midsole	EVA foam midsole	36,984 (26%)	5,635	#A8AAB1	0.74	—
2	vamp	synthetic leather toe-cap	24,733 (17%)	7,527	#A9A6AE	0.74	—
3	rubber-outsole	rubber outsole	23,058 (16%)	1,995	#B2ADAD	0.97	—
4	heel-counter	synthetic leather heel counter	22,938 (16%)	3,395	#BBB9BD	0.84	—
5	quarter-medial	synthetic leather quarter panel	14,406 (10%)	6,398	#B6B2B6	0.79	—
6	quarter-lateral	synthetic leather quarter panel	11,958 (8%)	5,673	#B3ADB1	0.76	—
7	collar	foam-padded textile collar	3,796 (3%)	928	#D4D1D2	0.97	—
8	tongue	padded synthetic mesh	2,628 (2%)	991	#B6B4BC	0.87	—
9	shoe-laces	woven polyester laces	2,627 (2%)	1,643	#CAC7C8	0.94	—
10	heel-tab	synthetic-leather pull-tab	457 (0%)	320	#D3CFCE	0.62	—