

```
mysql -u root -p
```

```
CREATE DATABASE trigger_demo;
```

```
USE trigger_demo;
```

```
CREATE TABLE employees (  
    emp_id INT PRIMARY KEY AUTO_INCREMENT,  
    emp_name VARCHAR(100),  
    salary DECIMAL(10,2)  
);
```

```
CREATE TABLE employee_logs (  
    log_id INT PRIMARY KEY AUTO_INCREMENT,  
    action_type VARCHAR(50),  
    emp_name VARCHAR(100),  
    action_time TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
);
```

DELIMITER \$\$

CREATE TRIGGER before_employee_insert

BEFORE INSERT ON employees

FOR EACH ROW

BEGIN

IF NEW.salary < 10000 THEN

SET NEW.salary = 10000;

END IF;

END\$\$

DELIMITER ;

DELIMITER \$\$

CREATE TRIGGER after_employee_insert

AFTER INSERT ON employees

FOR EACH ROW

BEGIN

INSERT INTO employee_logs(action_type, emp_name)

VALUES ('EMPLOYEE INSERTED', NEW.emp_name);

END\$\$

DELIMITER ;

INSERT INTO employees(emp_name, salary)

VALUES ('Rahul', 5000);

```
SELECT * FROM employees;
```

```
SELECT * FROM employee_logs;
```

```
INSERT INTO employees(emp_name, salary)  
VALUES ('Amit', 25000);
```

```
SELECT * FROM employees;
```

```
SELECT * FROM employee_logs;
```

```
SHOW TRIGGERS;
```

```
DROP TRIGGER before_employee_insert;
```

```
DROP TRIGGER after_employee_insert;
```

```
exit;
```