

```
mysql -u root -p
```

```
CREATE DATABASE access_control_demo;
```

```
USE access_control_demo;
```

```
CREATE TABLE employees (  
    id INT PRIMARY KEY AUTO_INCREMENT,  
    name VARCHAR(50),  
    salary DECIMAL(10,2)  
);
```

```
CREATE USER 'testuser'@'localhost' IDENTIFIED BY 'Test@123';
```

```
GRANT SELECT ON access_control_demo.* TO 'testuser'@'localhost';
```

```
GRANT INSERT ON access_control_demo.* TO 'testuser'@'localhost';
```

```
GRANT ALL PRIVILEGES ON access_control_demo.* TO 'testuser'@'localhost';
```

```
FLUSH PRIVILEGES;
```

```
SHOW GRANTS FOR 'testuser'@'localhost';
```

```
REVOKE INSERT ON access_control_demo.* FROM 'testuser'@'localhost';
```

```
REVOKE ALL PRIVILEGES ON access_control_demo.* FROM 'testuser'@'localhost';
```

```
CREATE ROLE 'manager_role';
```

```
GRANT SELECT, INSERT, UPDATE ON access_control_demo.* TO 'manager_role';
```

```
GRANT 'manager_role' TO 'testuser'@'localhost';
```

```
SET DEFAULT ROLE 'manager_role' TO 'testuser'@'localhost';
```

```
SET ROLE 'manager_role';
```

```
REVOKE 'manager_role' FROM 'testuser'@'localhost';
```

```
DROP USER 'testuser'@'localhost';
```

```
EXIT;
```