

```
mysql -u root -p
```

```
CREATE DATABASE transaction_demo;
```

```
USE transaction_demo;
```

```
CREATE TABLE accounts (  
    id INT PRIMARY KEY AUTO_INCREMENT,  
    name VARCHAR(50),  
    balance DECIMAL(10,2)  
);
```

```
INSERT INTO accounts (name, balance) VALUES ('Alice', 1000.00);
```

```
INSERT INTO accounts (name, balance) VALUES ('Bob', 500.00);
```

```
SELECT * FROM accounts;
```

```
START TRANSACTION;
```

```
UPDATE accounts SET balance = balance - 200 WHERE name = 'Alice';
```

```
UPDATE accounts SET balance = balance + 200 WHERE name = 'Bob';
```

```
SELECT * FROM accounts;
```

```
COMMIT;
```

```
START TRANSACTION;
```

```
UPDATE accounts SET balance = balance - 300 WHERE name = 'Alice';
```

```
ROLLBACK;
```

```
SELECT * FROM accounts;
```

```
START TRANSACTION;
```

```
UPDATE accounts SET balance = balance - 100 WHERE name = 'Alice';
```

```
SAVEPOINT sp1;
```

```
UPDATE accounts SET balance = balance - 50 WHERE name = 'Alice';
```

```
ROLLBACK TO sp1;
```

```
COMMIT;
```

```
SELECT * FROM accounts;
```