

```
net start MySQL
```

```
mysql -u root -p
```

```
CREATE DATABASE company_db;
```

```
USE company_db;
```

```
CREATE TABLE employees (  
    emp_id INT PRIMARY KEY AUTO_INCREMENT,  
    name VARCHAR(50),  
    department VARCHAR(50),  
    salary INT  
);
```

```
INSERT INTO employees (name, department, salary) VALUES  
( 'Alice', 'HR', 40000),  
( 'Bob', 'IT', 60000),  
( 'Charlie', 'IT', 70000),  
( 'David', 'HR', 50000),  
( 'Eve', 'Finance', 65000),  
( 'Frank', 'Finance', 55000);
```

```
SELECT department, COUNT(*) AS total_employees  
FROM employees  
GROUP BY department;
```

```
SELECT department, SUM(salary) AS total_salary  
FROM employees  
GROUP BY department;
```

```
SELECT department, AVG(salary) AS avg_salary  
FROM employees  
GROUP BY department;
```

```
SELECT department, MAX(salary) AS highest_salary  
FROM employees  
GROUP BY department;
```

```
SELECT department, MIN(salary) AS lowest_salary  
FROM employees  
GROUP BY department;
```

```
SELECT department, AVG(salary) AS avg_salary  
FROM employees  
GROUP BY department  
HAVING AVG(salary) > 55000;
```

```
SELECT department, COUNT(*) AS total_employees
```

FROM employees

GROUP BY department

HAVING COUNT(*) > 1;

EXIT;