

Technical Disclosure Commons

Defensive Publications Series

14 Apr 2025

Biomimetic Nanobots for Heavy Metal Soil Remediation

Suma Mallapragada

Vaishnavi Sankepally

Follow this and additional works at: https://www.tdcommons.org/dpubs_series

Recommended Citation

Mallapragada, Suma and Sankepally, Vaishnavi, "Biomimetic Nanobots for Heavy Metal Soil Remediation", Technical Disclosure Commons, (April 14, 2025)
https://www.tdcommons.org/dpubs_series/8003



This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/).

This Article is brought to you for free and open access by Technical Disclosure Commons. It has been accepted for inclusion in Defensive Publications Series by an authorized administrator of Technical Disclosure Commons.

Biomimetic Nanobots for Heavy Metal Soil Remediation

(A Defensive Publication)

Suma Mallapragada 

`msuma3059@gmail.com`

Vaishnavi Sankepally 

`sachitha2018@gmail.com`

Abstract

Heavy metal contamination in soil poses significant environmental risks, affecting agriculture, ecosystems, and human health. Existing remediation methods, including phytoremediation, chemical treatments, and electrokinetic methods, often suffer from inefficiencies, high costs, and environmental side effects. This whitepaper presents an innovative solution: biomimetic nanobots designed for efficient and eco-friendly soil remediation. These nanobots utilize a graphene-based outer capsule, gold nanolens for selective ion detection, a bioengineered pseudo-organelle payload for enzymatic neutralization, and optical-tweezer DNA-polystyrene actuators for movement. The self-regenerating mechanism ensures continuous operation, while the NanoIoT-enabled communication system allows real-time monitoring and minimal human intervention. Computational simulations and performance metrics demonstrate the technology's high stability, detection efficiency, and regeneration capabilities. This system offers a promising alternative to conventional remediation methods by providing a sustainable, cost-effective solution for heavy metal contamination in soils.

Keywords: Biomimetic nanobots, soil remediation, heavy metals, graphene, gold nanolens, enzyme neutralization, self-regeneration, NanoIoT, environmental nanotechnology.

1 Introduction

Heavy metal contamination in soil is a global environmental issue that threatens agricultural productivity, biodiversity, and human health. Metals such as arsenic (As), cadmium (Cd), lead (Pb), copper (Cu), and nickel (Ni) are commonly found in contaminated soils, resulting from industrial activities, mining, and improper waste disposal. Conventional methods for remediating heavy metal pollution, such as phytoremediation and electrokinetic treatments, are often slow, expensive, and can introduce further environmental risks, such as altering soil pH or causing chemical leaching.

The need for innovative, efficient, and environmentally friendly solutions for heavy metal soil remediation has never been more critical. We propose a nanobot-based remediation approach. Nanotechnology, particularly biomimetic nanobots, offer the potential for targeted, sustainable, and cost-effective solutions. By mimicking biological processes and leveraging nanoscale engineering, these nanobots can efficiently neutralize contaminants in soil without causing additional harm to the environment.

Figures 1 and 2 show early simulated views using VMD for the movement beads and nanolens surfaces. The system is structured to mimic molecular movement and signal detection from the soil medium to a decision-making interface.

2 System Overview

Our biomimetic nanobots are approximately 30 microns in size and feature:




Figure 1: Simulated bead-like structure using VMD




Figure 2: Gold nanolens detection system representation

- **Graphene outer capsule** for structural durability.
- **Gold nanolens** for selective ion detection.
- **DNA-polystyrene spring sensors** powered by optical tweezers for mobility.
- **Pseudo-organelles** bioengineered for enzymatic neutralization.
- **Self-regeneration chambers** for sustainability.
- **NanoIoT interface** for real-time monitoring.

3 Operational Cycle

1. **Detection:** Gold nanolens detects specific heavy metal ions.
2. **Transmission:** Data is relayed via CNT-based NanoIoT system.
3. **Neutralization:** Payload is released via laser-activated pseudo-organelles.

4. **Regeneration:** Internal chambers synthesize fresh payload.
5. **Degradation:** Nanobot self-destructs after lifespan.

4 Computational Simulations

These simulations confirm the nanobots' high performance under typical soil conditions, making them suitable for large-scale deployment.

4.1 Molecular Properties (via VMD NAMD)

- **Binding Energy:** -75.4 kcal/mol (Strong interaction)
- **Stability Index:** 0.87 (High under soil conditions)
- **Regeneration Efficiency:** 92.3%

4.2 Optical Properties

- **Reflectivity:** 0.72 (for metal ion detection)
- **Efficiency:** 85.6%

4.3 Structural Resilience

- **Lifespan:** 1.5 months
- **Polystyrene Resilience:** 0.91

5 Implementation and Stack

- VMD + NAMD for simulation
- Graph Neural Networks via PyG for bio payload design
- Arduino Cloud for real-time monitoring
- NanoFramework WebSockets for AI-triggered actuation
- 3D Bioprinting for pseudo-organelle integration

6 Use Cases

- Agricultural soil detoxification
- Mining land restoration
- E-waste neutralization (future scope)

7 Ethical Implementation and Regulatory Compliance

To ensure responsible use, the nanobot simulation and deployment adhere to strict ethical and regulatory guidelines:

7.1 Ethical Compliance

- Simulation access only to verified institutions
- Compliance with international safety standards
- Self-destructive design prevents dual-use risks
- **User Validation:** Access limited to verified researchers and scientists.
- **Ethical Approval:** Compliance with institutional ethical policies and international safety standards.
- **Controlled Release:** Deployment restricted to pre-approved research settings.
- **Destruction Prevention:** Nanobots are designed to self-destruct after their operational cycle, preventing misuse.

8 Schematic of Working of Nanobot




Figure 3: Annotated system sketch of the nanobot detection, signal relay, optical tweezers, and regeneration chamber

Detection by Gold Nanolens

Chromic properties of each ion in soil are considered. The same frequencies are reflected and relayed through Carbon Nanotubes (CNT) sensor system to the Interface created with NanoFramework Websockets.

CNT Transmission

CNTs function based on torsion. The torsional properties of CNTs make them reliable nanosensors to relay the signals identified by gold nanolens and also the indicators received from the WebSockets interface integrated by the ML-decision making system. This is a perfect example of edge computing.

Optical Tweezer Control

Two different light indicators determine how the optical tweezer should activate dna-polystyrene movements. These inputs are received through the primary port on graphene body closer to Gold Nanolens connected with CNTs. Red activates the gliding springs, while canary green activates the payload chamber for pushing out the organelle. This is done as we ensure $-kx$ is directly proportional to the colour of dye placed underneath the optical tweezers.

Regeneration Chamber

The payload regeneration chamber holds 3 pseudo-organelles at a time. Operation within this chamber can be visualized as that of an elevator over an allosteric surface, catalyst surface attached to the ends, that play a crucial role in controlling regeneration.

9 Conclusion

The proposed biomimetic nanobot system offers a promising solution to the challenges associated with heavy metal soil remediation. By integrating advanced materials and technologies, the nanobots address key limitations of existing methods:

- **Cost Efficiency:** Self-regenerating mechanisms and targeted neutralization reduce operational costs. Simulations reduce experimental costs.
- **Environmental Compatibility:** Controlled degradation and bio-engineered components minimize ecological side effects.
- **Operational Speed:** Autonomous detection and neutralization processes significantly reduce remediation timeframe. Flexibility in the supply of nanobots should be ensured with logistical deduction.

Defensive Disclosure Notice

This document serves as a defensive publication. All concepts, schematics, and system designs described herein are publicly disclosed to establish prior art. The authors intend to ensure that these ideas remain free from patent restrictions and available for academic, research, and non-commercial use.

The complete disclosure is available on Zenodo :
<https://doi.org/10.5281/zenodo.15071484>

References

- [1] Ailijiang, N., Zhong, N., Zhou, X., Mamat, A., Chang, J., Cao, S., Hua, Z., & Li, N. (2022). Levels, sources, and risk assessment of PAHs residues in soil and plants in urban parks of Northwest China. *Scientific Reports*, 12, 20771. <https://doi.org/10.1038/s41598-022-25879-8>
- [2] BBC News. (2016, February 1). Nanoscale 3D printing is edging closer to reality. <https://www.bbc.com/news/science-environment-35502310>
- [3] NEXUS/Physics. (n.d.). The spring of DNA – Free Body Diagram (FBD). *ComPADRE Digital Library*. Retrieved from https://www.compadre.org/nexusph/course/The_spring_of_DNA_--_FBD
- [4] Deccan Herald. (2023, October 10). Research flags heavy metal contamination in vegetables across Bengaluru. <https://www.deccanherald.com/india/karnataka/bengaluru/research-flags-heavy-metal-contamination-in-vegetables-across-bengaluru-2740180>
- [5] Penn State Extension. (n.d.). Survival of *Staphylococcus aureus* on synthetic turf. <https://extension.psu.edu/survival-of-staphylococcus-aureus-on-synthetic-turf>

- [6] Frontiers in Sustainable Food Systems. (2022). Article on soil bioremediation technologies. <https://www.frontiersin.org/articles/10.3389/fsufs.2022.932424/full>
- [7] G2.com. (n.d.). Nanobots: The future of nanotechnology. <https://www.g2.com/articles/nanobots>
- [8] Vega Baudrit, J. R., Gutierrez, B., Bermudez, C. V., Corrales Urena, Y. R., & Vargas Chacon, S. (2017). Nanobots: development and future. *International Journal of Biosensors & Bioelectronics*, 2(5), 146–151. <https://doi.org/10.15406/ijbsbe.2017.02.00037>
- [9] Huemer, M., Shambat, S. M., Hertegonne, S., Bergada-Pijuan, J., Chang, C.-C., Pereira, S., Gómez-Mejia, A., Van Gestel, L., Bär, J., & Zinkernagel, A. S. (2023). Serine-threonine phosphoregulation by PknB and Stp contributes to quiescence and antibiotic tolerance in *Staphylococcus aureus*. *Science Signaling*, 16(789), eabj8194. <https://doi.org/10.1126/scisignal.abj8194>
- [10] Lee, S., Lee, S., Kim, J.-M., Son, J., Cho, E., Yoo, S., Hilal, H., Nam, J.-M., & Park, S. (2021). Au nanolenses for near-field focusing. *Chemical Science*, 12, 5028–5034. <https://doi.org/10.1039/D1SC00202C>
- [11] Maestre-Reyna, M., Wu, W.-J., & Wang, A. H.-J. (2013). Structural insights into RbmA, a biofilm scaffolding protein of *V. cholerae*. *PLOS ONE*, 8(12), e82458. <https://doi.org/10.1371/journal.pone.0082458>
- [12] NCBI. (2020). Identification of new potential inhibitors of quorum sensing through a specialized multi-level computational approach. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6946800/>
- [13] Nature. (2023). Strategy to combat biofilms: a focus on biofilm dispersal enzymes. <https://www.nature.com/articles/s41522-023-00427-y>
- [14] Phys.org. (2016, January). Scientists use bacterium for artificial photosynthesis. <https://phys.org/news/2016-01-scientists-bacterium-artificial-photosynthesis.html>
- [15] ResearchGate. (2021). Project - Nanosensors in the Service of the Internet of Things (IoT). https://www.researchgate.net/publication/349465596_Project_-_Nanosensors_in_the_Service_of_the_Internet_of_Things_IoT
- [16] SK hynix Newsroom. (n.d.). AI-powered micro/nanorobots to revolutionize medical field. <https://news.skhynix.com/ai-powered-micro-nanorobots-to-revolutionize-medical-field/>
- [17] Umakoshi, T., et al. (2020). White nanolight source for optical nanoimaging. *Science Advances*, 6(24), eaba4179. <https://doi.org/10.1126/sciadv.aba4179>

License

This work is licensed under a **Creative Commons Attribution 4.0 International License**.

You are free to share and adapt the material for any purpose, even commercially, with proper attribution.

<https://creativecommons.org/licenses/by/4.0/>