Bhubharati searchData
Easy Step-by-Step Guide

Encode a survey number in the same format used by the land-details request.

INPUT	ENCRYPTED OUTPUT	URL FORMAT
1147	GToOfYzvSJq3GxwzolIGXw==	GToOfYzvSJq3GxwzolIGXw%3D%3D

What the code uses

Algorithm	AES-128-CBC
Padding	PKCS7
Result format	Base64
Key	u/Gu5posvwDsXUnV5Zaq4g==
IV	5D9r9ZVzEYYgha93/aUK2w==

Recommended method: Node.js file

This method does not require CryptoJS or a browser console. Node.js already includes the required crypto module.

1 Create the file
Open Notepad and paste the code shown below.

2 Save correctly
Save the file as encode.js. In Notepad, choose Save as type: All Files.

3 Open Command Prompt
Open the folder containing encode.js. Click the address bar, type cmd, then press Enter.

4 Run the command
Type node encode.js 1147 and press Enter.

Node.js Code

Copy everything in this code block into encode.js.

```
const crypto = require('crypto');

const surveyNumber = process.argv[2] || '1147';
const key = Buffer.from(
  'u/Gu5posvwDsXUnV5Zaq4g==', 'base64'
);
const iv = Buffer.from(
  '5D9r9ZVzEYYgha93/aUK2w==', 'base64'
);

const cipher = crypto.createCipheriv('aes-128-cbc', key, iv);
let encrypted = cipher.update(surveyNumber, 'utf8', 'base64');
encrypted += cipher.final('base64');

console.log('Survey number : ' + surveyNumber);
console.log('searchData    : ' + encrypted);
console.log('URL encoded   : ' + encodeURIComponent(encrypted));
```

Run it

```
node encode.js 1147
```

Expected result
Survey number : 1147
searchData : GToOfYzvSJq3GxwzolIGXw==
URL encoded : GToOfYzvSJq3GxwzolIGXw%3D%3D

Encode a different survey number

Only change the number at the end of the command:

```
node encode.js 1148
node encode.js 1200
node encode.js 856
```

If the command says node is not recognized

Node.js is not installed or is not available in PATH. Install Node.js through your organization-approved software process, reopen Command Prompt, and run node --version.

Alternative: Chrome Console

Use this only if the current page allows loading the CryptoJS library.

1 Open Console
Press F12, then select Console.

2 Allow pasting if requested
Manually type allow pasting and press Enter.

3 Load CryptoJS
Paste the loader below. Copy only the JavaScript, not any HTML link text.

```
var s = document.createElement('script');
s.src = 'https://cdnjs.cloudflare.com/ajax/libs/crypto-js/3.1.9-1/crypto-js.min.js';
s.onload = () => console.log('CryptoJS loaded');
s.onerror = () => console.log('CryptoJS failed to load');
document.head.appendChild(s);
```

4 Confirm it loaded
Wait for CryptoJS loaded. Then enter typeof CryptoJS. The result should be object.

5 Generate the value
Paste the encryption code below and press Enter.

```
var key = CryptoJS.enc.Base64.parse(
  'u/Gu5posvwDsXUnV5Zaq4g=='
);
var iv = CryptoJS.enc.Base64.parse(
  '5D9r9ZVzEYYgha93/aUK2w=='
);
var result = CryptoJS.AES.encrypt(
  '1147', key,
  { mode: CryptoJS.mode.CBC,
    padding: CryptoJS.pad.Pkcs7,
    iv: iv }
).ciphertext.toString(CryptoJS.enc.Base64);
console.log(result);
```

Expected output: GToOfYzvSJq3GxwzolIGXw==

Final verification using Network

1 Open the land search page
Select the required District, Mandal, Village, Survey Number, and Khata Number.

2 Enter CAPTCHA
Use the current CAPTCHA shown by the site.

3	Capture the request Open F12 > Network, click Fetch, and select getPublicDataInfo.
4	Compare searchData In Headers, compare the request searchData with your generated value.

Important

searchData is only one request parameter. A valid request can also depend on the selected khata number, current CAPTCHA, and active session cookies. CAPTCHA/session controls should not be bypassed.