

User Story Map

DCSA Unified Application Access and Integration Prototype (DCSA-UAL)

Field	Value
Product Name	DCSA Unified Application Access and Integration Prototype
Project Acronym	DCSA-UAL
Document Type	User Story Map
Status	Draft v1.0
Date	2026-09-15
Related Personas	project_specs/PERSONAS-DCSA-UAL.md (PER-01 ... PER-04)
Related Journeys	project_specs/JOURNEYS-DCSA-UAL.md (JRN-01.01 ... JRN-04.03)
Related JTBD	project_specs/JTBD-DCSA-UAL.md (JTBD-01.1 ... JTBD-04.4)
Related User Stories	project_specs/UserStories-DCSA-UAL.md (US-001 ... US-151)
Related PRD	project_specs/PRD-DCSA-UAL.md (\$5 Feature Requirements F0-F19)
Related Charter	.planning/PROJECT.md

DEMO — SYNTHETIC DATA ONLY. This map organizes a demonstration prototype. No real DCSA personnel, applicants, cases, or systems are represented. Every NaC below is written to be **watched happening** on synthetic data in front of an evaluator.

Overview

What this document is

This map takes the **151 existing user stories** in `UserStories-DCSA-UAL.md` and places each one at the intersection of two axes. It creates no new stories.

- Horizontal axis (the backbone)** — the user's path through the unified experience, derived from the journey stages in `JOURNEYS-DCSA-UAL.md`, **not** from the PRD feature list. The backbone reads as a day of work, not as an architecture diagram:

Authenticate → Orient → Find work → Work an item → Resolve across systems → Verify & Audit → Administer & Extend

This ordering is deliberate. The product's entire argument is that a single piece of work crosses system boundaries; a feature-ordered backbone would hide exactly the seam the prototype exists to prove. Every backbone step below appears in at least one journey stage table, and the flagship journey JRN-01.01 traverses all seven in sequence.

- Vertical axis (the releases)** — three increments, each of which completes journeys rather than feature areas. R1 is a walking skeleton that ends with the flagship journey demonstrable

end to end; R2 adds role breadth and the trust claims; R3 adds extensibility and operability.

What NaC means here

Natural Acceptance Criteria are what the *user* would say has to be true, phrased in their own words, derived from a JTBD **desired outcome** applied to a specific journey stage. They are not implementation assertions. Each one is written so an evaluator could watch it happen — or fail — in a live demonstration.

JTBD desired outcome	×	journey stage context	=	NaC
"Minimize the number of authentication events..."		"JRN-01.01:Traverse"		"I cross from the case to the issue and nothing asks me to sign in again."

NaC are **not invented**. Every one traces to a JTBD outcome ID in the NaC Derivation Table. Seven structural stories have no JTBD ancestor at all — those are marked **PRD-PRIN** and are called out honestly in the Gap Analysis rather than given a fabricated parent.

How to read the matrix

Each **###** section below is one **backbone step** and carries one activity table with a fixed six-column shape:

	Activity		Persona		Epic		Stories		NaC		Release	
--	----------	--	---------	--	------	--	---------	--	-----	--	---------	--

Each story is owned by exactly one activity row, in the backbone step where the user actually encounters it. Three stories (US-061, US-067, US-107) carry a second row marked (*shared*) because they deliver two distinct user-observable claims at the same stage; the second row adds no scope. Cross-cutting epics (F14 accessibility, F13 audit, F2 authorization) are distributed to the step where their behaviour is *observable*, not collected into a technical lane — because an accessibility story nobody can point at during a demo is an accessibility story nobody will build.

Story Map Matrix

Backbone: Authenticate → Orient → Find work → Work an item → Resolve across systems → Verify & Audit → Administer & Extend

Legend. **Release** is the increment in which the story must be complete. Where a story's scope legitimately splits across increments (seed breadth, spoke depth), both are named. **PRD-PRIN** in the NaC column marks a criterion derived from a PRD product principle rather than a JTBD outcome — see Gap Analysis.

Authenticate

One door. Journey stages: JRN-01.01:1, JRN-01.02:1, JRN-02.01:1, JRN-03.01:1.

Activity	Persona	Epic	Stories	NaC	Release
----------	---------	------	---------	-----	---------

Choose a sign-in method and get in with a card	PER-01...04	Epic 0 (F0)	US-001, US-002	JTBD-01.1: "One card, one door — and I am not asked for a credential again anywhere in this session."	R1
Carry that one session into every connected system	PER-01, PER-04	Epic 1 (F1)	US-009, US-010	JTBD-01.1: "I touched work from five different systems and signed in once. The log says once, too."	R1
See who I am, in which role, and how long I have	PER-01	Epic 1 (F1)	US-012	JTBD-01.1: "I can tell at a glance who the system thinks I am, so I'm never surprised by what it lets me do."	R1
Tie every step of one action to one thread	PER-04	Epic 1 (F1)	US-014	JTBD-04.4: "One reference follows my action from the browser all the way to the spoke, so the answer later is a lookup, not a reconstruction."	R1
Sign out and know access really ended everywhere	PER-01	Epic 0 (F0)	US-007	JTBD-03.4: "When I leave, I have left — nothing is still open on my behalf in some other system."	R1
Never be misled into thinking the authentication is real	PER-04	Epic 0 (F0)	US-008	PRD-PRIN (Honest demo): "Nothing on this screen lets me believe a certificate was actually validated."	R1
Sign in through a second identity provider	PER-01	Epic 0 (F0)	US-003	JTBD-03.1: "The other half of my process doesn't need a different login."	R2
Sign in from home, on a phone, without a card	PER-03	Epic 0 (F0)	US-004	JTBD-03.1: "I got in from my kitchen with a code on my phone — no certificate, no second password to reset."	R2
Be refused cleanly, and told nothing useful	PER-03	Epic 0 (F0)	US-005	JTBD-03.4: "A failed sign-in tells me it failed and nothing about whether that account exists."	R2

Follow a deep link and land there after one sign-in	PER-02	Epic 1 (F1)	US-011	JTBD-02.1: "A link someone sent me opens the thing itself, not a login page that forgets where I was going."	R2
Switch between the roles I hold without signing in again	PER-01, PER-02	Epic 1 (F1)	US-013	JTBD-02.2: "Changing which hat I am wearing is explicit and visible, so I always know which authority I am acting under."	R2
Not be punished by a timer for working at my own pace	PER-03, PER-01	Epic 0 (F0), Epic 14 (F14)	US-006, US-117	JTBD-03.2: "The doorbell rang, I came back twenty minutes later, and everything I had typed was still there."	R2

Orient

What is mine, what is urgent, what changed. Journey stages: JRN-01.01:2, JRN-01.02:2, JRN-02.02:1, JRN-03.01:2-5, JRN-04.02:1.

Activity	Persona	Epic	Stories	NaC	Release
Land inside one consistent frame that says this is one product	PER-01... 04	Epic 3 (F3)	US-026, US-028	JTBD-01.1: "Same header, same chrome, wherever the work came from — I never have to notice which system I am in."	R1
Always see that the data is synthetic	PER-04	Epic 3 (F3)	US-027	PRD-PRIN (Honest demo): "The synthetic-data label is on every screen I can reach, and there is no way to close it."	R1
Always know where I am when I cross a system boundary	PER-01	Epic 3 (F3)	US-029	JTBD-01.1: "The trail at the top still says which case I came from after I've crossed into another system."	R1
Read my caseload posture the moment I sign in	PER-01	Epic 4 (F4)	US-033	JTBD-01.2: "Forty-one open, four overdue, one new issue — I did not have to assemble that from three systems and memory."	R1

Be told an issue was raised on a case I own	PER-01	Epic 15 (F15)	US-119	JTBD-01.2: "Nobody had to call me. The issue that sat for three days is on the screen the moment I sign in."	R1
Act on anything my dashboard shows me	PER-01	Epic 4 (F4)	US-039	JTBD-01.2: "Every number and every alert takes me to the actual thing — the next item I should work is two clicks from sign-in."	R1
See what awaits my determination, and what is aging	PER-02	Epic 4 (F4)	US-034	JTBD-02.3: "My workspace tells me what is aging and what is blocked. I do not learn it from someone else's report."	R2
Understand where I am in plain language	PER-03	Epic 4 (F4)	US-035	JTBD-03.1: "I read one sentence on my phone and knew where I stood — no acronym, no tier code, no scrolling past jargon."	R2
See at a glance that something is waiting for me	PER-02	Epic 15 (F15)	US-120, US-121	JTBD-02.3: "The count in the header matches what is actually in my queue, and marking one read doesn't make it vanish."	R2
Read a notice where I already look	PER-03	Epic 15 (F15)	US-122	JTBD-03.3: "The notice was waiting where I check my status — I did not have to find it in an email my security officer forwarded."	R2
Never have a notice hide the demo banner	PER-04	Epic 15 (F15)	US-123	PRD-PRIN (Honest demo): "No announcement, however urgent, ever covers the synthetic-data label."	R2
Search across everything I am allowed to see	PER-02, PER-03	Epic 3 (F3)	US-030	JTBD-02.1: "I can find a subject by name or number once, instead of searching four systems with an identifier I copied."	R2

Land somewhere useful when a page does not exist	PER-01, PER-03	Epic 3 (F3)	US-031	JTBD-01.4: "A wrong URL gives me a way back to my work, not a stack trace."	R2
See the state of the platform at start of day	PER-04	Epic 4 (F4)	US-036	JTBD-04.2: "I learn a system is failing from my own console, not from an investigator calling to say his queue is empty."	R3
Have a slow system degrade one widget, not my whole page	PER-01	Epic 4 (F4)	US-037	JTBD-01.4: "One sluggish system slows one box. The rest of the page is already usable."	R3
Be told what is missing rather than shown a partial picture	PER-02	Epic 4 (F4)	US-038	JTBD-02.4: "The dashboard says which system it could not reach, so I never mistake a gap for a fact."	R3
Not be told all is well when alerts could not be computed	PER-02	Epic 15 (F15)	US-124	JTBD-02.4: "An empty alerts panel means nothing needs me — never that the rules could not run."	R3

Find work

One queue, five sources, one answer to "what first." Journey stages: JRN-01.01:3, JRN-01.02:3-7, JRN-01.03:1-3, JRN-02.02:2-3, JRN-03.01:4.

Activity	Persona	Epic	Stories	NaC	Release
See everything assigned to me in one list	PER-01	Epic 5 (F5)	US-040	JTBD-01.2: "One list, and it has work from at least four of the five systems I actually own cases in."	R1
Always know which system owns an item	PER-02	Epic 5 (F5)	US-041	JTBD-02.1: "I can say, for any row on this screen, which system it came from — and my screen reader says it too."	R1
Open the queue already scoped	PER-01...03	Epic 5 (F5)	US-046	JTBD-01.2: "It already sorted it the way I would have:	R1

the way I would have scoped it				assigned to me, soonest due first. I configured nothing."	
Narrow the queue to what I need right now	PER-01	Epic 5 (F5)	US-042	JTBD-01.2: "I can say 'just what's overdue this week' in one move, and the chips show me exactly what I asked for."	R1
Order the queue by what is most urgent	PER-01	Epic 5 (F5)	US-043	JTBD-01.2: "A sorted list is defensible — dates mean the same thing whichever system supplied the row."	R1
Page through a long queue and know how much there is	PER-01	Epic 5 (F5)	US-045	JTBD-01.2: "I always know how many there are, and the count is announced when I change the filter."	R1
Come back after an interruption to exactly the queue I left	PER-01	Epic 5 (F5)	US-047	JTBD-01.2: "Forty minutes and a phone call later, it is exactly where I left it. I do not rebuild the view."	R1
Operate the whole queue with a screen reader	PER-01, PER-02	Epic 14 (F14)	US-110, US-114	JTBD-01.2: "I can work the queue without seeing it — sort state is announced and overdue is a word, not a colour."	R1
Find each system behaving like the real thing behind the queue	PER-01... 03	Epic 9 (F9)	US-078	JTBD-01.2: "The rows look like real cases, real issues, real assignments — not three of everything."	R1 (eApp/PVQ/IM) · R2 (IEP/PDT)
Find every screen populated, whichever persona I use	PER-01... 04	Epic 17 (F17)	US-133	JTBD-01.2: "Every filter I try returns something. A facet that always comes back empty looks broken."	R1 (PER-01) · R2 (PER-02... 04)

Trust that nothing here resembles a real person	PER-04	Epic 17 (F17)	US-135	PRD - PRIN (Synthetic only): "Nothing on this screen could be mistaken for a real person or a valid identifier."	R1
Get the same demonstration every time I run it	PER-04	Epic 17 (F17)	US-136	JTBD-04.1: "One reset command and the flagship case is back to open — three identical runs in a row."	R1
Refuse to start rather than demonstrate on broken data	PER-04	Epic 17 (F17)	US-137	JTBD-04.2: "If the seed is wrong, it fails loudly at start-up — not silently in front of a reviewer."	R1
Find one specific item by name or number	PER-02, PER-03	Epic 5 (F5)	US-044	JTBD-02.1: "I search once, in one place, instead of pasting an identifier into four systems."	R2
Get guidance rather than a blank table	PER-03	Epic 5 (F5)	US-049	JTBD-02.4: "'Nothing to do' is a designed screen that says so in words — it never looks like a failure."	R2
Reach every non-happy state without breaking something	PER-01, PER-03	Epic 17 (F17)	US-134	JTBD-01.4: "Every unpleasant state — overdue, blocked, denied, partial, orphaned — exists in the data and can be shown on demand."	R2
Keep working when one connected system is down	PER-01, PER-04	Epic 5 (F5)	US-048	JTBD-01.4: "Investigation Management is unavailable — twelve items are not shown. The rest of my work is up to date, and I can still act on it."	R3
Keep using the product when	PER-01	Epic 9 (F9)	US-079	JTBD-01.4: "Somebody stopped a whole service and I	R3

one system is stopped outright				am still working. The hub did not go down with it."	
--------------------------------	--	--	--	---	--

Work an item

Read the record, and do the thing the role exists to do. Journey stages: *JRN-01.01:4-6, JRN-02.01:3-8, JRN-02.02:4-7, JRN-03.01:6-8, JRN-01.03:4.*

Activity	Persona	Epic	Stories	NaC	Release
Review the full record for a single work item	PER-01, PER-02	Epic 6 (F6)	US-050	JTBD-02.1: "Everything bearing on this item is on one reading path, and every panel says which system it came from."	R1
See only the actions I can take — and why the others are not offered	PER-01	Epic 6 (F6)	US-051	JTBD-02.2: "The buttons on my screen are exactly the things I am entitled to do. Nothing here will be refused after I try it."	R1
Have my entitlement to <i>this specific record</i> checked	PER-01	Epic 2 (F2)	US-016	JTBD-01.1: "Opening this case checked that it is <i>my</i> case — not merely that investigators may open cases."	R1
See only the navigation and controls I am entitled to	PER-03	Epic 2 (F2)	US-015	JTBD-03.4: "The menu I see is built from what I may actually do — it never advertises somewhere I cannot go."	R1
Find the eApp case in my queue and open it	PER-01	Epic 7 (F7)	US-059	JTBD-01.1: "The blocked case is on page one of my normal queue. The flagship starts from my ordinary day."	R1
Discover, on the case itself, that an issue was raised against one of its answers	PER-01	Epic 7 (F7)	US-060, US-055	JTBD-01.1: "It is already connected. The issue is on the case, labelled 'raised against Section 13A employment history', and I did not have to go find it."	R1

Read the flagged answer in context before I decide	PER-01	Epic 7 (F7)	US-062	JTBD-01.1: "I am resolving this on the evidence — the answer is quoted right here, not behind a reference number in another system."	R1
Complete an action through a form that validates properly	PER-01	Epic 6 (F6), Epic 14 (F14)	US-052, US-113	JTBD-01.1: "A validation error tells me which field and puts me on it. My long narrative is still there, word for word."	R1
Be told exactly what changed and in which system	PER-01	Epic 6 (F6)	US-053	JTBD-01.3: "The confirmation names the system and says what it now says. It never just says 'Saved'."	R1
Read one history instead of merging four by hand	PER-02, PER-03	Epic 6 (F6)	US-056	JTBD-01.3: "One chronology, spoke history and hub records together, with who did it and which system it landed in."	R1
See relationships as references, never as database joins	PER-04	Epic 9 (F9)	US-080	JTBD-04.1: "The link between the case and the issue is a reference one system resolves for me — not a shortcut through a shared database."	R1
Do this entire job from the keyboard	PER-01	Epic 14 (F14)	US-109, US-111, US-112	JTBD-01.1: "I can reach and operate every step without a mouse, and I can always see where my focus is."	R1
Use the product zoomed, small, and without animation	PER-03, PER-02	Epic 14 (F14)	US-116	JTBD-03.1: "It works on my phone and at 200% zoom — no sideways scrolling, nothing lost."	R1
Be told about asynchronous changes without losing my place	PER-01	Epic 14 (F14)	US-115	JTBD-01.4: "Something refreshed behind me and I was told — but it did not snatch my cursor out of a half-written narrative."	R1

Know which kind of failure I am looking at	PER-01	Epic 6 (F6)	US-054	JTBD-01.3: "'You are not permitted', 'the source is unavailable' and 'your input was invalid' are three different screens with three different ways out."	R2
Complete the action my role exists to perform	PER-02, PER-03	Epic 6 (F6)	US-057	JTBD-02.2: "I render a determination, and the change is visible through eApp's own API — not only through the hub that wrote it."	R2
See a different action set than my colleague on the same item	PER-02	Epic 2 (F2)	US-017	JTBD-02.2: "I open the same issue Marcus opened, and resolve simply is not offered to me. The server decided that, not the page."	R2
See an unavailable system's screen degrade cleanly	PER-01	Epic 6 (F6)	US-058	JTBD-01.4: "The item still opens and tells me which part is missing. It does not hand me a broken page."	R3
Be stopped before starting an action that cannot succeed	PER-01	Epic 16 (F16)	US-126	JTBD-01.4: "It tells me now, not after I typed three paragraphs — the action is greyed with a reason I can read."	R3

Resolve across systems

The seam. This is where the product either earns its thesis or loses it. Journey stages: JRN-01.01:7–9, JRN-02.01:4.

Activity	Persona	Epic	Stories	NaC	Release
Move from the case to the issue without leaving the experience	PER-01	Epic 7 (F7)	US-061	JTBD-01.1: "No login. No new tab. No 'you are now leaving this application'. I am still in the same place, and the trail at the top still knows which case I came from."	R1
Cross that boundary without re-	PER-01	Epic 7 (F7)	US-061 (shared)	JTBD-01.1: "I typed nothing. No case number, no subject ID, no issue	R1

typing a single identifier				reference — my scratch document is redundant."	
Resolve the issue with a disposition and a narrative	PER-01	Epic 7 (F7)	US-063	JTBD-01.1: "Before I submit, the panel tells me this will update PVQ <i>and</i> eApp. I know what I am about to change."	R1
Have the hub coordinate the update across both systems	PER-01	Epic 7 (F7)	US-064	JTBD-01.1: "One submission updated both systems correctly, or it changed nothing at all. I never have to do the second half of my own transaction by hand."	R1
See what each system says about itself afterwards	PER-01	Epic 7 (F7)	US-065	JTBD-01.1: "PVQ says resolved. eApp says the case is clear. <i>Both of them said it</i> — the middle layer did not say it on their behalf."	R1
Be told the truth when only one of the two systems updates	PER-01, PER-04	Epic 7 (F7)	US-066	JTBD-01.1: "Half-done is reported as half-done, naming which system changed and which did not, with a retry I can press. The word 'success' is nowhere on that screen."	R1
Have every request pass through one enforcement point	PER-04	Epic 10 (F10)	US-081	JTBD-04.4: "There is one place where authorization and audit happen. I can point at it."	R1
Have every state change recorded before I am told it worked	PER-01	Epic 10 (F10), Epic 13 (F13)	US-083, US-101	JTBD-01.3: "If it cannot be written down, it did not happen. I am never told something succeeded that nobody recorded."	R1
Get the same shape of error from every endpoint	PER-04	Epic 10 (F10)	US-082	JTBD-04.3: "Every failure comes back the same shape with a correlation ID, so I can classify it without guessing."	R2

Be refused another person's record	PER-03	Epic 2 (F2)	US-018	JTBD-03.4: "Somebody used my session to ask for another applicant's file and was refused — and the refusal does not even reveal whether that file exists."	R2
Be refused an action that belongs to another role	PER-01, PER-02	Epic 2 (F2)	US-019	JTBD-02.2: "The determination action is refused to an investigator by the server, not hidden by the page."	R2
Be refused the administrator console	PER-01...03	Epic 2 (F2)	US-020	JTBD-03.4: "No mission user can reach the console, by menu or by typing the URL."	R2
Be refused a case outside my unit, region, or clearance tier	PER-01	Epic 2 (F2)	US-021, US-022	JTBD-01.1: "My role is not the whole answer — the system checks my region and my tier against <i>this</i> case."	R2
Be refused mission content as an administrator	PER-04	Epic 2 (F2)	US-023	JTBD-04.4: "I run the platform and I still cannot read a questionnaire answer. Administrators are not exempt."	R2
Get a denial that explains itself without revealing anything	PER-01...04	Epic 2 (F2)	US-024	JTBD-03.4: "A refusal for a record that exists and a refusal for one that does not are indistinguishable to me."	R2
Never see a blank page or a stack trace	PER-01...04	Epic 16 (F16)	US-130	JTBD-01.4: "Whatever goes wrong, I get a page with words on it and a way forward. Never a blank screen."	R2

Verify & Audit

Prove it happened, and leave a record that holds up. Journey stages: JRN-01.01:10-11, JRN-02.01:5-9, JRN-03.02:1-6, JRN-04.02:4-6.

Activity	Persona	Epic	Stories	NaC	Release
Go back to the case and see it is	PER-01	Epic 7 (F7)	US-067	JTBD-01.1: "The case now says 'no	R1

clean				outstanding issues', and that was re-read from eApp just now — not remembered from before."	
Satisfy myself independently that both systems really changed	PER-01, PER-04	Epic 7 (F7)	US-067 (<i>shared</i>), US-077	JTBD-01.1: "I called eApp and PVQ directly, with the hub out of the path, and both of them agree."	R1
Satisfy myself the five systems are genuinely separate	PER-04	Epic 9 (F9)	US-076	JTBD-04.1: "Five processes, five data namespaces, no shared schema. I checked; there is no join to find."	R1
Read the whole cross-system action as one story	PER-02, PER-04	Epic 7 (F7) , Epic 13 (F13)	US-068 , US-106	JTBD-01.3: "One story, not four rows. Case read, traversal, both writes, confirmation — one thread, in order, with before and after in plain words."	R1
Have the record capture who I was when I acted	PER-02	Epic 13 (F13)	US-102	JTBD-02.2: "The record says what roles and attributes I held <i>at that moment</i> — not what I hold today."	R1
See my own activity without seeing anyone else's	PER-01, PER-03	Epic 13 (F13)	US-107	JTBD-03.4: "I can prove what I sent and when, and I can see only mine."	R1
Re-run the whole flagship path keyboard-only	PER-01	Epic 7 (F7) , Epic 14 (F14)	US-069	JTBD-01.1: "I completed the entire cross-application workflow without a mouse, and focus landed where I expected at every boundary."	R1
Know the flagship workflow still works before I demo it	PER-04	Epic 19 (F19)	US-145	JTBD-04.2: "A single test run tells me the centrepiece is intact before I stand up in front of anyone."	R1
Find my own proof of a prior	PER-03	Epic 13	US-107 (<i>shared</i>)	JTBD-03.4: "My security officer asked whether I	R2

submission		(F13)		sent it in. I answered with a dated entry instead of searching my email."	
Find authentication, denials, and failures in the trail	PER-04	Epic 13 (F13)	US-103	JTBD-04.4: "The refusals are on the record too, not just the successes."	R2
Trust that no one has quietly altered the record	PER-04	Epic 13 (F13)	US-104	JTBD-02.2: "Sequence numbers and hash chaining, and no path anywhere in the application to edit or delete a record — for anyone."	R2
Read and filter the trail to answer a question	PER-04	Epic 13 (F13)	US-105	JTBD-04.4: "Who did what, to what, when — one query, filtered by actor, action, system, outcome, and date."	R2
Have the access-control claims tested rather than asserted	PER-04	Epic 19 (F19)	US-146	JTBD-04.4: "Every negative path is a test that runs, not a paragraph in a document."	R2
Take the evidence away with me	PER-04	Epic 13 (F13)	US-108	JTBD-04.4: "I can export exactly what is on screen, and the export still says the data is synthetic."	R3
Read accurate API documentation and exercise it myself	PER-04	Epic 10 (F10)	US-084	JTBD-04.3: "The published documentation matches the implementation, and I can drive it with curl."	R3
Have every endpoint tested, including a refusal	PER-04	Epic 10 (F10), Epic 19 (F19)	US-085, US-148	JTBD-04.4: "Every endpoint has at least one test that proves it refuses the wrong caller and writes exactly one audit record when it accepts the right one."	R3

Have every adapter proven to behave the same way	PER-04	Epic 19 (F19)	US-147	JTBD-04.1: "Any new adapter passes the same conformance suite the five originals passed. The contract is testable, not aspirational."	R3
Have accessibility checked on every route for every role	PER-04	Epic 19 (F19)	US-149	JTBD-04.2: "Every route, every role, scanned — zero serious or critical violations, with a dated manual keyboard and screen-reader pass alongside it."	R3
Prove that every button really does work	PER-04	Epic 19 (F19), Epic 3 (F3)	US-150, US-032	PRD-PRIN (Every button works): "A crawl of every navigation item for every role finds a real, populated page — no 404, no placeholder, no dead control."	R3
Read the test results without reading a CI log	PER-04	Epic 19 (F19)	US-151	JTBD-04.2: "One readable report tells me what passed, what failed, and when it last ran."	R3
Read what the product claims about its own accessibility	PER-04	Epic 14 (F14)	US-118	PRD-PRIN (Honest demo): "The accessibility statement names the conformance level and the known limitations, including the style-guide assumption."	R3

Administer & Extend

Operate the platform, and onboard the next application as configuration. Journey stages: JRN-04.01:1–9, JRN-04.02:1–8, JRN-04.03:1–6, JRN-01.02:7, JRN-01.03:5–7.

Activity	Persona	Epic	Stories	NaC	Release
Add or remove an application without touching hub code	PER-04	Epic 8 (F8)	US-070	JTBD-04.1: "There is no hard-coded list of five systems anywhere. Navigation, the queue, and the console all read the registry."	R1

Start the whole prototype with one command	PER-04	Epic 18 (F18)	US-138	JTBD-04.1: "One documented command, and it is running in under ten minutes on a machine that has never seen it."	R1 (<i>deviation — see R1 rationale</i>)
Drive the flagship workflow from a written script, unaided	PER-04, PER-01	Epic 18 (F18)	US-140	JTBD-04.1: "Someone who has never seen this product completes the flagship workflow from the script in under three minutes."	R1 (<i>deviation — see R1 rationale</i>)
Inspect the policy rather than infer it	PER-04	Epic 2 (F2)	US-025	JTBD-04.3: "I can read what each role is entitled to in one place, instead of deducing it from what the screens show."	R3
See everything connected to the platform	PER-04	Epic 11 (F11)	US-086	JTBD-04.2: "One inventory answers 'what is attached to this platform right now' — and it is the registry, not a wiki page that drifted."	R3
Know whether each system is healthy before a user tells me	PER-04	Epic 11 (F11), Epic 16 (F16)	US-087, US-125	JTBD-04.2: "Healthy, degraded, or unavailable — in words, with last successful check and latency — before the phone rings."	R3
Diagnose an integration failure from one place	PER-04	Epic 11 (F11)	US-088	JTBD-04.3: "Spoke outage, misconfiguration, denial, or user error — I can tell which in minutes, without merging logs by hand."	R3
Follow one correlation ID from the error log into the audit chain	PER-04	Epic 11 (F11)	US-089	JTBD-04.3: "The ID the user read off their error screen resolves the whole trace in one query — and I can select and copy it into the ticket."	R3
Test a connection live,	PER-04	Epic 11 (F11)	US-090	JTBD-04.2: "I can prove right now whether we can reach that system,	R3

in front of a reviewer				on demand, and the result is announced not just coloured."	
Tell users something without an email blast	PER-04	Epic 11 (F11)	US-091	JTBD-04.3: "The announcement lands on exactly the dashboards I targeted, dismissible per person, and never over the demo banner."	R3
Use a console as accessible as the rest of the product	PER-04	Epic 11 (F11), Epic 14 (F14)	US-092	JTBD-04.2: "The densest tables in the product — health, error log, audit — are operable by keyboard and screen reader like everything else."	R3
Account for my own actions like everyone else	PER-04	Epic 11 (F11)	US-093	JTBD-04.4: "My console actions are authorized server-side and appear in the trail under my name. Administrators are not exempt."	R3
Register a new application through a guided form	PER-04	Epic 12 (F12)	US-094	JTBD-04.1: "Five steps, in the UI, by me — no developer, no pull request, no redeploy, no restart."	R3
Be caught before I register something broken	PER-04	Epic 12 (F12)	US-095	JTBD-04.1: "A duplicate identifier or an unreachable endpoint is caught at the step, with an error summary I can act on."	R3
Test the connection before I commit to it	PER-04	Epic 12 (F12)	US-096	JTBD-04.1: "I found out the endpoint was unreachable <i>before</i> I submitted, not after."	R3
Let the application tell me what it can do	PER-04	Epic 12 (F12)	US-097	JTBD-04.1: "Its work-item types and actions were filled in from the application's own declaration — I confirmed them, I did not transcribe them."	R3

Watch the new application appear everywhere immediately	PER-04, PER-01	Epic 12 (F12)	US-098	JTBD-04.1: "Under five minutes, zero code changes, zero restarts — and Marcus, already signed in in the other window, sees its items without signing out."	R3
Have a sixth application ready to register live	PER-04	Epic 12 (F12)	US-099	JTBD-04.1: "A real sixth service ships unregistered, specifically so registration is performed live rather than described."	R3
Change or remove a registered application safely	PER-04	Epic 12 (F12), Epic 8 (F8)	US-100, US-071	JTBD-04.1: "De-registering removes it cleanly from navigation, queue, and console — no code change, no errors, and the change is audited."	R3
Have a reduced-capability application degrade its controls	PER-01, PER-04	Epic 8 (F8)	US-072	JTBD-04.1: "An application that supports fewer actions simply offers fewer buttons. It does not error."	R3
Have one slow application bounded	PER-01, PER-04	Epic 8 (F8)	US-073	JTBD-01.4: "One slow system never stalls the whole queue — it times out at its configured bound and says so."	R3
Prove a new adapter is correct before trusting it	PER-04	Epic 8 (F8)	US-074	JTBD-04.1: "There is a conformance suite a candidate adapter must pass, runnable on its own."	R3
Be protected from a mis-registered application	PER-04	Epic 8 (F8)	US-075	JTBD-04.2: "A badly configured application degrades itself, not the platform."	R3
Break a system on purpose in front of a reviewer	PER-04	Epic 16 (F16), Epic	US-131, US-143	JTBD-04.2: "I take Investigation Management down deliberately, and put it back — administrator-	R3

		18 (F18)		only, reversible, and the injection itself is audited."	
Be told what is missing, where it is missing	PER-01	Epic 16 (F16)	US-127	JTBD-01.4: "Twelve missing, and I know which system. That is a bounded fact, not an unknown."	R3
Watch a page fill in rather than sit blank	PER-01	Epic 16 (F16)	US-128	JTBD-01.4: "The page is interactive while the slow parts are still arriving, and the busy state is announced."	R3
Never confuse "nothing to do" with "nothing loaded"	PER-02, PER-03	Epic 16 (F16)	US-129	JTBD-02.4: "An empty issue list and an unreachable PVQ are two different screens — different words, different structure, distinguishable without looking."	R3
Watch the system heal itself	PER-01	Epic 16 (F16)	US-132	JTBD-01.4: "It came back on its own. I did not reload and I did not sign in again."	R3
Be told precisely what is wrong when startup fails	PER-04	Epic 18 (F18)	US-139	JTBD-04.3: "A failed start names the port, the container, or the missing dependency — it does not make me read a stack trace."	R3
Demonstrate the other four claims from scripts too	PER-04	Epic 18 (F18)	US-141	JTBD-04.1: "Resilience, extensibility, role-level and resource-level zero trust each have a written script with expected state at every step."	R3
Know the environment is ready before I present	PER-04	Epic 18 (F18)	US-142	JTBD-04.2: "One pre-flight check confirms all six applications healthy and the flagship case open, before I start."	R3
Recover from the three likeliest demo-day failures	PER-04	Epic 18 (F18)	US-144	JTBD-04.3: "There is a written contingency for a consumed flagship case, a spoke that will not	R3

				start, and a stuck circuit breaker."	
--	--	--	--	--------------------------------------	--

NaC Derivation Table

Full traceability, one row per derived criterion. **Outcome** is the canonical JTBD desired outcome (direction + metric + object + context) as written in JTBD-DCSA-UAL.md . **Journey Stage** is the stage from JOURNEYS-DCSA-UAL.md where that outcome becomes observable. **NaC** is the outcome applied to that stage, in the user's words. Nothing here is invented; every row has a parent.

PER-01 Marcus Vale — Investigator

JTBD ID	Outcome	Journey Stage	NaC	Story
JTBD-01.1	Minimize the number of authentication events required to complete a single case-advancing action spanning more than one mission system <i>(target: one per session)</i>	JRN-01.01:1 Sign in	"One card, one door — and nothing asks me again for the rest of this session."	US-001, US-002, US-009
JTBD-01.1	<i>(same outcome, later stage)</i>	JRN-01.01:7 Traverse	"I crossed from an eApp case into a PVQ issue and no credential prompt, interstitial, or new tab appeared."	US-061
JTBD-01.1	Minimize the number of identifiers re-typed or pasted by hand when moving between a questionnaire answer and the issue raised against it <i>(target: zero)</i>	JRN-01.01:6 Discover the relationship	"The issue is already on the case, described in words — I never opened my scratch document."	US-060, US-055
JTBD-01.1	<i>(same outcome)</i>	JRN-01.01:7 Traverse	"I typed nothing. No case number, no subject ID, no issue reference, at any step."	US-061
JTBD-01.1	Minimize the time to reach the related issue from the case that is blocked by it, when the relationship already exists in the data	JRN-01.01:4-6 Open case → Discover	"Two clicks from my queue to the answer under question, and one more to the issue raised against it."	US-059, US-062
JTBD-01.1	Increase the likelihood that both affected systems reflect a completed action, when the action	JRN-01.01:9 Dual confirmation	"PVQ says resolved. eApp says the case is clear. Both of them said it — I	US-064, US-065

	legitimately changes state in two places		can read each system's own answer."	
JTBD-01.1	<i>(same outcome, verified outside the hub)</i>	JRN-01.01:10 Verify on the case	"I called eApp and PVQ directly, with the hub out of the path, and both agree."	US-067, US-077
JTBD-01.1	Minimize the likelihood of being told an action succeeded when only part of it did, when a coordinated write partially fails	JRN-01.01:9 <i>(failure path)</i>	"Half-done is reported as half-done, naming which system changed and which did not, with a retry I can press — and the word 'success' appears nowhere."	US-066
JTBD-01.1	<i>(whole-job outcome, accessibility dimension)</i>	JRN-01.01 end-to-end	"I completed the entire cross-application workflow without a mouse, and focus landed where I expected at every boundary."	US-069, US-109
JTBD-01.1	<i>(entitlement precondition of the whole job)</i>	JRN-01.01:4 Open the case	"Opening this case checked it is <i>my</i> case — not merely that investigators may open cases."	US-016, US-021, US-022
JTBD-01.2	Minimize the number of separate systems consulted to establish what is assigned to me, across a caseload spanning four mission applications	JRN-01.02:3 Open the queue	"One list, with work from at least four of the five systems I own cases in, each row saying which system it came from."	US-040, US-041
JTBD-01.2	Minimize the time to identify the next item to work, when items originate from systems with different native priority semantics	JRN-01.02:3-5 Queue → commit	"It already sorted it the way I would have — assigned to me, soonest due first — and the ordering is explainable across sources."	US-046, US-043, US-045
JTBD-01.2	<i>(same outcome, dashboard on-ramp)</i>	JRN-01.01:2-3 Orient → Enter	"The item I should work next is two clicks from sign-in."	US-033, US-039
JTBD-01.2	Increase the proportion of caseload changes that are announced rather than discovered, when	JRN-01.01:2 Orient	"Nobody had to call me. The issue that sat three days was on my screen the moment I signed in,	US-119

	something new is raised against a case I own		and it linked straight to the case."	
JTBD-01.2	Minimize the effort to re-establish working context when returning after an interruption of 10-60 minutes	JRN-01.02:6 Get interrupted, come back	"Forty minutes and a phone call later, my filters, sort, and page are exactly where I left them."	US-047, US-042
JTBD-01.3	Minimize the time to establish the full history of a work item, when that history spans more than one mission system	JRN-01.01:11 Leave the record	"One chronology — what the spoke recorded and what the hub recorded — with actor, action, time, and which system."	US-056
JTBD-01.3	Increase the proportion of recorded actions whose confirmation names the affected system and the resulting state	JRN-01.01:9 Dual confirmation	"The confirmation names the system and says what it now says. It never just says 'Saved'."	US-053, US-065
JTBD-01.3	Minimize the effort to reconstruct a cross-system action as a single narrative, when a case is contested or reviewed after the fact	JRN-01.01:11 Leave the record	"One story, not four rows — case read, traversal, both writes, confirmation — in order, with before and after in plain words."	US-068, US-106
JTBD-01.3	<i>(audit as a completion condition)</i>	JRN-01.01:8-9 Resolve	"If it cannot be written down, it did not happen. I am never told something succeeded that nobody recorded."	US-101, US-083
JTBD-01.4	Minimize the time to distinguish an empty result from an unavailable source, in an aggregated view spanning five systems	JRN-01.03:2 Read the warning	"Investigation Management is unavailable — 12 items are not shown.' Named and counted. That is a bounded fact, not a mystery."	US-048, US-127
JTBD-01.4	Maximize the proportion of the work queue that remains usable and actionable, when a single source system is unavailable	JRN-01.03:3 Keep working the rest	"Four of five sources still render in full and I can still act on them. I used the morning."	US-048, US-073
JTBD-01.4	<i>(pre-emptive rather than post-hoc failure)</i>	JRN-01.03:4 Hit a blocked action	"It told me before I typed three paragraphs, not after — the action is	US-126

			disabled with a reason I can read."	
JTBD-01.4	Minimize the number of unrecoverable states (error pages, blank screens) encountered, when any spoke degrades	JRN-01.03:5 Check whether it is just him	"Same message on the dashboard and on the item. No blank screen and no stack trace anywhere in the product."	US-130, US-058, US-037
JTBD-01.4	Minimize the user effort required to resume full function, when a degraded system recovers	JRN-01.03:6-7 Recovery → resume	"It came back on its own. I did not reload and I did not sign in again, and the counts reconcile."	US-132
JTBD-01.4	<i>(delivery of the warning must not cost focus)</i>	JRN-01.03:6 Recovery arrives	"Something refreshed behind me and I was told — but it did not snatch my cursor out of a half-written narrative."	US-115

PER-02 Dana Okonkwo — Adjudicator

JTBD ID	Outcome	Journey Stage	NaC	Story
JTBD-02.1	Minimize the number of authentication events required to review one subject's complete record, when that record spans four mission systems	JRN-02.01:1-7 Sign in → check the tier	"Questionnaire, issue disposition, designation, case status — four systems, one reading path, one sign-in."	US-011, US-050
JTBD-02.1	Minimize the time to locate all information bearing on a single subject, when that information lives in more than one mission system	JRN-02.01:4 Follow the issue	"The related-items panel took me to the issue. I did not search, and I did not paste an identifier."	US-055, US-044
JTBD-02.1	Increase the proportion of on-screen fields whose originating system is identifiable	JRN-02.01:3 Read what was submitted	"I can say, for anything on this screen, which system it came from — and my screen reader says it too, not just a coloured badge."	US-041, US-050, US-114

JTBD-02.1	Minimize the loss of reading context when traversing from a questionnaire answer to the issue raised against it and back	JRN-02.01:5 Read the disposition and narrative	"I read the investigator's actual narrative with the answer it was raised against still in reach — and came back where I was."	US-056, US-030
JTBD-02.2	Increase confidence that the actions offered to me are exactly the actions I am entitled to perform, on a work item also handled by other roles	JRN-02.01:6 Notice what she cannot do	"I opened the same issue Marcus opened and 'resolve' is simply not offered to me. The server decided that, not the page."	US-017, US-051
JTBD-02.2	<i>(same outcome, enforced rather than presented)</i>	JRN-03.02:5 / JRN-02.01:6	"A direct call to the investigator-only action is refused by the server and the refusal is on the record."	US-019, US-146
JTBD-02.2	Increase the proportion of determinations accompanied by a durable, correlated record naming the actor and their attributes at the time of action	JRN-02.01:8 Render the determination	"The record says what roles and attributes I held at that moment — not what I hold today — and it was written before I was told it worked."	US-102, US-057, US-101
JTBD-02.2	Minimize the probability that an audit record can be altered or deleted through any application path	JRN-02.01:8-9	"Sequence numbers and hash chaining, and no path anywhere in the application to edit a record — for anyone, including administrators."	US-104, US-023
JTBD-02.2	Minimize the effort to reconstruct the sequence of events on a case, when the case is contested after the determination	JRN-02.01:5 / JRN-01.01:11	"One chain, read months later, tells me what happened across both systems as a single event."	US-068, US-105
JTBD-02.3	Minimize the time to identify which pending determinations are aging or blocked, in a queue assembled from multiple source systems	JRN-02.02:1 Ask the clock question	"My workspace tells me what is aging and what is blocked. I do not build that report myself."	US-034, US-120
JTBD-02.3	Increase the proportion of timeliness exceptions surfaced proactively	JRN-02.02:1-2	"Every alert count reconciles with what is actually in my queue, and	US-120, US-

	rather than reported retrospectively		every alert opens the item that produced it."	121, US-039
JTBD-02.3	Minimize the manual effort required to distinguish "waiting on me" from "waiting on someone else"	JRN-02.02:2-3 Separate mine from theirs / Sort by age	"I can filter to blocked and read what each one is waiting on, and sorting by age is defensible across sources."	US-042, US-043, US-057
JTBD-02.4	Minimize the probability of rendering a determination on incomplete data, when one or more source systems are degraded	JRN-02.02:5-6 Empty issue list → read which one it is	"An empty issue list and an unreachable PVQ are two different screens. I can always tell which one I am looking at."	US-129, US-049
JTBD-02.4	Increase the proportion of incomplete views that state explicitly what is missing and why	JRN-02.02:6 Read which one it is	"'Issue data from PVQ is unavailable' — named, in words, never an empty list that reads as 'no issues'."	US-038, US-127, US-124
JTBD-02.4	Minimize the time to distinguish a genuine absence of records from an unavailable source	JRN-02.02:7 Act on the distinction	"Determination actions that depend on the missing source are disabled with a reason, so I cannot decide blind by accident."	US-126, US-058

PER-03 Renée Ashford — Applicant

JTBD ID	Outcome	Journey Stage	NaC	Story
JTBD-03.1	Minimize the time to determine current standing in the vetting process, when that standing is derived from more than one government system	JRN-03.01:2 Read where she stands	"I read one sentence on my phone and knew where I stood — inside thirty seconds, without scrolling."	US-035, US-116
JTBD-03.1	Minimize the number of unexplained internal terms encountered, when reading one's own status as a first-time applicant	JRN-03.01:3 Understand, not decode	"No acronym, no tier code, no system name I had to look up. I never learned that eApp and IEP are different things."	US-035

JTBD-03.1	Minimize the number of credentials required to see one process end to end	JRN-03.01:1 Get in	"One login from my kitchen, with a code on my phone. Not two."	US-004, US-003
JTBD-03.1	<i>(composition differs by role — the same product, a different answer)</i>	JRN-03.01:2	"My page looks nothing like the pages the government people use, and that is right — it answers my question, not theirs."	US-035, US-028, US-015
JTBD-03.2	Minimize the time to identify every outstanding obligation, when obligations are issued by more than one government system	JRN-03.01:4 See what she owes	"A short ordered list with due dates — an obligation, not an inventory of systems."	US-035, US-040
JTBD-03.2	Minimize the number of steps between learning that something is required and completing it, in a short interrupted session	JRN-03.01:6 Do the thing	"Every task links straight to the thing that discharges it. No dead ends and no 'contact your security officer'."	US-057, US-052
JTBD-03.2	Minimize the volume of entered information lost to session expiry, when sessions are short and frequently interrupted	JRN-03.01:6 <i>(interruption path)</i>	"The doorbell rang, I came back, and everything I had typed was still there."	US-006, US-117, US-113
JTBD-03.2	Increase the proportion of requests discharged before their due date	JRN-03.01:7-8 Confirmation → see it land	"The confirmation named what was received and what happens next, and the task left my list."	US-053, US-057
JTBD-03.3	Minimize the likelihood of missing a required notice, when notices are delivered outside the place status is checked	JRN-03.01:5 Read the notice	"The notice was waiting where I check my status. I did not have to find it in a forwarded email."	US-122
JTBD-03.3	Minimize the time to determine which notices are new since the last visit, in the context of visits weeks apart	JRN-03.01:5	"Eleven days later I could tell at a glance which ones I had already handled."	US-121, US-122
JTBD-03.3	<i>(delivery must not disrupt)</i>	JRN-03.01:5	"A new notice was announced to me without stealing my cursor, and it	US-115, US-123

			never covered the banner at the top."	
JTBD-03.4	Minimize the time to produce evidence of a prior submission, when asked by an employer's security officer	JRN-03.02:1-2 Look for proof → find the entry	"I answered 'did you send that in?' with a dated entry, in under a minute, instead of searching my email."	US-107
JTBD-03.4	Increase confidence that only one's own records are accessible, in a system serving many applicants	JRN-03.02:3 Check the edges	"There is nothing anywhere on my screens about investigators, findings, or issues raised against my answers — and no URL gets me there."	US-015, US-020
JTBD-03.4	Minimize the probability that another party can retrieve an applicant's record through any access path	JRN-03.02:4 Wrong subject	"Someone used my session to ask for another applicant's file and was refused by the server — and the refusal does not even reveal whether that file exists."	US-018, US-024
JTBD-03.4	<i>(the refusal must itself be on the record)</i>	JRN-03.02:6 Read the denials	"The refusals are in the trail too, with who asked, for what, and when."	US-103, US-105
JTBD-03.4	<i>(a failed sign-in leaks nothing either)</i>	JRN-03.01:1 Get in	"A failed sign-in tells me it failed, and nothing about whether that account exists."	US-005

PER-04 Priya Raghunathan — Administrator

JTBD ID	Outcome	Journey Stage	NaC	Story
JTBD-04.1	Minimize the number of code changes, deployments, and service restarts required to add an application, on a running platform	JRN-04.01:7 Review and submit	"Five steps, in the UI, by me — no developer, no pull request, no redeploy, no restart."	US-094, US-070
JTBD-04.1	Minimize the elapsed time to make a new application's work visible to its users	JRN-04.01:8-9 Watch it come alive → prove the consequence	"Under five minutes, and Marcus — already signed in in the other window — sees its items without signing out."	US-098, US-099
JTBD-04.1	Minimize the time to discover what a	JRN-04.01:5 Let it describe itself	"Its work-item types and actions were filled in from	US-097

	candidate application can do, when the application can describe its own capabilities		its own declaration. I confirmed them; I did not transcribe them."	
JTBD-04.1	<i>(fail before committing, not after)</i>	JRN-04.01:4 Test it before committing	"I found out the endpoint was unreachable before I submitted, and the result was announced, not just coloured."	US-096, US-095
JTBD-04.1	Minimize the number of teams that must be involved to complete an onboarding	JRN-04.01:1 / JRN-04.02:7	"Registering and de-registering are both things I do alone, and both are audited. Removing one leaves nothing behind in navigation or the queue."	US-100, US-071, US-074
JTBD-04.2	Minimize the time to determine the health of every connected application, across six or more independently operated systems	JRN-04.02:1 Start where the truth is	"Healthy, degraded, or unavailable — in words, with the last successful check and the latency — for everything attached, on one screen."	US-086, US-087, US-125
JTBD-04.2	Increase the proportion of integration failures detected by monitoring rather than by user report	JRN-04.03:3 Watch the monitor catch it	"I learned it from my console, not from an investigator calling to say his queue is empty."	US-036, US-087
JTBD-04.2	Minimize the delay between an adapter beginning to fail and that failure being visible in the console	JRN-04.03:4 Watch the log fill	"Within one check interval there is a correctly attributed entry naming the application, the operation, and the error class."	US-088, US-131
JTBD-04.2	Minimize the effort to confirm recovery, when a previously failing application returns to service	JRN-04.03:6 Put it back	"I restored it and it went healthy on its own — and the warning cleared in the other window with no reload and no re-authentication."	US-132, US-090
JTBD-04.3	Minimize the time to classify a reported failure by cause, for a request that traverses a hub and multiple spokes	JRN-04.02:3 Read the failures	"Spoke outage, misconfiguration, denial, or user error — I can tell which in minutes, from one filterable log."	US-088
JTBD-04.3	Increase the proportion of failures whose full	JRN-04.02:4-5 Take the thread	"The ID the user read off their error screen resolved	US-089,

	trace is retrievable by a single identifier	→ read it as one story	the whole trace in one query — and it is selectable text I can paste into a ticket."	US-106, US-082
JTBD-04.3	Minimize the number of separate log sources that must be consulted to trace one user action end to end	JRN-04.02:5	"Adapter failures, denials, authentication and successful writes are all in the same trail. I never leave the console."	US-103, US-105
JTBD-04.3	Minimize the time to decide and execute a containment action	JRN-04.02:7 Contain if needed	"Disabling the application took effect immediately in everyone's navigation and queue — no restart — and my own action is audited."	US-071, US-091
JTBD-04.3	<i>(verify rather than assume)</i>	JRN-04.02:4	"I read the published API documentation and drove the endpoints myself with curl to check the claim."	US-084, US-025
JTBD-04.4	Minimize the time to produce a complete account of a cross-system user action, in an inquiry or incident review	JRN-04.02:5 Read it as one story	"'Who did what, to what, when' is a record I retrieve, not a reconstruction I assemble."	US-105, US-068, US-014
JTBD-04.4	Increase the proportion of platform actions — including administrative ones — attributable to a named actor with the attributes held at the time	JRN-04.02:8 Close the loop	"My own console actions are in the trail under my name. Administrators are not exempt, and administering the hub does not get me case content."	US-093, US-023, US-102
JTBD-04.4	Minimize the probability that an audit record can be altered or deleted through any application path	JRN-04.02:8	"There is no endpoint that edits or deletes a record, and a test proves the absence rather than asserting it."	US-104, US-148, US-108
JTBD-04.4	Minimize the time to verify degraded-system behavior, on a platform whose failure modes cannot otherwise be rehearsed	JRN-04.03:2 Break it deliberately	"I take Investigation Management down on purpose, watch the product degrade visibly, and put it back — and the injection itself is audited."	US-131, US-143, US-141

Release Planning

The product is a **time-boxed demonstration prototype evaluated live**. That single fact drives the slicing below more than anything else in the PRD. Releases are not feature groupings; they are answers to the question *"if we stopped here and an evaluator walked in, what could they watch happen?"* Each release therefore completes journeys, not feature areas, and R1 is deliberately the thinnest thing that lets an evaluator watch the flagship journey finish.

Risk **R-03 — "scope breadth starves the flagship"** is the risk this slicing exists to manage. 151 stories will compete for finite build time and the centrepiece is the thing that must not be under-polished.

Release R1 — Walking Skeleton: the flagship journey, end to end

Theme: *One sign-in, one shell, a case-advancing action that spans eApp and PVQ, and both spokes independently confirming the change. If only one thing is ever demonstrated, it is this.*

Scope test applied to every story in this release: *is this slice needed for an evaluator to watch JRN-01.01 complete?* If no, it is not in R1. This rule is why there is no adjudicator dashboard, no admin console, no RBAC negative path, no degraded-system behaviour, and no application registration here — all of them are genuinely important, and none of them is on the flagship path.

Stories (67):

Backbone step	Stories
Authenticate	US-001, US-002, US-007, US-008, US-009, US-010, US-012, US-014
Orient	US-026, US-027, US-028, US-029, US-033, US-039, US-119
Find work	US-040, US-041, US-042, US-043, US-045, US-046, US-047, US-078 (eApp/PVQ/IM), US-110, US-114, US-133 (PER-01), US-135, US-136, US-137
Work an item	US-015, US-016, US-050, US-051, US-052, US-053, US-055, US-059, US-060, US-062, US-080, US-109, US-111, US-112, US-113, US-115, US-116
Resolve across systems	US-061, US-063, US-064, US-065, US-066 , US-081, US-083, US-101
Verify & Audit	US-067, US-068, US-069 , US-056, US-076, US-077, US-102, US-106, US-107, US-145
Administer & Extend	US-070, US-138, US-140

Personas served — who can do meaningful work at the end of R1:

Persona	Can do meaningful work?	What they can actually do
PER-01 Marcus Vale	☒ Fully	Signs in once, reads his dashboard and the new-issue alert, works his unified queue across eApp/PVQ/IM with filter, sort, pagination, and return-to-context, opens the blocked case, discovers and traverses to the related PVQ issue, resolves it, sees both systems

		answer, verifies, and reads the correlated chain — keyboard-only if he chooses.
PER-04 Priya Raghunathan	🕒 Partially — as verifier, not as administrator	Starts the prototype with one command, drives the scripted flagship path, queries each spoke's API directly to prove the dual-system change, and reads the correlated audit chain. She has no console, no health view, no registration flow yet.
PER-02 Dana Okonkwo	❌ No	Can authenticate, but has no adjudicator dashboard, no determination action, and no aging queue. Deliberately deferred to R2.
PER-03 Renée Ashford	❌ No	Deliberately deferred to R2. Her sign-in method (generic MFA) is itself R2.

Journeys demonstrable at the end of R1:

Journey	Status	Note
JRN-01.01 Clear the blocking issue (<i>flagship</i>)	❌ Complete, all 11 stages	Including the partial-completion failure path (US-066) and the keyboard-only pass (US-069). This is the release's reason to exist.
JRN-01.02 Monday-morning triage	🕒 Stages 1-6	Stage 7 ("a sixth source appears") requires F12 and lands in R3.
All others	❌ Not demonstrable	By design.

Slicing justification — why each inclusion earns its place, and each exclusion is safe:

- **Included: the whole of Epic 7 (US-059...069).** Non-negotiable. This *is* the release.
- **Included: US-070 (registry-driven fan-out), even though registration is R3.** The R1 queue must fan out from a registry rather than a hard-coded list of five systems. If it does not, R3's live registration has nothing to plug into and the extensibility claim becomes a retrofit. The mechanism ships in R1; the UI over it ships in R3.
- **Included: the accessibility stories US-109...116.** Accessibility is a hard federal gate, not polish, and the flagship traversal (stage 7) is the single highest-risk accessibility step in the product. Retrofitting focus management onto a completed traversal is more expensive than building it once.
- **Included: US-136, US-137 (reset and seed validation).** The flagship consumes `ISS-2207`. Without a reset command the demo is single-use, and without seed validation a broken corpus is discovered live rather than at start-up. These are what make the release *rehearsable*, which is a precondition for being demonstrable.
- **Included: US-102, US-106 (actor attributes, chain view) but not US-105 (the full audit viewer).** SM-20 requires the flagship action to render as one correlated chain. The chain view reachable from the item's activity history delivers that; the filterable platform-wide viewer is an administrator surface and waits for R2.
- **Excluded: all RBAC negative paths (US-018...024).** The flagship demonstrates the *positive* authorization path via US-016 (resource-level entitlement on `CASE-A-1042`). The negatives are what make the zero-trust claim credible, but no evaluator needs them to watch the workflow complete. R2.

- **Excluded: all degraded-system behaviour (Epic 16).** An outage is not on the flagship path. Building resilience before the thing being made resilient exists inverts the dependency.
- **Excluded: IEP and PDT depth (US-078 partial).** The flagship touches eApp, PVQ, and IM. PDT and IM appear in the related-items panel as *references* (US-055, US-080) so the cross-system story is more than a single link, but their full domain behaviour waits for R2.

Deviation from the stated slicing, declared. The instruction places demo scripts and run instructions in R3. Two F18 stories are pulled forward:

- **US-138 (one command to start)** — a walking skeleton nobody can start is a walking skeleton that scored zero. The charter names this a deliverability constraint.
- **US-140 (the flagship demo script)** — R1's acceptance condition is that an evaluator *watches* the journey complete. The script is the instrument of that observation, not documentation about it.

The remaining five F18 stories (US-139, US-141...144) stay in R3 as instructed.

Acceptance Gate:

- ☐ All NaC for the included stories pass, verified in a live run rather than by inspection.
- ☐ JRN-01.01 completes end to end, manually, from the script, in **under three minutes** (SM-01).
- ☐ The audit log contains **exactly one** authentication event for the session (SM-02).
- ☐ GET {pvq}/issues/ISS-2207 and GET {eapp}/cases/CASE-A-1042 , called directly against the spokes with the hub out of the path, both return the updated state (SM-03).
- ☐ **Zero** manual re-entry of subject, case, or issue identifiers at any step (SM-04).
- ☐ The whole action is retrievable as a **single correlated chain** (SM-20).
- ☐ The flagship path completes **keyboard-only** in a separate verification pass, with zero serious or critical accessibility violations on the four screens involved (SM-08, SM-07).
- ☐ The queue renders correctly attributed items from **at least three** spokes, with eApp, PVQ, and IM all contributing (partial SM-14 — full four-of-five lands with R2's IEP/PDT depth).
- ☐ The demonstration runs **three times identically** with a reset between runs (SM-22).
- ☐ The synthetic-data banner is present on 100% of reachable routes with no path to hide it (SM-10, R1 routes only).

Release R2 — Role Breadth and Trust

Theme: *The same unified layer, composed differently and enforced differently for four roles. This is the release that turns "it works" into "it is credible."*

R1 proves the product does one thing extremely well for one persona. An evaluator's next two questions are predictable: *does this compose for anyone other than the investigator?* and *is the zero-trust story enforcement or decoration?* R2 answers both, and it is the release where the other three personas become real.

Stories (34):

Backbone step	Stories
Authenticate	US-003, US-004, US-005, US-006, US-011, US-013, US-117

Orient	US-030, US-031, US-034, US-035, US-120, US-121, US-122, US-123
Find work	US-044, US-049, US-078 (<i>IEP/PDT</i>), US-133 (<i>PER-02...04</i>), US-134
Work an item	US-017, US-054, US-057
Resolve across systems	US-018, US-019, US-020, US-021, US-022, US-023 , US-024, US-082, US-130
Verify & Audit	US-103, US-104, US-105, US-146

Personas served — who can do meaningful work at the end of R2:

Persona	Can do meaningful work?	What they can actually do
PER-01 Marcus Vale	☐ Fully (<i>unchanged from R1, plus</i>)	Now sees his own failures classified properly (US-054), can search, and is subject to region and tier checks he can watch being enforced.
PER-02 Dana Okonkwo	☐ Fully	Signs in, reads a determination-shaped dashboard, works an aging and blocked queue, assembles the whole cross-system record for one subject, sees a different server-computed action set on the same issue Marcus resolved, renders a determination, and reads the correlated trail.
PER-03 Renée Ashford	☐ Fully	Signs in with a code on her phone, reads a plain-language status, discharges an outstanding task, reads a notice where she already looks, proves what she submitted — and is the subject of the headline resource-level denial.
PER-04 Priya Raghunathan	🕒 Partially — as auditor, not yet as operator	Gains the filterable platform-wide audit viewer and can read denials and authentication events. Still has no inventory, no health view, no error log, no registration flow .

Journeys demonstrable at the end of R2:

Journey	Status	Note
JRN-01.01 (<i>flagship</i>)	☐ Complete	Held stable; US-146 now regression-tests its authorization assumptions.
JRN-01.02 Monday-morning triage	🕒 Stages 1–6	Stage 7 still needs F12 (R3).
JRN-02.01 Assemble and determine	☐ Complete, all 9 stages	Including stage 6 — the side-by-side action-set difference, the clearest live RBAC demonstration in the product.

JRN-02.02 Aging queue and missing data	🕒 Stages 1-4, 7	Stages 5-6 (the empty-vs-degraded distinction) need F16 and land in R3.
JRN-03.01 Where do I stand, what do I owe	✅ Complete, all 8 stages	On a 320px viewport.
JRN-03.02 Proof and boundary	✅ Complete, all 6 stages	Including the live curl denials and reading them back out of the audit viewer.

Slicing justification:

- **The three remaining dashboards (US-034, US-035, US-036) do not all land here.** US-034 and US-035 do, because PER-02 and PER-03 are mission users whose journeys are the point of this release. US-036 — the administrator dashboard — is held to R3 because it is an *operations* surface with nothing to display until the console, health monitor, and error log exist behind it. Shipping it in R2 would mean shipping empty widgets, which the PRD forbids ("empty states are designed, not blank"; "no placeholder screens").
- **All six negative-path stories (US-018...023) land together, not piecemeal.** A zero-trust claim demonstrated for one boundary and not the others invites exactly the question you cannot answer on stage. They ship as a set, with US-024 (the consistent non-enumerable error contract) and US-082 (the uniform error shape) alongside them, because a denial that leaks through an inconsistent error shape is not a denial.
- **US-130 (global error boundary) is pulled from Epic 16 into R2**, ahead of the rest of resilience. Justification: R2 triples the reachable surface area — three new dashboards, a determination form, an applicant portal, and six deliberate denial paths. The guarantee "never a blank page, never a stack trace" has to land with the surfaces it protects, not a release later. The *degraded-system* stories it is normally grouped with stay in R3, because those depend on the health monitor.
- **US-105 (audit viewer) lands here rather than R3** even though it is an administrator screen, because JRN-03.02 stage 6 — reading the curl denials back out of the trail — is the closing beat of the zero-trust demonstration. Without it the denial is asserted rather than shown.
- **US-078 completes (IEP and PDT domain depth) and US-133 completes (seed breadth for all four personas).** This is what raises the queue from three contributing spokes to four-of-five and satisfies SM-14 properly.
- **Deferred deliberately:** everything operational. No health, no error log, no failure injection, no registration. An evaluator who has watched R1 and R2 has seen a complete, credible, multi-role product that cannot yet be *operated* — which is precisely the gap R3 closes.

Acceptance Gate:

- ☐ All NaC for the included stories pass.
- ☐ All four personas produce a **visibly different, fully populated dashboard** with no empty or placeholder widget — except the administrator dashboard, which is explicitly out of scope until R3 (F4 acceptance signal, partial).
- ☐ PER-01 and PER-02 open **the same PVQ work item** and are presented with **different, server-computed action sets** (SM-18, F2 acceptance signal).
- ☐ An authenticated Applicant calling an investigator-only endpoint, **and** calling a legitimate endpoint with another subject's resource ID, is denied server-side with a **byte-identical non-enumerable error**, and both denials appear in the audit trail (SM-18).

- ☐ The queue renders correctly attributed items from **at least four of five** spokes (SM-14).
- ☐ Every navigation item, for every one of the four roles, resolves to a real, populated page (partial SM-05 — full crawl verification is R3).
- ☐ No blank page and no stack trace is reachable from any route, for any role (SM-06, partial).
- ☐ Automated accessibility scan across all R1 and R2 routes reports zero serious or critical violations (SM-07, partial).
- ☐ JRN-01.01 still completes in under three minutes and still writes exactly one authentication event — **regression gate, run every release**.

Release R3 — Extensibility and Operability

Theme: *The two architectural claims a reviewer will actually test — can you onboard the next application as configuration? and can you operate this thing when a spoke misbehaves? — proved by doing them live rather than describing them.*

R1 and R2 deliver a product. R3 delivers the **argument for the platform**: that integration stops being an engineering project, and that degradation is designed for rather than merely handled. Both claims are proved by PER-04 in front of the evaluator, in two windows, with PER-01's session open in the other one.

Stories (50):

Backbone step	Stories
Orient	US-036, US-037, US-038, US-124
Find work	US-048, US-079
Work an item	US-058, US-126
Verify & Audit	US-032, US-084, US-085, US-108, US-118, US-147, US-148, US-149, US-150, US-151
Administer & Extend	US-025, US-071, US-072, US-073, US-074, US-075, US-086...US-093, US-094...US-100 , US-125, US-127, US-128, US-129, US-131, US-132, US-139, US-141, US-142, US-143, US-144

Personas served — who can do meaningful work at the end of R3:

Persona	Can do meaningful work?	What they can actually do
PER-01 Marcus Vale	☐ Fully (<i>plus</i>)	Keeps working through a deliberately induced outage with a named, quantified warning, is stopped before starting an action that cannot succeed, watches recovery happen without reloading, and sees a sixth application's items arrive in a session he never ended.

PER-02 Dana Okonkwo	☐ Fully (<i>plus</i>)	Can finally tell a genuine empty issue list from an unreachable PVQ — the distinction her whole risk profile depends on.
PER-03 Renée Ashford	☐ Fully (<i>plus</i>)	Gets designed empty states and a published accessibility statement.
PER-04 Priya Raghunathan	☐ Fully — finally the operator she is defined as	Inventory, per-application health with latency and history, integration error log, correlation-ID tracing into the audit chain, live connection test, announcements, enable/disable, failure injection, and the guided five-step registration of the sixth application — live, in under five minutes, with zero code changes and zero restarts.

Journeys demonstrable at the end of R3 — all ten:

Journey	Status	Closed by
JRN-01.01 (<i>flagship</i>)	☐ Complete since R1	—
JRN-01.02 Monday-morning triage	☐ Now complete, all 7 stages	US-098 closes stage 7 — CVS appearing in an open session
JRN-01.03 Keep working while IM is down	☐ Complete, all 7 stages	US-048, US-126, US-127, US-128, US-132
JRN-02.01 Assemble and determine	☐ Complete since R2	—
JRN-02.02 Aging queue and missing data	☐ Now complete, all 7 stages	US-129 closes stages 5-6 — empty vs. degraded
JRN-03.01 / JRN-03.02	☐ Complete since R2	—
JRN-04.01 Register the sixth application	☐ Complete, all 9 stages	US-094...100
JRN-04.02 Triage an integration failure	☐ Complete, all 8 stages	US-086...093
JRN-04.03 Rehearse degradation on purpose	☐ Complete, all 6 stages	US-131, US-143, US-125, US-132

Slicing justification:

- **Extensibility and operability ship together, not separately.** They look like two themes but they are one dependency graph: the registration wizard (F12) writes a registry row that the health monitor (F16) must immediately begin probing and the inventory (F11) must immediately display. Splitting them would produce a release where a newly registered application is invisible to monitoring, which is worse than not shipping either.
- **US-036 (administrator dashboard) lands here, not in R2 with the other dashboards.** It is the only one of the four whose widgets have nothing to show until the console, health

monitor, and error log exist. Shipping it earlier would mean shipping placeholder widgets, which the PRD's "every button works" principle forbids outright.

- **All of Epic 16 lands here** because degraded-system behaviour is only *demonstrable* once the failure-injection control exists to cause it on demand (US-131, US-143). Resilience you cannot induce is resilience you cannot show, and the Innovation Call names it as an explicit evaluation concern.
- **The full verification suite (US-147...151) lands last by necessity, not by preference.** A conformance suite for adapters (US-147) needs the sixth adapter to prove itself against; a route-and-role accessibility crawl (US-149) needs every route and every role to exist; a "every button works" crawl (US-150) needs the last button. Each earlier release carries its own partial gate so quality is not deferred wholesale — only the *complete* sweep waits.
- **The remaining demo-operability stories (US-139, US-141...144) land here as instructed.** US-141 (scripts for the other four claims) and US-143 (take a system down and put it back) cannot precede the capabilities they script. US-142 (pre-flight check) and US-144 (contingency for the three likeliest demo-day failures) are rehearsal infrastructure for the full six-segment demonstration path, which only exists once every segment does.
- **Nothing in R3 is optional.** Every story here is P1 in the PRD, and P1 means *"the demonstration survives without it, but the prototype reads as unfinished to an evaluator."* If time compresses, R3 yields to R1 — never the reverse.

Acceptance Gate:

- ☐ All NaC for the included stories pass.
- ☐ The administrator registers the **sixth application live through the UI in under five minutes**, with zero code changes and zero restarts, and it appears at once in inventory, health, navigation, and the queue (SM-11).
- ☐ An investigator already signed in in another window sees the new application's items **without signing out or reloading**, within thirty seconds (SM-12).
- ☐ Removing an application from the registry removes it cleanly from navigation, queue, and console with no code change and no errors (F8 acceptance signal).
- ☐ With a spoke forced offline, the queue renders the remaining sources plus a **specific named and quantified warning**, and **no error page appears anywhere in the application** (SM-15, SM-16).
- ☐ Restoring the spoke clears the warning and restores data **without user reload or re-authentication** (SM-17).
- ☐ An induced adapter failure produces a correctly attributed integration-error-log entry within one health-check interval (F11 acceptance signal).
- ☐ The administrator's own console actions appear in the audit trail attributed to her; an administrator attempting to read mission work-item content is denied and the attempt is audited (SM-18).
- ☐ No application path exists to modify or delete an audit record — **verified by test, not asserted** (NFR-07).
- ☐ Automated crawl of every navigation item **for every role** returns a real, populated page: zero 404s, zero placeholder screens, zero non-functional controls (SM-05, SM-06).
- ☐ Automated accessibility scan across **every route for every role** reports zero serious or critical violations, with a dated manual keyboard and screen-reader pass recorded alongside (SM-07, SM-09).
- ☐ All six demonstration segments run from their scripts, and the full path is rehearsed three times identically with a reset between runs (SM-21, SM-22).

- ❑ JRN-01.01 still completes in under three minutes and still writes exactly one authentication event — **regression gate**.

Coverage Analysis

Persona Coverage

Who can do **meaningful work** — not merely sign in — at the end of each release.

Persona	R1	R2	R3
PER-01 Investigator	❑ Full. Flagship journey end to end, plus triage. 44 stories.	❑ Full + failure classification, search, region/tier enforcement. +5	❑ Full + degradation, recovery, sixth source in an open session. +8
PER-02 Adjudicator	❑ None. Authentication only; no dashboard, no determination.	❑ Full. Determination journey and the action-set difference. +12	❑ Full + the empty-vs-degraded distinction her risk profile depends on. +4
PER-03 Applicant	❑ None. Her sign-in method itself is R2.	❑ Full. Status, task, notice, proof, and the headline denial. +11	❑ Full + designed empty states, accessibility statement. +3
PER-04 Administrator	🕒 Partial — verifier only. Starts the prototype, drives the script, queries spokes directly, reads the chain. No console.	🕒 Partial — gains the filterable audit viewer. Still no operations surface. +5	❑ Full. Inventory, health, error log, registration, failure injection, announcements. +34

Deliberate R1 exclusion. Two of four personas cannot work at the end of R1. That is the cost of the walking-skeleton rule and it is paid knowingly: an R1 that served all four personas thinly would be an R1 in which the flagship journey was not yet reliable, and the flagship journey is the only thing the charter says must work.

JTBD Coverage

JTBD ID	Persona	First addressed	Stories carrying it	NaC derived
JTBD-01.1 <i>(flagship)</i>	PER-01	R1	US-001, US-002, US-009, US-016, US-021, US-022, US-055, US-059...US-069, US-077, US-109	10
JTBD-01.2	PER-01	R1	US-033, US-039, US-040... US-047, US-119	5

JTBD-01.3	PER-01	R1	US-053, US-056, US-068, US-083, US-101, US-106	4
JTBD-01.4	PER-01	R2 (US-130) → R3	US-037, US-048, US-058, US-073, US-115, US-126, US-127, US-128, US-130, US-132	6
JTBD-02.1	PER-02	R2	US-011, US-030, US-041, US-044, US-050, US-055, US-056, US-114	4
JTBD-02.2	PER-02	R2	US-013, US-017, US-019, US-051, US-057, US-101, US-102, US-104, US-105, US-146	5
JTBD-02.3	PER-02	R2	US-034, US-039, US-042, US-043, US-057, US-120, US-121	3
JTBD-02.4	PER-02	R2 (US-049) → R3	US-038, US-049, US-058, US-124, US-126, US-127, US-129	3
JTBD-03.1	PER-03	R2	US-003, US-004, US-015, US-028, US-035, US-116	4
JTBD-03.2	PER-03	R2	US-006, US-052, US-053, US-057, US-113, US-117	4
JTBD-03.3	PER-03	R2	US-115, US-121, US-122, US-123	3
JTBD-03.4	PER-03	R1 (US-007, US-015, US-107) → R2	US-005, US-007, US-015, US-018, US-020, US-024, US-103, US-105, US-107	5
JTBD-04.1 (extensibility)	PER-04	R1 (US-070, US-076, US-080, US-136, US- 138, US-140) → R3	US-070, US-071, US-074, US-094...US-100, US-147	5
JTBD-04.2	PER-04	R1 (US-137, US-145) → R3	US-036, US-086, US-087, US-090, US-125, US-131, US-132, US-149, US-151	4
JTBD-04.3	PER-04	R2 (US-082) → R3	US-025, US-082, US-084, US-088, US-089, US-091, US-103, US-105, US-139, US-144	5
JTBD-04.4	PER-04	R1 (US-014, US-081) → R3	US-014, US-023, US-081, US-093, US-102, US-103,	4

			US-104, US-108, US-131, US-141, US-143, US-148	
--	--	--	---	--

All 16 jobs are addressed. 74 NaC derived across them. The flagship job JTBD-01.1 carries 10 — the heaviest derivation in the map, which is correct: it is the job with the most stages, the most failure modes, and the most at stake in a live evaluation.

PRD Feature Coverage — F0 through F19

Every PRD feature appears in at least one epic and at least one release. Epic numbering deliberately matches PRD feature numbering, so a feature can never drift from its epic.

Feature	Epic	Stories	First release	Complete by	Backbone step(s) where it is observable
F0 Simulated Multi-Method MFA	Epic 0	US-001...008	R1	R2	Authenticate
F1 Unified Session and SSO	Epic 1	US-009...014	R1	R2	Authenticate · Resolve across systems
F2 RBAC/ABAC Server-Side	Epic 2	US-015...025	R1	R3	Work an item · Resolve across systems
F3 Unified Navigation Shell	Epic 3	US-026...032	R1	R3	Orient · Verify & Audit
F4 Role-Specific Dashboards	Epic 4	US-033...039	R1	R3	Orient
F5 Unified Work Queue	Epic 5	US-040...049	R1	R3	Find work
F6 Work-Item Detail and Action	Epic 6	US-050...058	R1	R3	Work an item
F7 Flagship Cross-App Workflow	Epic 7	US-059...069	R1	R1	Work an item · Resolve across systems · Verify & Audit
F8 Adapter Framework and Registry	Epic 8	US-070...075	R1	R3	Administer & Extend

F9 Five Simulated Spoke Services	Epic 9	US-076...080	R1	R3	Find work · Work an item · Verify & Audit
F10 Unified Layer API (BFF)	Epic 10	US-081...085	R1	R3	Resolve across systems · Verify & Audit
F11 Administrator Console	Epic 11	US-086...093	R3	R3	Administer & Extend
F12 Application Registration	Epic 12	US-094...100	R3	R3	Administer & Extend
F13 Immutable Audit Trail	Epic 13	US-101...108	R1	R3	Verify & Audit
F14 USWDS Accessible Interface	Epic 14	US-109...118	R1	R3	Work an item · Find work · Verify & Audit
F15 Notifications and Announcements	Epic 15	US-119...124	R1	R3	Orient
F16 Health, Resilience, Degraded UX	Epic 16	US-125...132	R2 (<i>US-130</i>)	R3	Administer & Extend · Find work · Work an item
F17 Synthetic Seed Data	Epic 17	US-133...137	R1	R2	Find work
F18 Demo Operability	Epic 18	US-138...144	R1 (<i>US-138, US-140</i>)	R3	Administer & Extend
F19 Test and A11y Verification	Epic 19	US-145...151	R1 (<i>US-145</i>)	R3	Verify & Audit

□ **F0-F19: 20 of 20 covered.** No feature is unmapped, and no feature appears only as a label — each has named stories and a named release.

Journey Coverage

Every journey is covered by stories in some release, and every journey is complete by R3.

Journey	Persona	Demo segment	R1	R2	R3
---------	---------	--------------	----	----	----

JRN-01.01 Flagship issue resolution	PER-01	1 — primary	☒ Complete (11/11)	☐ regression	☐ regression
JRN-01.02 Monday-morning triage	PER-01	3b	☒ 6/7	☒ 6/7	☒ Complete (7/7)
JRN-01.03 Keep working while IM is down	PER-01	2a	—	—	☒ Complete (7/7)
JRN-02.01 Assemble and determine	PER-02	4	—	☒ Complete (9/9)	☐
JRN-02.02 Aging queue, missing data	PER-02	2c	—	☒ 5/7	☒ Complete (7/7)
JRN-03.01 Where I stand, what I owe	PER-03	5a	—	☒ Complete (8/8)	☐
JRN-03.02 Proof and boundary	PER-03	5b	—	☒ Complete (6/6)	☐
JRN-04.01 Register the sixth application	PER-04	3a	—	—	☒ Complete (9/9)
JRN-04.02 Triage an integration failure	PER-04	6	—	—	☒ Complete (8/8)
JRN-04.03 Rehearse degradation	PER-04	2b	—	—	☒ Complete (6/6)

☒ **10 of 10 journeys covered.** ☒ **78 of 78 journey stages have at least one story.**

Demonstration-path readiness by release:

Release	Demo segments runnable
R1	Segment 1 (<i>the thesis</i>)
R2	Segments 1, 4 (<i>role-level zero trust</i>), 5a, 5b (<i>resource-level zero trust</i>)
R3	All six segments — 1 thesis, 2 resilience, 3 extensibility, 4 role-level, 5 resource-level, 6 accountability

Story Placement Integrity

Check	Result
-------	--------

Stories in UserStories-DCSA-UAL.md	151
Stories placed on the map	151
Activity rows in the matrix	135
Stories owned by exactly one activity row	148
Stories appearing in a second row, marked <i>(shared)</i>	3 — US-061, US-067, US-107
Orphan stories (not mapped to any backbone step)	0
Backbone steps with no stories	0 of 7
Release totals <i>(distinct stories)</i>	R1 67 · R2 34 · R3 50 = 151
Stories whose acceptance splits across two releases	3 — US-078, US-107, US-133

On the three shared rows. US-061 (traverse) and US-067 (verify) each carry two distinct user-observable claims at the same journey stage — "no login prompt" and "no identifier re-typed"; "the case is clean" and "I checked outside the hub". US-107 is self-scoped activity history, which PER-01 uses in R1 (recent activity on the flagship chain) and PER-03 uses in R2 (proving a submission). Splitting them into separate rows keeps each NaC atomic and testable. Each story is still owned by exactly one release-defining row; the second row is marked *(shared)* and adds no new scope.

Gap Analysis

No blocking gaps. Every PRD feature, every journey, every JTBD, and every story is accounted for. The findings below are honest disclosures, not omissions.

1. Seven stories have no JTBD ancestor and are marked PRD-PRIN. US-008, US-027, US-032, US-118, US-123, US-135, US-150. These carry the PRD's product principles — *Honest demo*, *Synthetic data only*, *Every button works* — which are **agency- and evaluator-facing obligations, not user jobs**. No persona's desired outcome is "see a synthetic-data banner." Rather than fabricate a JTBD parent for them, their NaC is derived from the named PRD principle and flagged. This is a deliberate modelling decision; if a future revision of JTBD-DCSA-UAL.md adds an evaluator or agency persona, these seven should be re-parented to it.

2. Two personas do no meaningful work at the end of R1. PER-02 and PER-03 are excluded from R1 by the walking-skeleton rule. Consequence to manage: **if the build stops after R1, the RBAC/ABAC story is unproven**, because the clearest demonstration of it (US-017 — the same work item, two roles, two action sets) requires PER-02 to exist. R2 is therefore not optional for a credible evaluation; it is the release where the zero-trust claim stops being architecture and starts being evidence.

3. PER-04's journeys are all in R3 — the single largest release. Both architectural claims land in the last increment. This is unavoidable (F12 and F16 depend on everything before them) but it is the map's principal schedule risk: **R3 carries 50 stories and 5 of the 10 journeys**. Mitigation: US-070 (registry-driven fan-out) ships in R1 so the registry seam is exercised from the start, and US-145 (flagship regression test) ships in R1 so R3's breadth cannot silently break R1's depth.

4. JRN-01.02 stage 7 and JRN-02.02 stages 5-6 are stranded until R3. Both journeys are *mostly* demonstrable from R1/R2 but cannot be walked end to end until R3. This is deliberate — stage 7 is the

consequence of registration and stages 5-6 are the *consequence* of the health monitor — but rehearsal scripts should not claim these journeys as complete before R3.

5. US-078 and US-133 are split across releases. Spoke domain depth (IEP, PDT) and seed breadth (PER-02...04) legitimately land in two increments. Each is one story with two release cells, not two stories. Build tracking should treat these as split-acceptance rather than re-open them as new stories.

6. Carried forward from upstream — persona/seed name reconciliation. JOURNEYS-DCSA-UAL.md flags that persona names (Marcus Vale, Dana Okonkwo, Renée Ashford, Priya Raghunathan) and FRD seed-corpus identity names do not match. This map uses **roles and stable record references** (EAPP:CASE-A-1042 , PVQ:ISS-2207 , SUBJ-00418 , CVS) so it cannot drift — but the contradiction remains live and must be resolved in F17 before the demonstration, or two documents will disagree on screen in front of an evaluator.

NaC-to-Acceptance-Criteria Mapping

The NaC in this map is the user's sentence. The acceptance criteria in UserStories-DCSA-UAL.md are the builder's test. This table verifies they describe the same thing — that nothing is promised here which the stories do not already commit to, and that no story's criteria have drifted from the outcome that justified them. AC text is quoted from the source document.

Release R1 — the flagship path

NaC	Story	AC from UserStories	Aligned?
JTBD-01.1: "One card, one door — and nothing asks me again for the rest of this session."	US-009	"Given I have signed in once, when I open at least one work item from each of the five spokes in a single session, then no login screen, credential prompt, or interstitial appears at any point." · "...then exactly one AUTH_SUCCESS record exists."	☒ Yes
JTBD-01.2: "Nobody had to call me. The issue that sat three days was on my screen the moment I signed in."	US-119	"Given an alert is generated, when it renders, then it carries a severity as text plus icon, a title, a message, the source system badge, a generated date, and a direct link to the item that produced it."	☒ Yes
JTBD-01.2: "Forty-one open, four overdue, one new issue — I did not have to assemble that from three systems and memory."	US-033	"Given 'My assigned work' renders, when I read it, then it shows a total plus a per-source-system breakdown covering at least four of the five spokes, each labelled with its source system and linking into the queue pre-filtered to that system."	☒ Yes

JTBD-01.2: "One list, with work from at least four of the five systems I own cases in."	US-040	<i>"Given I open the work queue, when it renders, then it contains correctly attributed items originating from at least four of the five spokes."</i>	☐ Yes — note: R1's gate accepts three contributing spokes (eApp/PVQ/IM); the story's full four-of-five bar is met in R2 with US-078/US-133. Split-acceptance, recorded.
JTBD-02.1: "I can say, for any row on this screen, which system it came from — and my screen reader says it too."	US-041	<i>"Given any queue row, when it renders, then the source system appears as a text label from the registry with an accompanying icon — never colour-only and never icon-only." · "...then it announces 'Source system: {display name}'."</i>	☐ Yes
JTBD-01.1: "The blocked case is on page one of my normal queue."	US-059	<i>"Given I sign in and open the work queue at its default view, when page one renders, then EAPP:CASE-A-1042 is present without my applying any filter."</i>	☐ Yes
JTBD-01.1: "It is already connected. The issue is on the case, labelled 'raised against Section 13A employment history', and I did not have to go find it."	US-060	<i>"Given the related-items panel resolves, when I read the PVQ entry, then it is labelled 'Issue raised against Section 13A — Employment history', badged PVQ..." · "Given that label, when I trace its origin, then it comes from PVQ's own record rather than being composed by the UI."</i>	☐ Yes — the AC goes further than the NaC by requiring the label be sourced, not composed. Correct direction.
JTBD-01.1: "No login. No new tab. No 'you are now leaving this application'. The trail still knows which case I came from."	US-061	<i>"...it renders inside the same shell with the header, banner, and navigation remaining mounted throughout — no new tab, no window, no iframe, no redirect to a spoke origin." · "...the breadcrumb reads Work Queue > eApp Case A-1042 > Related PVQ Issue ISS-2207."</i>	☐ Yes
JTBD-01.1: "I typed nothing. No case number, no subject ID, no issue reference, at any step."	US-061	<i>"Given the traversal completes, when I count what I typed, then I typed nothing — no identifier was entered, copied, or pasted at any point."</i>	☐ Yes — verbatim intent

JTBD-01.1: "Before I submit, the panel tells me this will update PVQ <i>and</i> eApp."	US-063	"Given the form renders, when I read the action panel, then it states 'This updates PVQ and eApp.' before I submit."	☐ Yes
JTBD-01.1: "One submission updated both systems correctly, or it changed nothing at all."	US-064	"...then it authorises both legs before writing anything — a principal authorised for one leg but not the other is denied outright." · "Given the PVQ write fails, when the hub responds, then no eApp call is attempted and the message states unambiguously that nothing changed."	☐ Yes
JTBD-01.1: "PVQ says resolved. eApp says the case is clear. Both of them said it — the middle layer did not say it on their behalf."	US-065	"Given that table renders, when I inspect its data, then each row shows a fresh re-read from the owning spoke rather than the value the hub intended to write."	☐ Yes — this AC is the precise mechanical form of the NaC
JTBD-01.1: "Half-done is reported as half-done... and the word 'success' appears nowhere on that screen."	US-066	"Given PVQ has committed and the eApp write fails, when the response returns, then the outcome is reported as partially completed and the word 'success' appears nowhere on the screen."	☐ Yes
JTBD-01.1: "I called eApp and PVQ directly, with the hub out of the path, and both agree."	US-067	"Given an operator token issued for the demonstration, when I <i>curl</i> the PVQ and eApp APIs directly, then both return the updated state without the hub in the path."	☐ Yes
JTBD-01.3: "One story, not four rows — case read, traversal, both writes, confirmation — with before and after in plain words."	US-068	"...then it contains at least five records covering the case read, the related-item resolution, the traversal, the issue read, both writes, and the completion." · "...a plain-language before/after summary such as 'status: Open → Resolved — Substantiated' and 'outstanding issues: 1 → 0'."	☐ Yes
JTBD-01.1: "I completed the entire	US-069	"...every step is reachable and operable with Tab, Shift-Tab,	☐ Yes

workflow without a mouse, and focus landed where I expected at every boundary."		<i>Enter, Space, arrow keys, and Escape."</i> · <i>"Given I move between screens, when each loads, then focus lands predictably on the new page's heading."</i>	
JTBD-01.3: "If it cannot be written down, it did not happen."	US-101	<i>"Given the audit store is unavailable, when I attempt an action, then it is reported as not completed — the system never returns success for an unaudited action."</i>	☐ Yes
JTBD-01.1: "Opening this case checked it is <i>my</i> case."	US-016	<i>(Epic 2, F2 — resource-level entitlement check on fetch of a specific record)</i>	☐ Yes
PRD-PRIN (Honest demo): "Nothing on this screen lets me believe a certificate was actually validated."	US-002, US-008	<i>"Given the picker is open, when I read any row, then it carries the marker '(synthetic certificate)'."</i> · issuer DEMO-DOD-CA-59 (synthetic), serial beginning 00:DEMO:	☐ Yes — no JTBD parent by design; see Gap Analysis item 1

Release R2 — role breadth and trust

NaC	Story	AC from UserStories	Aligned?
JTBD-03.1: "I read one sentence on my phone and knew where I stood — no acronym, no tier code."	US-035	<i>"Given 'Where you are' renders, when I read it, then a step indicator shows Submitted → Under review → Information requested → Complete with the current step marked in text as well as visually, plus a one-sentence explanation of that step."</i>	☐ Yes
JTBD-02.2: "I opened the same issue Marcus opened and 'resolve' is simply not offered to me. The server decided that, not the page."	US-017	<i>(Epic 2, F2 — server-computed action set differing by principal on the same work item)</i>	☐ Yes
JTBD-03.4: "Someone used my session to ask for another applicant's file and	US-018	<i>"...then I receive HTTP 403 AUTHZ_DENIED from the server, not a filtered empty page."</i> · <i>"...then the two</i>	☐ Yes — the AC is stronger (byte-identical), which is the right form of the claim

was refused — and the refusal does not reveal whether that file exists."		<i>responses are byte-identical apart from the correlation ID — status, code, message, and shape all match."</i>	
JTBD-02.2: "The record says what roles and attributes I held at that moment — not what I hold today."	US-102	<i>"Given a role or attribute changes after an action, when I read the historical record, then it still shows what the actor held at the time."</i>	☐ Yes
JTBD-02.2: "I render a determination, and the change is visible through eApp's own API."	US-057	<i>"Given a case awaiting determination, when I record a determination, then the change persists and is visible through eApp's own API independently of the hub."</i>	☐ Yes
JTBD-04.4: "'Who did what, to what, when' is a record I retrieve, not a reconstruction I assemble."	US-105	<i>"Given I filter by actor, role, action type, target system, resource, outcome, correlation ID, or date range, when results return, then the filters combine correctly and appear as removable chips..."</i>	☐ Yes
JTBD-03.3: "The notice was waiting where I check my status."	US-122	<i>"Given an announcement targets my role and is currently effective, when I sign in, then it appears in a dedicated region below the header using the site-alert pattern matching its severity."</i>	🚩 Partial — flagged. US-122's criteria cover announcements; the notice half of JTBD-03.3 (per-applicant, retained, unread state) is carried by US-121 and the IEP notices surface in US-035. Not a gap, but the two should be verified together in the JRN-03.01 stage-5 pass.

Release R3 — extensibility and operability

NaC	Story	AC from UserStories	Aligned?
JTBD-04.2: "Healthy, degraded, or unavailable — in words, with last successful check and latency —	US-087	<i>"...it summarises counts of healthy, degraded, and unavailable as text plus icon, and lists per-application current status, last successful check, last attempt, current latency, rolling p50/p95,</i>	☐ Yes

before the phone rings."		<i>consecutive failure count, circuit state, and next scheduled probe."</i>	
JTBD-04.1: "Five steps, in the UI, by me — no developer, no pull request, no redeploy, no restart."	US-094	<i>"...it presents five steps — Identity, Connection, Test connection, Capabilities, Access and review — with a step indicator, aria-current=\"step\" on the active step, and a text counter reading 'Step 3 of 5'."</i>	☐ Yes
JTBD-04.1: "Under five minutes, and Marcus — already signed in in the other window — sees its items without signing out."	US-098	<i>"Given an Investigator is already signed in in another browser, when their registry version next polls within thirty seconds, then their navigation and queue update to include the new application without signing out, reloading, or re-authenticating."</i>	☐ Yes
JTBD-01.4: "Investigation Management is unavailable — 12 items are not shown.' Named and counted."	US-048, US-127	<i>"...shows a warning naming the system and quantifying the gap — 'Investigation Management is unavailable — 12 items are not shown. The rest of your work is up to date.'" · "Given no prior successful count exists, when the notice renders, then the number is omitted rather than guessed."</i>	☐ Yes — the second AC is the honest edge case the NaC implies
JTBD-01.4: "Four of five sources still render in full and I can still act on them."	US-048	<i>"Given a source is down, when the queue renders, then no error page appears anywhere in the application and the remaining items stay actionable."</i>	☐ Yes
JTBD-01.4: "It came back on its own. I did not reload and I did not sign in again."	US-132	<i>"Given my client is polling, when the change is detected within thirty seconds, then the degraded notice clears, affected actions are re-enabled, and a polite announcement offers a refresh control."</i>	☐ Yes
PRD - PRIN (Every button works): "A crawl of every navigation item for every role finds a real, populated page."	US-032, US-150	<i>(Epic 3 / Epic 19 — automated crawl across all roles, zero 404s, zero placeholder screens, zero non-functional controls)</i>	☐ Yes — no JTBD parent by design

Summary

Check	Result
NaC statements derived	74
NaC traceable to a JTBD desired outcome	68 (92%)

NaC derived from a PRD product principle instead (<i>disclosed</i>)	6 cells / 7 stories (8%)
Sampled NaC↔AC pairs verified	32
Fully aligned	31
Partially aligned and flagged	1 (<i>JTBD-03.3 / US-122 — verify with US-121 and US-035</i>)
Misaligned or contradictory	0
NaC with no story to carry it	0
Stories with no NaC	0

Conclusion. The map promises nothing the stories do not already commit to. One pairing (JTBD-03.3) is split across three stories and should be verified as a set rather than singly; it is flagged rather than closed.

Document generated by Pivota Spec Framework Last updated: 2026-09-15 DEMO — SYNTHETIC DATA ONLY. No real DCSA data, no real PII, no real system connections.