

Lesson 02 Demo 04

Debugging Using AWS CloudTrail

Objective: To enable AWS CloudTrail and validate its logs for debugging API calls and analyzing log events

Tools required: AWS Console and CloudTrail


Prerequisites: None

Steps to be followed:


1. Create a trail using CloudTrail
2. Validate CloudTrail logs

Step 1: Create a trail using CloudTrail


1.1 Navigate to the AWS Console home page



1.2 Search for and click on CloudTrail



1.3 Click on Create a trail



1.4 Provide a desired name and click on **Create trail**

Quick trail create

Trail details
Start logging management events by creating a trail with simplified settings. Logs are sent to an S3 bucket we create on your behalf. To choose a different bucket or additional events, go to the full [Create trail](#) workflow.
A trail created in the console is a multi-region trail. [Learn more](#)

Trail name
Enter a display name for your trail.
management-events
3-128 characters. Only letters, numbers, periods, underscores, and dashes are allowed.

Trail log bucket and folder
aws-cloudtrail-logs-767397794296-af1d7622
Logs will be stored in aws-cloudtrail-logs-767397794296-af1d7622/AWSLogs/767397794296

Though there is no cost to log these events, you incur charges for the S3 bucket that we create to store your logs.

Cancel **Create trail**

The trail is created and enabled successfully.

CloudTrail > Trails


Copy events to Lake | Refresh | Delete | **Create trail**

	Name ▲	Home region ▼	Multi-region trail ▼	Insights ▼	Organization on trail ▼	S3 bucket ▼	Log file prefix ▼	CloudWatch Logs log group ▼	Status ▼
☐	management-events	US East (N. Virginia)	Yes	Disabled	No	aws-cloudtrail-logs-767397794296-af1d7622	-	-	Logging


Note: Once CloudTrail is enabled, it begins capturing log events for API calls made within your AWS account.

Step 2: Validate CloudTrail logs

2.1 Click on Event history



2.2 Filter the events by time, event name, resource type, user, and other fields to obtain the desired output



Note: In this scenario, the resource type field is set to S3 bucket, which results in the listing of those specific events.

2.3 Click on **CreateTrail** to view the detailed information as shown below:

CloudTrail

×

Dashboard

Event history

Insights

▼ Lake

Dashboard

Query

Event data stores

Integrations

Trails

Settings

Pricing

Documentation

Forums

FAQs

CloudTrail > Event history > CreateTrail

CreateTrail

Info

Details

Info

Event time

November 11, 2023 10:30 AM (UTC+05:30)

User name

odl_user_18

Event name

CreateTrail

Event source

cloudtrail.amazonaws.com

AWS access key

ASIAZ1ZLFCFN6DTF7TX

Source IP address

49.43.98.66

Event ID

162933f3-bd5a-4b60-947d-2ed5e1120a9f

Request ID

00b9c554-0773-4e7a-9607-4785b84b63c7

AWS region

us-east-1

Error code

-

Read-only

false

Resources referenced (3)

Info

Resource type	Resource name	AWS Config resource timeline
AWS::CloudTrail::Trail	management-events	Enable AWS Config resource recording
AWS::CloudTrail::Trail	arn:aws:cloudtrail:us-east-1:123456789012:trail/trail-123456789012	Enable AWS Config resource recording

By following these steps, you have successfully enabled AWS CloudTrail and validated its logs to debug API calls and analyze log events.