

Lesson End Project

Creating an Automated Vulnerability Management Dashboard Using Amazon Inspector

Project agenda: To create an automated vulnerability management dashboard by using Amazon Inspector and Amazon Inspector Classic, enabling continuous scanning of EC2 instances for software vulnerabilities and unintended network exposure

Description: You are tasked with enhancing the security posture of an organization by automating vulnerability detection on EC2 instances. This involves setting up Amazon Inspector and Amazon Inspector Classic to scan for vulnerabilities, generate findings, and provide actionable insights for remediation. The project ensures continuous monitoring for vulnerabilities, enhancing the security and compliance of the infrastructure.

Tools required: AWS Account

Prerequisites: An AWS account with permission to access and configure EC2, Amazon Inspector, and a basic understanding of AWS EC2 instance setup, including configuring security groups and navigating the AWS Management Console


Expected deliverables: A configured EC2 instance with the Amazon Inspector SSM agent installed and active scans enabled on both Amazon Inspector and Inspector Classic, dashboards displaying detailed vulnerability findings and documented insights into identified issues and their remediation processes

Steps to be followed:


1. Activate Amazon Inspector
2. Create an EC2 Instance
3. Connect to the Instance
4. Install Amazon Inspector SSM Agent
5. Enable scanning in Amazon Inspector
6. Monitor Findings in Amazon Inspector
7. Enable and observe Findings in Amazon Inspector Classic

Step 1: Activate Amazon Inspector

1.1 Open the Amazon console at <https://console.aws.amazon.com/>




1.2 Type **Amazon Inspector** in the search bar and press enter to navigate to Amazon Inspector Dashboard




You will be redirected to Amazon Inspector Dashboard.

1.3 Click on **Activate Inspector**




Now, you will see a welcome message confirming the inspector's activation.




Step 2: Create an EC2 Instance

2.1 Type **EC2** in the search bar and press enter to navigate to the EC2 Dashboard



You will be redirected to the EC2 Dashboard.

2.2 Click on **Launch Instance**



2.3 Add a desired name for the Instance (LinuxServer)

Launch an instance [Info](#)

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags [Info](#)

Name

LinuxServer [Add additional tags](#)

Application and OS Images (Amazon Machine Image) [Info](#)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or Browse for AMIs if you don't see what you are looking for below

Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux De [Browse more AMIs](#)
Including AMIs from

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.6.2...[read more](#)
ami-0453ec754f44f9a4a

Virtual server type (instance type)
t2.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Free tier: In your first year includes 750 [X](#)

[Cancel](#) [Launch instance](#) [Preview code](#)

2.4 Scroll down and click on Create new key pair

Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Select [G](#) [Create new key pair](#)

Network settings [Info](#) [Edit](#)

Network [Info](#)
vpc-03c7f248c777a2bf7

Subnet [Info](#)
No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)
Enable

[Additional charges apply](#) when outside of [free tier allowance](#)

Firewall (security groups) [Info](#)
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group ☐ Select existing security group

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.6.2...[read more](#)
ami-0453ec754f44f9a4a

Virtual server type (instance type)
t2.micro


Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB


Free tier: In your first year includes 750 [X](#)

[Cancel](#) [Launch instance](#) [Preview code](#)

2.5 Add a desired name for the key pair and click on **Create key pair**



2.6 Scroll down and click on **Edit** in the Network settings section



2.7 Scroll down and click **Add security group rule**

Inbound Security Group Rules

▼ Security group rule 1 (TCP, 22, 0.0.0.0/0)

Type | Info: ssh

Protocol | Info: TCP

Port range | Info: 22

Source type | Info: Anywhere

Source | Info: 0.0.0.0/0

Description - optional | Info: e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Add security group rule

▼ **Configure storage** | Info

1x 8 GiB gp3 Root volume (Not encrypted)

Summary

Number of instances | Info: 1

Software Image (AMI): Amazon Linux 2023 AMI 2023.6.2...read more

Virtual server type (instance type): t2.micro

Firewall (security group): New security group

Storage (volumes): 1 volume(s) - 8 GiB

Free tier: In your first year includes 750

Cancel Launch instance Preview code

2.8 Select **All traffic** under the Type selector and **Anywhere** under the Source type selector

Inbound Security Group Rules

▼ Security group rule 2 (All, All, 0.0.0.0/0)

Type | Info: All traffic

Protocol | Info: All

Port range | Info: All

Source type | Info: Anywhere

Source | Info: 0.0.0.0/0

Description - optional | Info: e.g. SSH for admin desktop

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

Add security group rule

Summary

Number of instances | Info: 1

Software Image (AMI): Amazon Linux 2023 AMI 2023.6.2...read more

Virtual server type (instance type): t2.micro


Firewall (security group): New security group

Storage (volumes): 1 volume(s) - 8 GiB


Free tier: In your first year includes 750

Cancel Launch instance Preview code

2.9 Click on **Launch instance**




2.10 Click on the launched instance using the instance id in the success message box



Now, you will be redirected to the All Instances page.

Step 3: Connect to the Instance

3.1 Select the instance created in the previous step and click on **Connect**



The screenshot shows the AWS Management Console 'Instances' page. The instance 'LinuxServer' (ID: i-03d86f149622f3acf) is selected. The 'Connect' button is highlighted with a red box. The instance is in a 'Running' state.

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Avail
LinuxServer	i-03d86f149622f3acf	Running	t2.micro	Initializing	View alarms +	us-e

i-03d86f149622f3acf (LinuxServer)

Instance summary

Instance ID	Public IPv4 address	Private IPv4 addresses
i-03d86f149622f3acf	44.212.73.44 open address	172.31.90.240


Instance state

Running

Public IPv4 DNS

ec2-44-212-73-44.compute-1.amazonaws.com | [open address](#)

3.2 Select **EC2 Instance Connect**. Then, scroll down and click on **Connect**.



The screenshot shows the 'Connect to instance' page in the AWS Management Console. The 'EC2 Instance Connect' tab is selected. The 'Connect using EC2 Instance Connect' option is chosen.

Connect to instance

Connect to your instance i-03d86f149622f3acf (LinuxServer) using any of these options

EC2 Instance Connect | Session Manager | SSH client | EC2 serial console

Instance ID

i-03d86f149622f3acf (LinuxServer)

Connection Type

☒ **Connect using EC2 Instance Connect**
Connect using the EC2 Instance Connect browser-based client, with a public IPv4 or IPv6 address.

☐ **Connect using EC2 Instance Connect Endpoint**
Connect using the EC2 Instance Connect browser-based client, with a private IPv4 address and a VPC endpoint.

Public IPv4 address

44.212.73.44

IPv6 address

-

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user.

ec2-user

Note: In most cases, the default username, ec2-user, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

aws [Search] [Alt+S] N. Virginia odL_user_1524880 @ 4711-1283-0519

EC2 > Instances > i-03d86f149622f3acf > Connect to instance

EC2 Instance Connect | Session Manager | SSH client | EC2 serial console

Instance ID
i-03d86f149622f3acf (LinuxServer)

Connection Type

☒ Connect using EC2 Instance Connect
Connect using the EC2 Instance Connect browser-based client, with a public IPv4 or IPv6 address.

☐ Connect using EC2 Instance Connect Endpoint
Connect using the EC2 Instance Connect browser-based client, with a private IPv4 address and a VPC endpoint.

☒ Public IPv4 address
44.212.73.44

☐ IPv6 address
-

Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user.
ec2-user

Note: In most cases, the default username, ec2-user, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Cancel Connect

Now, you will be redirected to the EC2 terminal.

Step 4: Install Amazon Inspector SSM Agent

4.1 Run the following command to switch to the root user:

sudo su

```
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
Last login: Mon Nov 25 07:10:58 2024 from 18.206.107.27
[ec2-user@ip-172-31-90-240 ~]$ sudo su
[root@ip-172-31-90-240 ec2-user]#
```

4.2 Run the following command to install inspector-agent:

wget https://inspector-agent.amazonaws.com/linux/latest/install

```
aws [Search] [Alt+S] N. Virginia odl_user_1524880 @ 4711-1283-0519

Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023

Last login: Mon Nov 25 07:10:58 2024 from 18.206.107.27
[ec2-user@ip-172-31-90-240 ~]$ sudo su
[root@ip-172-31-90-240 ec2-user]# wget https://inspector-agent.amazonaws.com/linux/latest/install
--2024-11-25 07:33:51-- https://inspector-agent.amazonaws.com/linux/latest/install
Resolving inspector-agent.amazonaws.com (inspector-agent.amazonaws.com)... 3.167.83.53, 2600:9000:27cb:f800:4:6195:f553:e781, 2600:9000:27cb:7400:4:6195:f553:e781, ...
Connecting to inspector-agent.amazonaws.com (inspector-agent.amazonaws.com)|3.167.83.53|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 31083 (30K) [binary/octet-stream]
Saving to: 'install'

install                               100%[=====] 30.35K  --.-KB/s  in 0s

2024-11-25 07:33:51 (357 MB/s) - 'install' saved [31083/31083]

[root@ip-172-31-90-240 ec2-user]#
```

4.3 Run the following command to download the latest installed script:

curl -O https://inspector-agent.amazonaws.com/linux/latest/install

```
aws [Search] [Alt+S] N. Virginia odl_user_1524880 @ 4711-1283-0519

Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023

Last login: Mon Nov 25 07:10:58 2024 from 18.206.107.27
[ec2-user@ip-172-31-90-240 ~]$ sudo su
[root@ip-172-31-90-240 ec2-user]# wget https://inspector-agent.amazonaws.com/linux/latest/install
--2024-11-25 07:33:51-- https://inspector-agent.amazonaws.com/linux/latest/install
Resolving inspector-agent.amazonaws.com (inspector-agent.amazonaws.com)... 3.167.83.53, 2600:9000:27cb:f800:4:6195:f553:e781, 2600:9000:27cb:7400:4:6195:f553:e781, ...
Connecting to inspector-agent.amazonaws.com (inspector-agent.amazonaws.com)|3.167.83.53|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 31083 (30K) [binary/octet-stream]
Saving to: 'install'

install                               100%[=====] 30.35K  --.-KB/s  in 0s

2024-11-25 07:33:51 (357 MB/s) - 'install' saved [31083/31083]

[root@ip-172-31-90-240 ec2-user]# curl -O https://inspector-agent.amazonaws.com/linux/latest/install
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
100 31083 100 31083    0     0  849k    0 --:--:-- --:--:-- --:--:--  867k
[root@ip-172-31-90-240 ec2-user]#
```

4.4 Run the following command:


sudo bash install

```
aws [Alt+S] N. Virginia odL_user_1524880 @ 4711-1283-0519
100 31083 100 31083 0 0 849k 0 ---:--:--:--:--:-- 867k
[root@ip-172-31-90-240 ec2-user]# sudo bash install
amzn.2023.2023
Distribution of the machine is Amazon Linux.
Distribution type of the machine is amzn.
Revision of the distro is 2023.
Kernel version of the machine is 6.1.115-126.197.amzn2023.x86_64.
ip-172-31-90-240.ec2.internal is an EC2 instance reporting region as us-east-1.
Check for existing AwsAgent completed with error code:0
Existing version of agent installed is 0.0.0.0.0.
cannot find installed KM VERSION... assumed '0.0.0.0.0'
get installed km version: EXISTING_KM_VERSION:0.0.0.0.0 exit status:0
Existing version of kernel module installed is 0.0.0.0.0.
PUBLIC_KEY: /tmp/awsagent.FQNo2YH7/inspector.gpg
Validated AWS_AGENT_INVENTORY signature with:
HTTP/1.1 200 OK
x-amz-id-2: mJQMhedyfGASceikdAhVDe55v0NVVGUy9fodu84JcgS27HHnB+VxDX2jbTrpKvaAG92x/wAi52I=
x-amz-request-id: F0RT69XQBA3B6HQC
Date: Mon, 25 Nov 2024 07:35:29 GMT
Last-Modified: Wed, 01 Feb 2023 21:31:09 GMT
ETag: "c9e3db376eea55a33c58a6a2e419b823"
x-amz-server-side-encryption: AES256
Accept-Ranges: bytes
Content-Type: binary/octet-stream
Content-Length: 792
Server: AmazonS3
```


The Amazon Inspector agent will now be installed on the system, enabling it to collect and analyze data for security assessments.

Step 5: Enable scanning in Amazon Inspector


5.1 Navigate to Amazon Inspector dashboard and click on Account management




5.2 Click on **Activate** and select **All scanning**



5.3 Click on the **Submit** button




Now, you will see the successfully activated message.




Step 6: Monitor Findings in Amazon Inspector

6.1 Click on **All findings** in the navigation panel




6.2 Click on any issue from the list to view the detailed overview of the findings



Note: After some time, the number of findings will increase depending on the activity.

Step 7: Enable and observe Findings in Amazon Inspector Classic


7.1 Click on **Switch to Inspector Classic**



The screenshot shows the Amazon Inspector console interface. In the left-hand navigation menu, the 'Switch to Inspector Classic' link is highlighted with a red rectangle. The main content area displays 'Findings: All findings' with a table of findings. A green banner at the top indicates 'You have successfully activated 1 account.'

Severity	Title	Impacted resource	Type	Age	Status
High	Port range 0 to 65535 is reachable	i-0d232aa1cebc5ed...	Network Reachability	13 minu...	Active
High	Port range 0 to 65535 is reachable	i-07c00564061234...	Network Reachability	13 minu...	Active
High	Port range 0 to 65535 is reachable	i-07c00564061234...	Network Reachability	13 minu...	Active
High	Port range 0 to 65535 is reachable	i-0d232aa1cebc5ed...	Network Reachability	13 minu...	Active

7.2 Click on **Get started**



The screenshot shows the Amazon Inspector 'Get started' page. The 'Get started' button is highlighted with a red rectangle. Below the button, three steps are listed: 'Install' (Install the AWS agent on your EC2 instances), 'Run' (Run an assessment for your assessment target), and 'Analyze' (Review your findings and remediate security issues).

7.3 Click on **Run once**

Welcome to Amazon Inspector

Amazon Inspector assessments check for security exposures and vulnerabilities in your EC2 instances. Learn more about [how Inspector functions](#).

Inspector uses a [Service-linked Role](#) to describe your EC2 instances and network configuration.

Assessment Setup

You can use the options below to get the following assessments on all of your EC2 instances in this AWS region. Click **Run weekly** for the assessment to run at this time once a week starting now, **Run once** for a one-time assessment, or **Advanced setup** for custom assessments.

☒ **Network Assessments** (Inspector Agent is not required)

- Assessments performed:** Network configuration analysis to checks for ports reachable from outside the VPC. [Learn more](#)
- Optional Agent:** If the Inspector Agent is installed on your EC2 instances, the assessment also finds processes reachable on port. Learn more about [Inspector Agent](#)
- Pricing:** Pricing for **network assessments** is based on the monthly volume of instance-assessments, where an instance-assessment denotes a successful assessment of an instance. For example, for 100 instances assessed weekly, the monthly cost would be around \$61/month. [Learn more](#)

☒ **Host Assessments** (Inspector Agent is required)

- Assessments performed:** Vulnerable software (CVE), host hardening (CIS benchmarks), and security best practices. [Learn more](#)
- Agent Deployment:** Inspector assessments require an agent to be installed on your EC2 instances. We will automatically install the agent for instances that allow [System Manager Run Command](#). Learn more about [Inspector Agent](#) and [how to manually install agent](#).
- Pricing:** Pricing for **host assessments** is based on the monthly volume of agent-assessments, where an agent-assessment denotes a successful assessment of an instance. For example, for 100 instances assessed weekly, the monthly cost would be around \$120/month. [Learn more](#)

[Run weekly \(recommended\)](#) [Run once](#) [Advanced setup](#) [Cancel](#)

Now, you will be directed to the Amazon Inspector Classic Dashboard.

7.4 Click on **Assessment targets** to view all the assessment targets

Dashboard

- Assessment targets
- Assessment templates
- Assessment runs
- Findings
- Switch to Inspector V2

Introducing the new Amazon Inspector

The new Amazon Inspector is a completely rearchitected version of the existing Inspector Classic. The new Inspector is an automated vulnerability management service that continually scans your EC2 and Container workloads for software vulnerabilities and unintended network exposure. [Learn more](#) [Start your free trial](#)

Amazon Inspector

Amazon Inspector enables you to analyze the behavior of your AWS resources and helps you identify potential security issues. [Learn more](#).

[Help me create an Assessment](#)

Notable findings

- 0 Important findings
- 0 Recent findings

Assessment status

- 0 Assessments running
- 0 Assessment runs completed
- 0 Assessment runs failed

Account settings

[Manage Amazon Inspector Service-Linked Role](#)

Recent Assessment Runs (Last 10)

Name	Date Run	Status
Run - Assessment-Template-Default-All-Rules - 2024-11-26T07:34:33.629Z	Today at 1:04 PM (GMT+5)	Collecting data

7.5 Verify Assessment targets created

The screenshot shows the AWS Management Console for the Amazon Inspector service. The left-hand navigation pane includes links for Dashboard, Assessment targets, Assessment templates, Assessment runs, Findings, and a link to Switch to Inspector V2. The main content area is titled "Amazon Inspector - Assessment Targets" and includes a sub-header explaining that an assessment target is a collection of AWS resources. Below this, there are buttons for Create, Edit, and Delete, and a note indicating the last update on November 26, 2024. A table lists the assessment targets, with one entry highlighted: "Assessment-Target-All-Instances-All-Rules". The table has columns for Name, Tags, and Templates. A filter input and pagination controls are also visible.

Introducing the new Amazon Inspector

The new Amazon Inspector is a completely rearchitected version of the existing Inspector Classic. The new Inspector is an automated vulnerability management service that continually scans your EC2 and Container workloads for software vulnerabilities and unintended network exposure. [Learn more](#) [Start your free trial](#)

Amazon Inspector - Assessment Targets

An assessment target represents a collection of AWS resources that help you accomplish your business goals. [Learn more](#).

Create Edit Delete

Last updated on November 26, 2024 1:07:07 PM (0m ago)

Filter

	Name	Tags	Templates
☐	Assessment-Target-All-Instances-All-Rules		0

Max records per page: 25

* refresh browser to reflect change

7.6 Click on Findings to view all the issues

The screenshot shows the AWS Management Console for the Amazon Inspector service, specifically the Findings page. The left-hand navigation pane includes links for Dashboard, Assessment targets, Assessment templates, Assessment runs, Findings, and a link to Switch to Inspector V2. The main content area is titled "Amazon Inspector - Findings" and includes a sub-header explaining that findings are potential security issues discovered after an assessment. Below this, there are buttons for Add/Edit attributes and a loading indicator. A table lists the findings, with columns for Severity, Date, Finding, Target, Template, and Rules. The table shows several findings with a severity of High, all dated "Today at 1:0...".

Introducing the new Amazon Inspector

The new Amazon Inspector is a completely rearchitected version of the existing Inspector Classic. The new Inspector is an automated vulnerability management service that continually scans your EC2 and Container workloads for software vulnerabilities and unintended network exposure. [Learn more](#) [Start your free trial](#)

Amazon Inspector - Findings

Findings are potential security issues discovered after Amazon Inspector runs an assessment against a specified assessment target. [Learn more](#).


Add/Edit attributes

Loading...

Filter

	Severity	Date	Finding	Target	Template	Rules
☐	High	Today at 1:0...	On instance i-0d232aa1cebc5ed1a, UDP port 21 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-0d232aa1cebc5ed1a, TCP port 20 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-07c005640612344c4, UDP port 20 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-07c005640612344c4, TCP port 23 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-07c005640612344c4, UDP port 23 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-06e64699bf00a3cdc, TCP port 23 wh...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-06e64699bf00a3cdc, UDP port 23 w...	Assessment-Targe...	Assessment-Temp...	Network F
☐	High	Today at 1:0...	On instance i-0366fe9a46da3b10f, UDP port 21 wh...	Assessment-Targe...	Assessment-Temp...	Network F


7.7 Click on the arrow before the issue severity to see its details as shown below:



The screenshot shows the Amazon Inspector console. On the left, there's a 'Findings' sidebar with a 'Severity Filter' showing 'High' selected. The main area is titled 'Amazon Inspector - Findings'. It shows a table of findings. The first finding is highlighted with a red box around the 'High' severity icon. Below the table, there's a detailed view of the selected finding.

Finding for assessment target 'Assessment-Target-All-Instances-All-Rules' and template 'Assessment-Template-Default-All-Rules'

- ARN**: am.aws.inspector:us-east-1:590183986743:target/0-IMp56rsO/template/0-ggcpbwUa/run/0-86S2HCeA/finding/0-F9pRYSnu
- Run name**: Run - Assessment-Template-Default-All-Rules - 2024-11-26T07:34:33.629Z
- Target name**: Assessment-Target-All-Instances-All-Rules
- Template name**: Assessment-Template-Default-All-Rules
- Start**: Today at 1:04 PM (GMT+5) (4 minutes ago)
- End**:



The screenshot shows the detailed view of the selected finding. It includes fields for Start, End, Status, Rules package, AWS agent ID, Finding, Severity, Description, and Recommendation.

Start: Today at 1:04 PM (GMT+5) (4 minutes ago)

End:

Status: Collecting data

Rules package: Network Reachability-1.1

AWS agent ID: i-0d232aa1cebc5ed1a

Finding: On instance i-0d232aa1cebc5ed1a, UDP port 20 which is associated with 'FTP' is reachable from the internet

Severity: High

Description: On this instance, UDP port 20, which is associated with FTP, is reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port. The instance i-0d232aa1cebc5ed1a is located in VPC vpc-0d0376c25f6f630ae and has an attached ENI eni-0f9a51fb699f8a280 which uses network ACL acl-0c128782595513326. The port is reachable from the internet through Security Group sg-0b295bcd48fd79a4 and IGW igw-042c66fa0afb786b7

Recommendation: You can edit the Security Group sg-0b295bcd48fd79a4 to remove access from the internet on port 20

[Show Details](#)

By following the above steps, you have successfully created an automated vulnerability management dashboard using Amazon Inspector.

This dashboard enables continuous scanning and monitoring of your Amazon EC2 instances for vulnerabilities and misconfigurations. By leveraging Amazon Inspector and its classic version, you have also observed findings, assessment targets, and detailed issue overviews to enhance the security posture of your AWS environment.

