ask 1 – Mobile

Main → Order → Stock → Dispatch

- Main gets qty
- Order sends qty to Stock
- Stock validates:
    - qty < 5 → status 1
    - otherwise → status 0
- Dispatch checks status:
    - status 1 → "Mobile"
    - otherwise → "OutOfStock"

Task 2 – Keyboard

Main → Customer → Inventory → Delivery

- Main gets qty
- Customer sends qty to Inventory
- Inventory validates:
    - qty <= 8 → status 1
    - otherwise → status 0
- Delivery checks status:
    - status 1 → "Keyboard"
    - otherwise → "OutOfStock"

Task 3 – Headphone

Main → Buyer → Warehouse → Shipment

- Main gets qty
- Buyer sends qty to Warehouse
- Warehouse validates:

    - qty < 15 → status 1
    - otherwise → status 0
- Shipment checks status:
    - status 1 → "Headphone"
    - otherwise → "OutOfStock"

Task 4 – Monitor

Main → Client → Store → Courier

- Main gets qty
- Client sends qty to Store
- Store validates:
    - qty <= 12 → status 1
    - otherwise → status 0
- Courier checks status:
    - status 1 → "Monitor"
    - otherwise → "OutOfStock"

Task 5 – Printer

Main → User → StockManager → DeliveryAgent

- Main gets qty
- User sends qty to StockManager
- StockManager validates:
    - qty < 20 → status 1
    - otherwise → status 0
- DeliveryAgent checks status:
    - status 1 → "Printer"
    - otherwise → "OutOfStock"