

Coding Challenge 1-PetPals, The Pet Adoption Platform

Provide a SQL script that initializes the database for the Pet Adoption Platform “PetPals”.

```
mysql> create database PetPals;  
Query OK, 1 row affected (0.08 sec)
```

```
mysql> use PetPals;  
Database changed  
mysql> show databases;  
+-----+  
| Database |  
+-----+  
| hmbank |  
| information_schema |  
| mysql |  
| performance_schema |  
| petpals |  
| sakila |  
| sisdb |  
| sys |  
| techshop |  
| world |  
+-----+  
10 rows in set (0.00 sec)
```

Create tables for pets, shelters, donations, adoption events, and participants. Define appropriate primary keys, foreign keys, and constraints.

```
mysql> CREATE TABLE Pets (  
-> PetId INT PRIMARY KEY,  
-> Name VARCHAR(50) NOT NULL,  
-> Age INT,  
-> Breed VARCHAR(50),  
-> Type VARCHAR(50),  
-> AvailableForAdoption BOOLEAN  
-> );  
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> desc Pets;  
+-----+-----+-----+-----+-----+-----+  
| Field | Type | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| PetId | int | NO | PRI | NULL | |  
| Name | varchar(50) | NO | | NULL | |  
| Age | int | YES | | NULL | |  
| Breed | varchar(50) | YES | | NULL | |  
| Type | varchar(50) | YES | | NULL | |  
| AvailableForAdoption | tinyint(1) | YES | | NULL | |  
+-----+-----+-----+-----+-----+-----+  
6 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE Shelters (
->     ShelterId INT PRIMARY KEY,
->     Name VARCHAR(100) NOT NULL,
->     Location VARCHAR(255) NOT NULL
-> );
```

Query OK, 0 rows affected (0.04 sec)

```
mysql> desc Shelters;
```

Field	Type	Null	Key	Default	Extra
ShelterId	int	NO	PRI	NULL	
Name	varchar(100)	NO		NULL	
Location	varchar(255)	NO		NULL	

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE Donations (
->     DonationId INT PRIMARY KEY,
->     DonorName VARCHAR(100) NOT NULL,
->     DonationType VARCHAR(20),
->     DonationAmount DECIMAL(10, 2),
->     DonationItem VARCHAR(100),
->     DonationDate DATETIME
-> );
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> desc Donations;
```

Field	Type	Null	Key	Default	Extra
DonationId	int	NO	PRI	NULL	
DonorName	varchar(100)	NO		NULL	
DonationType	varchar(20)	YES		NULL	
DonationAmount	decimal(10,2)	YES		NULL	
DonationItem	varchar(100)	YES		NULL	
DonationDate	datetime	YES		NULL	

6 rows in set (0.00 sec)

```
mysql> CREATE TABLE AdoptionEvents (
  ->     EventId INT PRIMARY KEY,
  ->     EventName VARCHAR(100),
  ->     EventDate DATETIME,
  ->     Location VARCHAR(255)
  -> );
```

Query OK, 0 rows affected (0.02 sec)

```
mysql> desc AdoptionEvents;
```

Field	Type	Null	Key	Default	Extra
EventId	int	NO	PRI	NULL	
EventName	varchar(100)	YES		NULL	
EventDate	datetime	YES		NULL	
Location	varchar(255)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> CREATE TABLE Participants (
  ->     ParticipantId INT PRIMARY KEY,
  ->     ParticipantName VARCHAR(100),
  ->     ParticipantType VARCHAR(50),
  ->     EventId INT,
  ->     FOREIGN KEY (EventId) REFERENCES AdoptionEvents(EventId)
  -> );
```

Query OK, 0 rows affected (0.03 sec)

```
mysql> desc Participants;
```

Field	Type	Null	Key	Default	Extra
ParticipantId	int	NO	PRI	NULL	
ParticipantName	varchar(100)	YES		NULL	
ParticipantType	varchar(50)	YES		NULL	
EventId	int	YES	MUL	NULL	

4 rows in set (0.00 sec)

```
mysql> show tables;
```

Tables_in_petpals
adoptionevents
donations
participants
pets
shelters

5 rows in set (0.00 sec)

Insert 10 sample values in above tables

```
mysql> INSERT INTO Pets (PetId, Name, Age, Breed, Type, AvailableForAdoption) VALUES
-> (1, 'Buddy', 2, 'Golden Retriever', 'dog', 1),
-> (2, 'Whiskers', 3, 'Siamese', 'cat', 0),
-> (3, 'Max', 1, 'Beagle', 'dog', 1),
-> (4, 'Mittens', 2, 'Persian', 'cat', 0),
-> (5, 'Rocky', 4, 'Boxer', 'dog', 1),
-> (6, 'Oreo', 1, 'Domestic Shorthair', 'cat', 1),
-> (7, 'Luna', 3, 'Labrador Retriever', 'dog', 0),
-> (8, 'Smokey', 2, 'Maine Coon', 'cat', 1),
-> (9, 'Charlie', 1, 'Poodle', 'dog', 0),
-> (10, 'Cleo', 2, 'Ragdoll', 'cat', 1);
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> select * from Pets;
+-----+-----+-----+-----+-----+-----+
| PetId | Name      | Age | Breed           | Type | AvailableForAdoption |
+-----+-----+-----+-----+-----+-----+
| 1     | Buddy     | 2   | Golden Retriever | dog  | 1                    |
| 2     | Whiskers  | 3   | Siamese          | cat  | 0                    |
| 3     | Max       | 1   | Beagle           | dog  | 1                    |
| 4     | Mittens   | 2   | Persian          | cat  | 0                    |
| 5     | Rocky     | 4   | Boxer            | dog  | 1                    |
| 6     | Oreo      | 1   | Domestic Shorthair | cat  | 1                    |
| 7     | Luna      | 3   | Labrador Retriever | dog  | 0                    |
| 8     | Smokey    | 2   | Maine Coon       | cat  | 1                    |
| 9     | Charlie   | 1   | Poodle           | dog  | 0                    |
| 10    | Cleo      | 2   | Ragdoll          | cat  | 1                    |
+-----+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> INSERT INTO Shelters (ShelterId, Name, Location) VALUES
-> (1, 'Happy Paws Shelter', '123 Main Street, Cityville'),
-> (2, 'Safe Haven Animal Rescue', '456 Oak Avenue, Townsville'),
-> (3, 'Furry Friends Adoption Center', '789 Maple Lane, Villagetown'),
-> (4, 'Paws and Whiskers Sanctuary', '101 Pine Street, Countryside'),
-> (5, 'Heavenly Creatures Shelter', '202 Elm Road, Hamletville'),
-> (6, 'Kindred Souls Animal Haven', '303 Birch Boulevard, Riverside'),
-> (7, 'Companion Critters Refuge', '404 Cedar Lane, Lakeside'),
-> (8, 'Purrfect Harmony Cat Shelter', '505 Walnut Way, Mountainview'),
-> (9, 'Canine Companions Rescue', '606 Spruce Street, Seaside'),
-> (10, 'Wagging Tails Haven', '707 Oak Lane, Hilltop');
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> select * from Shelters;
+-----+-----+-----+
| ShelterId | Name                                     | Location                               |
+-----+-----+-----+
| 1         | Happy Paws Shelter                     | 123 Main Street, Cityville           |
| 2         | Safe Haven Animal Rescue               | 456 Oak Avenue, Townsville           |
| 3         | Furry Friends Adoption Center          | 789 Maple Lane, Villagetown          |
| 4         | Paws and Whiskers Sanctuary            | 101 Pine Street, Countryside         |
| 5         | Heavenly Creatures Shelter             | 202 Elm Road, Hamletville            |
| 6         | Kindred Souls Animal Haven             | 303 Birch Boulevard, Riverside       |
| 7         | Companion Critters Refuge              | 404 Cedar Lane, Lakeside             |
| 8         | Purrfect Harmony Cat Shelter           | 505 Walnut Way, Mountainview         |
| 9         | Canine Companions Rescue               | 606 Spruce Street, Seaside           |
| 10        | Wagging Tails Haven                   | 707 Oak Lane, Hilltop                |
+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> INSERT INTO Donations (DonationId, DonorName, DonationType, DonationAmount, DonationItem, DonationDate) VALUES
-> (1, 'John Doe', 'cash', 100.00, NULL, '2023-01-01 10:00:00'),
-> (2, 'Jane Smith', 'Item', NULL, 'Pet Food', '2023-02-15 15:30:00'),
-> (3, 'Bob Johnson', 'cash', 50.00, NULL, '2023-03-10 12:45:00'),
-> (4, 'Alice Brown', 'Item', NULL, 'Blankets', '2023-04-05 09:15:00'),
-> (5, 'Charlie Wilson', 'cash', 75.00, NULL, '2023-05-20 14:00:00'),
-> (6, 'Eva Miller', 'Item', NULL, 'Toys', '2023-06-25 11:30:00'),
-> (7, 'David Davis', 'cash', 200.00, NULL, '2023-07-12 08:00:00'),
-> (8, 'Grace Turner', 'Item', NULL, 'Litter Boxes', '2023-08-18 16:45:00'),
-> (9, 'Sam Robinson', 'cash', 150.00, NULL, '2023-09-02 13:20:00'),
-> (10, 'Olivia White', 'Item', NULL, 'Collars', '2023-10-09 10:30:00');
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> select * from Donations;
```

DonationId	DonorName	DonationType	DonationAmount	DonationItem	DonationDate
1	John Doe	cash	100.00	NULL	2023-01-01 10:00:00
2	Jane Smith	Item	NULL	Pet Food	2023-02-15 15:30:00
3	Bob Johnson	cash	50.00	NULL	2023-03-10 12:45:00
4	Alice Brown	Item	NULL	Blankets	2023-04-05 09:15:00
5	Charlie Wilson	cash	75.00	NULL	2023-05-20 14:00:00
6	Eva Miller	Item	NULL	Toys	2023-06-25 11:30:00
7	David Davis	cash	200.00	NULL	2023-07-12 08:00:00
8	Grace Turner	Item	NULL	Litter Boxes	2023-08-18 16:45:00
9	Sam Robinson	cash	150.00	NULL	2023-09-02 13:20:00
10	Olivia White	Item	NULL	Collars	2023-10-09 10:30:00

```
10 rows in set (0.00 sec)
```

```
mysql> INSERT INTO AdoptionEvents (EventId, EventName, EventDate, Location) VALUES
-> (1, 'Happy Tails Adoption Day', '2023-01-15 11:00:00', 'City Park Pavilion'),
-> (2, 'Paws in the Park', '2023-02-28 14:30:00', 'Town Square Plaza'),
-> (3, 'Furry Friends Fair', '2023-04-10 10:00:00', 'Village Community Center'),
-> (4, 'Whisker Wonderland', '2023-05-20 13:45:00', 'Countryside Mall'),
-> (5, 'Hearts and Paws Adoption Expo', '2023-07-05 12:00:00', 'Hamlet Convention Center'),
-> (6, 'Kindred Souls Pet Fest', '2023-08-18 09:30:00', 'Riverside Park'),
-> (7, 'Critter Carnival', '2023-09-30 15:15:00', 'Lakeside Fairgrounds'),
-> (8, 'Meow Mania', '2023-11-10 11:30:00', 'Mountainview Recreation Center'),
-> (9, 'Canine Connection Day', '2023-12-15 14:00:00', 'Seaside Dog Park'),
-> (10, 'Tails of Joy Holiday Adoption Event', '2023-12-23 10:45:00', 'Hilltop Mall');
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> select * from AdoptionEvents;
```

EventId	EventName	EventDate	Location
1	Happy Tails Adoption Day	2023-01-15 11:00:00	City Park Pavilion
2	Paws in the Park	2023-02-28 14:30:00	Town Square Plaza
3	Furry Friends Fair	2023-04-10 10:00:00	Village Community Center
4	Whisker Wonderland	2023-05-20 13:45:00	Countryside Mall
5	Hearts and Paws Adoption Expo	2023-07-05 12:00:00	Hamlet Convention Center
6	Kindred Souls Pet Fest	2023-08-18 09:30:00	Riverside Park
7	Critter Carnival	2023-09-30 15:15:00	Lakeside Fairgrounds
8	Meow Mania	2023-11-10 11:30:00	Mountainview Recreation Center
9	Canine Connection Day	2023-12-15 14:00:00	Seaside Dog Park
10	Tails of Joy Holiday Adoption Event	2023-12-23 10:45:00	Hilltop Mall

```
10 rows in set (0.00 sec)
```

```
mysql> INSERT INTO Participants (ParticipantId, ParticipantName, ParticipantType, EventId) VALUES
-> (1, 'Happy Paws Shelter', 'shelter', 1),
-> (2, 'Joyful Adopters Group', 'adopter', 1),
-> (3, 'Safe Haven Animal Rescue', 'shelter', 2),
-> (4, 'Pet Lovers Club', 'adopter', 2),
-> (5, 'Furry Friends Adoption Center', 'shelter', 3),
-> (6, 'Adoption Enthusiasts Society', 'adopter', 3),
-> (7, 'Paws and Whiskers Sanctuary', 'shelter', 4),
-> (8, 'Forever Home Seekers', 'adopter', 4),
-> (9, 'Kindred Souls Animal Haven', 'shelter', 5),
-> (10, 'Canine Companions Club', 'adopter', 5);
Query OK, 10 rows affected (0.01 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> select * from Participants;
```

ParticipantId	ParticipantName	ParticipantType	EventId
1	Happy Paws Shelter	shelter	1
2	Joyful Adopters Group	adopter	1
3	Safe Haven Animal Rescue	shelter	2
4	Pet Lovers Club	adopter	2
5	Furry Friends Adoption Center	shelter	3
6	Adoption Enthusiasts Society	adopter	3
7	Paws and Whiskers Sanctuary	shelter	4
8	Forever Home Seekers	adopter	4
9	Kindred Souls Animal Haven	shelter	5
10	Canine Companions Club	adopter	5

```
10 rows in set (0.00 sec)
```

Write sql query that retrieves list of available pets(those marked as available for adoption)from Pets table.include pets name ,age,breed and type in the result set.

```
mysql> SELECT Name, Age, Breed, Type
-> FROM Pets
-> WHERE AvailableForAdoption = 1;
```

Name	Age	Breed	Type
Buddy	2	Golden Retriever	dog
Max	1	Beagle	dog
Rocky	4	Boxer	dog
Oreo	1	Domestic Shorthair	cat
Smokey	2	Maine Coon	cat
Cleo	2	Ragdoll	cat

6 rows in set (0.00 sec)

Write SQL query that retrieves names of participants(shelters and adopters) registered for specific adoption event. Use parameter to specify eventId. Ensure that query joins necessary tables to retrieve participants names and types

```
mysql> SELECT Participants.ParticipantName, Participants.ParticipantType
-> FROM Participants
-> JOIN Shelters ON Participants.ParticipantType = 'shelter' AND Participants.EventId =1
-> AND Shelters.ShelterId = Participants.ParticipantId
-> JOIN AdoptionEvents ON Participants.EventId = AdoptionEvents.EventId
-> WHERE AdoptionEvents.EventId =1
->
-> UNION
->
-> SELECT Participants.ParticipantName, Participants.ParticipantType
-> FROM Participants
-> JOIN AdoptionEvents ON Participants.ParticipantType = 'adopter' AND Participants.EventId =1
-> WHERE AdoptionEvents.EventId =1;
```

ParticipantName	ParticipantType
Happy Paws Shelter	shelter
Joyful Adopters Group	adopter

2 rows in set (0.00 sec)

Create stored procedure in SQL that allows a shelter to update its information in shelters table. Use parameters to pass the shelter ID and the new information.

```
mysql> DELIMITER //
mysql>
mysql> CREATE PROCEDURE UpdateShelterInfo (
  ->     IN p_ShelterId INT,
  ->     IN p_NewName VARCHAR(100),
  ->     IN p_NewLocation VARCHAR(255)
  -> )
  -> BEGIN
  ->     UPDATE Shelters
  ->     SET Name = p_NewName, Location = p_NewLocation
  ->     WHERE ShelterId = p_ShelterId;
  -> END //
Query OK, 0 rows affected (0.02 sec)
```

After creating stored procedure, we are giving input to that stored procedure.

```
mysql>
mysql> DELIMITER ;
mysql> CALL UpdateShelterInfo(1, 'New Shelter Name', 'New Shelter Location');
Query OK, 1 row affected (0.02 sec)

mysql> select * from Shelters;
+-----+-----+-----+
| ShelterId | Name                | Location                |
+-----+-----+-----+
| 1 | New Shelter Name    | New Shelter Location    |
| 2 | Safe Haven Animal Rescue | 456 Oak Avenue, Townsville |
| 3 | Furry Friends Adoption Center | 789 Maple Lane, Villagetown |
| 4 | Paws and Whiskers Sanctuary | 101 Pine Street, Countryside |
| 5 | Heavenly Creatures Shelter | 202 Elm Road, Hamletville |
| 6 | Kindred Souls Animal Haven | 303 Birch Boulevard, Riverside |
| 7 | Companion Critters Refuge | 404 Cedar Lane, Lakeside |
| 8 | Purrfect Harmony Cat Shelter | 505 Walnut Way, Mountainview |
| 9 | Canine Companions Rescue | 606 Spruce Street, Seaside |
| 10 | Wagging Tails Haven | 707 Oak Lane, Hilltop |
+-----+-----+-----+
10 rows in set (0.00 sec)

mysql> |
```


Write SQL query that retrieves names of pets from Pets table that do not have an owner.
Include pets name,age,breed and type in result set.

```
mysql> SELECT
->     PetId,Name,Age,Breed,Type
-> FROM
->     Pets
-> WHERE AvailableForAdoption=1;
```

PetId	Name	Age	Breed	Type
1	Buddy	2	Golden Retriever	dog
3	Max	1	Beagle	dog
5	Rocky	4	Boxer	dog
6	Oreo	1	Domestic Shorthair	cat
8	Smokey	2	Maine Coon	cat
10	Cleo	2	Ragdoll	cat

6 rows in set (0.00 sec)

Write sql query that retrieves total donation amount for each month and year from Donations table. The result should include month-year and corresponding total donation amount. Ensure that query handles cases where no donations were made in specific month-year

```
mysql> SELECT
->     DATE_FORMAT(DonationDate, '%Y-%m') AS MonthYear,
->     COALESCE(SUM(DonationAmount), 0) AS TotalDonationAmount
-> FROM Donations
-> GROUP BY
->     MonthYear;
```

MonthYear	TotalDonationAmount
2023-01	100.00
2023-02	0.00
2023-03	50.00
2023-04	0.00
2023-05	75.00
2023-06	0.00
2023-07	200.00
2023-08	0.00
2023-09	150.00
2023-10	0.00

10 rows in set (0.00 sec)

```
mysql>
```

retrieve list of distinct breeds for all pets that are either aged between 1 and 3 years or older than 5 years

```
mysql> SELECT DISTINCT Breed
-> FROM Pets
-> WHERE (Age BETWEEN 1 AND 3) OR (Age > 5);
+-----+
| Breed |
+-----+
| Golden Retriever |
| Siamese |
| Beagle |
| Persian |
| Domestic Shorthair |
| Labrador Retriever |
| Maine Coon |
| Poodle |
| Ragdoll |
+-----+
9 rows in set (0.00 sec)
```

retrieve list of pets and their respective shelters where pets are currently available for adoption

```
mysql> SELECT
-> Pets.PetId,
-> Pets.Name AS PetName,
-> Pets.Age,
-> Pets.Breed,
-> Pets.Type,
-> Shelters.Name AS ShelterName
-> FROM
-> Pets
-> JOIN
-> Participants ON Pets.PetId = Participants.ParticipantId
-> JOIN
-> Shelters ON Participants.ParticipantId = Shelters.ShelterId
-> WHERE
-> Pets.AvailableForAdoption = 1;
+-----+-----+-----+-----+-----+-----+
| PetId | PetName | Age | Breed | Type | ShelterName |
+-----+-----+-----+-----+-----+-----+
| 1 | Buddy | 2 | Golden Retriever | dog | Happy Paws Shelter |
| 3 | Max | 1 | Beagle | dog | Furry Friends Adoption Center |
| 5 | Rocky | 4 | Boxer | dog | Heavenly Creatures Shelter |
| 6 | Oreo | 1 | Domestic Shorthair | cat | Kindred Souls Animal Haven |
| 8 | Smokey | 2 | Maine Coon | cat | Purrfect Harmony Cat Shelter |
| 10 | Cleo | 2 | Ragdoll | cat | Wagging Tails Haven |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

find total number of participants in events organized by shelters located in specific city

```
mysql> SELECT
->     COUNT(DISTINCT Participants.ParticipantId) AS TotalParticipants
-> FROM
->     Participants
-> JOIN
->     Shelters ON Participants.ParticipantId = Shelters.ShelterId
-> JOIN
->     AdoptionEvents ON Participants.EventId = AdoptionEvents.EventId
-> WHERE
->     Shelters.Location = '101 Pine Street, Countryside';
+-----+
| TotalParticipants |
+-----+
|                1 |
+-----+
1 row in set (0.01 sec)

mysql>
```

retrieve list of unique breeds for pets with ages between 1 and 5 years

```
mysql> SELECT DISTINCT Breed
-> FROM Pets
-> WHERE Age BETWEEN 1 AND 5;
+-----+
| Breed |
+-----+
| Golden Retriever |
| Siamese |
| Beagle |
| Persian |
| Boxer |
| Domestic Shorthair |
| Labrador Retriever |
| Maine Coon |
| Poodle |
| Ragdoll |
+-----+
10 rows in set (0.00 sec)

mysql> |
```

find pets that have not been adopted by selecting their information from Pet table

```
mysql> SELECT *
-> FROM Pets
-> WHERE
-> AvailableForAdoption=1;
```

PetId	Name	Age	Breed	Type	AvailableForAdoption
1	Buddy	2	Golden Retriever	dog	1
3	Max	1	Beagle	dog	1
5	Rocky	4	Boxer	dog	1
6	Oreo	1	Domestic Shorthair	cat	1
8	Smokey	2	Maine Coon	cat	1
10	Cleo	2	Ragdoll	cat	1

```
6 rows in set (0.00 sec)

mysql>
```

retrieve list of all shelters along with count of pets currently available for adoption in each shelter

```
mysql> SELECT
-> Shelters.ShelterId,
-> Shelters.Name AS ShelterName,
-> COUNT(DISTINCT Pets.PetId) AS AvailablePetsCount
-> FROM
-> Shelters
-> LEFT JOIN
-> Participants ON Shelters.ShelterId = Participants.ParticipantId
-> LEFT JOIN
-> Pets ON Participants.ParticipantId = Pets.PetId
-> WHERE
-> Pets.AvailableForAdoption = 1
-> GROUP BY
-> Shelters.ShelterId, Shelters.Name;
```

ShelterId	ShelterName	AvailablePetsCount
1	New Shelter Name	1
3	Furry Friends Adoption Center	1
5	Heavenly Creatures Shelter	1
6	Kindred Souls Animal Haven	1
8	Purrfect Harmony Cat Shelter	1
10	Wagging Tails Haven	1

```
6 rows in set (0.00 sec)

mysql> |
```

list all possible combinations of shelters and adoption events

```
mysql> SELECT
->   Shelters.ShelterId,
->   Shelters.Name AS ShelterName,
->   AdoptionEvents.EventId,
->   AdoptionEvents.EventName
-> FROM
->   Shelters
-> CROSS JOIN
->   AdoptionEvents;
```

ShelterId	ShelterName	EventId	EventName
10	Wagging Tails Haven	1	Happy Tails Adoption Day
9	Canine Companions Rescue	1	Happy Tails Adoption Day
8	Purrfect Harmony Cat Shelter	1	Happy Tails Adoption Day
7	Companion Critters Refuge	1	Happy Tails Adoption Day
6	Kindred Souls Animal Haven	1	Happy Tails Adoption Day
5	Heavenly Creatures Shelter	1	Happy Tails Adoption Day
4	Paws and Whiskers Sanctuary	1	Happy Tails Adoption Day
3	Furry Friends Adoption Center	1	Happy Tails Adoption Day
2	Safe Haven Animal Rescue	1	Happy Tails Adoption Day
1	New Shelter Name	1	Happy Tails Adoption Day
10	Wagging Tails Haven	2	Paws in the Park
9	Canine Companions Rescue	2	Paws in the Park
8	Purrfect Harmony Cat Shelter	2	Paws in the Park
7	Companion Critters Refuge	2	Paws in the Park
6	Kindred Souls Animal Haven	2	Paws in the Park
5	Heavenly Creatures Shelter	2	Paws in the Park
4	Paws and Whiskers Sanctuary	2	Paws in the Park
3	Furry Friends Adoption Center	2	Paws in the Park
2	Safe Haven Animal Rescue	2	Paws in the Park
1	New Shelter Name	2	Paws in the Park
10	Wagging Tails Haven	3	Furry Friends Fair
9	Canine Companions Rescue	3	Furry Friends Fair
8	Purrfect Harmony Cat Shelter	3	Furry Friends Fair
7	Companion Critters Refuge	3	Furry Friends Fair
6	Kindred Souls Animal Haven	3	Furry Friends Fair
5	Heavenly Creatures Shelter	3	Furry Friends Fair
4	Paws and Whiskers Sanctuary	3	Furry Friends Fair
3	Furry Friends Adoption Center	3	Furry Friends Fair
2	Safe Haven Animal Rescue	3	Furry Friends Fair
1	New Shelter Name	3	Furry Friends Fair
10	Wagging Tails Haven	4	Whisker Wonderland
9	Canine Companions Rescue	4	Whisker Wonderland
8	Purrfect Harmony Cat Shelter	4	Whisker Wonderland
7	Companion Critters Refuge	4	Whisker Wonderland
6	Kindred Souls Animal Haven	4	Whisker Wonderland
5	Heavenly Creatures Shelter	4	Whisker Wonderland
4	Paws and Whiskers Sanctuary	4	Whisker Wonderland
3	Furry Friends Adoption Center	4	Whisker Wonderland
2	Safe Haven Animal Rescue	4	Whisker Wonderland

9	Canine Companions Rescue	6	Kindred Souls Pet Fest
8	Purrfect Harmony Cat Shelter	6	Kindred Souls Pet Fest
7	Companion Critters Refuge	6	Kindred Souls Pet Fest
6	Kindred Souls Animal Haven	6	Kindred Souls Pet Fest
5	Heavenly Creatures Shelter	6	Kindred Souls Pet Fest
4	Paws and Whiskers Sanctuary	6	Kindred Souls Pet Fest
3	Furry Friends Adoption Center	6	Kindred Souls Pet Fest
2	Safe Haven Animal Rescue	6	Kindred Souls Pet Fest
1	New Shelter Name	6	Kindred Souls Pet Fest
10	Wagging Tails Haven	7	Critter Carnival
9	Canine Companions Rescue	7	Critter Carnival
8	Purrfect Harmony Cat Shelter	7	Critter Carnival
7	Companion Critters Refuge	7	Critter Carnival
6	Kindred Souls Animal Haven	7	Critter Carnival
5	Heavenly Creatures Shelter	7	Critter Carnival
4	Paws and Whiskers Sanctuary	7	Critter Carnival
3	Furry Friends Adoption Center	7	Critter Carnival
2	Safe Haven Animal Rescue	7	Critter Carnival
1	New Shelter Name	7	Critter Carnival
10	Wagging Tails Haven	8	Meow Mania
9	Canine Companions Rescue	8	Meow Mania
8	Purrfect Harmony Cat Shelter	8	Meow Mania
7	Companion Critters Refuge	8	Meow Mania
6	Kindred Souls Animal Haven	8	Meow Mania
5	Heavenly Creatures Shelter	8	Meow Mania
4	Paws and Whiskers Sanctuary	8	Meow Mania
3	Furry Friends Adoption Center	8	Meow Mania
2	Safe Haven Animal Rescue	8	Meow Mania
1	New Shelter Name	8	Meow Mania
10	Wagging Tails Haven	9	Canine Connection Day
9	Canine Companions Rescue	9	Canine Connection Day
8	Purrfect Harmony Cat Shelter	9	Canine Connection Day
7	Companion Critters Refuge	9	Canine Connection Day
6	Kindred Souls Animal Haven	9	Canine Connection Day
5	Heavenly Creatures Shelter	9	Canine Connection Day
4	Paws and Whiskers Sanctuary	9	Canine Connection Day
3	Furry Friends Adoption Center	9	Canine Connection Day
2	Safe Haven Animal Rescue	9	Canine Connection Day
1	New Shelter Name	9	Canine Connection Day
10	Wagging Tails Haven	10	Tails of Joy Holiday Adoption Event
9	Canine Companions Rescue	10	Tails of Joy Holiday Adoption Event
8	Purrfect Harmony Cat Shelter	10	Tails of Joy Holiday Adoption Event
7	Companion Critters Refuge	10	Tails of Joy Holiday Adoption Event
6	Kindred Souls Animal Haven	10	Tails of Joy Holiday Adoption Event
5	Heavenly Creatures Shelter	10	Tails of Joy Holiday Adoption Event
4	Paws and Whiskers Sanctuary	10	Tails of Joy Holiday Adoption Event
3	Furry Friends Adoption Center	10	Tails of Joy Holiday Adoption Event
2	Safe Haven Animal Rescue	10	Tails of Joy Holiday Adoption Event
1	New Shelter Name	10	Tails of Joy Holiday Adoption Event

100 rows in set (0.00 sec)

