

# Data Engineering Project 1

**Real-Time Analytics Dashboard**

**Name: Pradip Bochara**

**(Tokyo Olympics)**

## 1.1 Project Statement

Build a real-time analytics dashboard using Azure Synapse Analytics for data storage, Azure Databricks for real-time analytics.

## 1.2 Project Overview

Welcome to the Tokyo-Olympics Data Engineering project on Azure! This project is designed to showcase how various Azure services can be utilized to ingest, store, transform, and analyse Olympics-related data. This project provides a data engineering and analytical journey on the Tokyo Olympic dataset. Starting with a CSV on GitHub, the data is ingested into the Azure ecosystem via Azure Data Factory. It's initially stored in Azure Data Lake Storage Gen2, then transformed in Azure Databricks. The enriched data, once again housed in ADLS Gen2, undergoes advanced analytics in Azure Synapse. The insights are finally visualized in Azure Synapse or Power BI, offering a comprehensive view of the dataset.

## 1.3 Project Requirement:

The project aims to develop a real-time analytics dashboard leveraging various Azure services including ADLS Gen2, Azure Synapse Analytics, Azure Databricks, Azure Data Factory, and Power BI. The dashboard will enable users to visualize and analyse data in real-time, providing actionable insights for informed decision - making.

### A. Data Storage with ADLS Gen2 and Azure Synapse Analytics

- 1) Utilize Azure Synapse Analytics as the central data storage solution.
- 2) Implement data lakes and SQL pools to accommodate structured and unstructured data.
- 3) Design storage structures optimized for efficient querying and analysis of real-time data stream
- 4) Utilize Azure Data Lake Storage Gen2 (ADLS Gen2) to store large volumes of data efficiently and securely.
- 5) Design storage structures optimized for efficient querying, analysis, and storage of real-time data streams

## **B. Real-Time Analytics with Azure databricks**

- 1) Leverage Azure Databricks for real-time analytics processing of streaming data
- 2) Develop Spark-based jobs or notebooks within Azure Databricks to analyze streaming data and used for transforming the data

## **C. Data Orchestration with Azure Data Factory**

- 1) Implement Azure Data Factory to orchestrate data pipelines for ingesting, transforming, and loading data into Azure Synapse Analytics and Azure Databricks.
- 2) Utilize Data Factory pipelines to handle complex data transformations and data movement tasks efficiently.
- 3) Configure event-driven triggers to initiate data processing and analytics workflows in real-time.

## **D. Dashboard Development with PowerBI**


- 1) Design and develop an interactive dashboard interface using Power BI for visualizing real-time analytics insights.
- 2) Connect Power BI to Azure Synapse Analytics and Azure Databricks to fetch live data streams and analytics results.
- 3) Connect Power BI to Azure Synapse Analytics and Azure Databricks to fetch live data streams and analytics.
- 4) Ensure the dashboard is responsive, intuitive, and user-friendly, allowing users to explore and interact with data effectively.

## **E. Integration and data connectivity**


- 1) Integrate the real-time analytics dashboard with Azure Databricks and Azure Synapse Analytics to fetch live data streams and analytics results.
- 2) Establish secure connections between Power BI and backend data sources to ensure data integrity and confidentiality.
- 3) Implement efficient data refresh mechanisms to keep the dashboard up-to-date with the latest analytics insights.

## 2.1 Architectural Diagram

The architecture for the project involving building a real-time analytics dashboard using Azure Synapse Analytics for data storage, Azure Databricks for real-time analytics, Azure Data Factory for orchestrating data pipelines, and Power BI for dashboard visualization, along with ADLS Gen2.



End to End pipeline architecture in azure



### **3.1 Tools Used in Real time Analytics Dashboard**

To build a real-time analytics dashboard using ADLS gen 2 Azure Synapse Analytics for data storage, Azure Databricks for real-time analytics, Azure Data Factory for orchestrating data pipelines, and Power BI for dashboard visualization, the following tools and services are utilized:

#### **1)Azure Data Lake Storage Gen2(ADLS Gen2)**

ADLS Gen2 provides scalable, secure, and cost-effective storage for big data analytics workloads. It allows storage of structured, semi-structured, and unstructured data in a distributed file system. ADLS Gen2 integrates seamlessly with other Azure services, making it suitable for real-time analytics scenarios.

#### **2)Azure Synapse Analytics**

Formerly known as Azure SQL Data Warehouse, Azure Synapse Analytics is a cloud-based analytics service that brings together enterprise data warehousing and big data analytics. It provides capabilities for data storage, data integration, data warehousing, and big data analytics in a single platform. Azure Synapse Analytics enables the storage and analysis of large volumes of data in real-time, making it ideal for building real-time analytics dashboards.

#### **3)Azure Databricks**

Azure Databricks is an Apache Spark-based analytics platform optimized for big data and machine learning workload. It provides a collaborative environment for data engineers, data scientists, and analysts to work together on data analytics projects. Azure Databricks enables real-time analytics processing of streaming data and supports various analytics and machine learning tasks.

#### **4)Azure Data Factory**

Azure Data Factory is a cloud-based data integration service that allows users to create, schedule, and orchestrate data pipelines. It supports the movement and transformation of data between various sources and destinations, including ADLS Gen2, Azure Synapse Analytics, and Azure Databricks. Azure Data Factory enables the creation of real-time data pipelines for ingesting, processing, and transforming data for analytics purposes.

## **5)PowerBI**

Power BI is a business analytics service provided by Microsoft for creating interactive dashboards and reports. It connects to various data sources, including Azure Synapse Analytics, ADLS Gen2, and other Azure services, to fetch real-time data streams and analytics results. Power BI offers user-friendly interface for designing and customizing dashboards with rich visualizations, charts, and graphs.

### **Dataset Used**

This contains the details of over 11,000 athletes, with 47 disciplines, along with 743 Teams taking part in the 2021(2020) Tokyo Olympics. This dataset contains the details of the Athletes, Coaches, Teams participating as well as the Entries by gender. It contains their names, countries represented, discipline, gender of competitors, name of the coaches.

### **Prerequisite**

1. **Azure Data Factory:** For data ingestion from GitHub.
2. **Azure Data Lake Storage Gen2:** As the primary data storage solution.
3. **Azure Databricks:** For data transformation tasks.
4. **Azure Synapse Analytics:** To perform in-depth data analytics.

## **3.2 Execution Overview**

The execution process for building a real-time analytics dashboard using ADLS Gen2, Azure Synapse Analytics, Azure Databricks, Azure Data Factory, and Power BI:

### **1)Azure Environment Setup**

Provision Azure services including ADLS Gen2, Azure Synapse Analytics, Azure Databricks, Azure Data Factory, and Power BI. Configure networking, security, and access controls based on project needs.

## **2)Data Ingestion with Data Factory**

Create data ingestion pipelines in Azure Data Factory to ingest data from various sources into ADLS Gen2 and Azure Synapse Analytics. Implement real-time data ingestion where applicable.

## **3)Transform data with Azure Databricks**

Develop real-time analytics solutions using Azure Databricks to process data streams and derive insights. Implement data transformations, aggregations, and machine learning algorithms for analytics.

## **4)Data store and management**

Optimize data storage structures and configurations in ADLS Gen2 and Azure Synapse Analytics. Implement partitioning, indexing, and compression techniques for efficient storage and querying.

## **5)Dashboard development with PowerBI**

Connect Power BI to Azure Synapse Analytics, ADLS Gen2, and other data sources. Design interactive dashboards with Power BI's visualization tools. Create reports, charts, graphs, and other visualizations to display real-time analytics insights.

## **4.1 Implementation and Development Process**

To get started with this project, follow these steps:

- 1) **Infrastructure setup and configuration:** Provision Azure services including ADLS Gen2, Azure Synapse Analytics, Azure Databricks, Azure Data Factory, and PowerBI. Configure networking, security, and access controls based on project requirements.
- 2) **Data Modelling and Schema Design:** Design data models and schemas for storing and processing data in ADLS Gen2 and Azure Synapse analytics. Define data structures and formats for efficient real-time analytics processing

- 3) **Data Ingestion:** Use Azure Data Factory to configure data ingestion from your chosen data sources. Define the data movement and transformation activities required to bring the Olympics data into the Azure ecosystem. Implement data ingestion pipelines using Azure Data Factory to ingest data from multiple sources including IoT devices, applications, and databases into ADLS Gen2 and Azure Synapse. Ensure real-time or near real-time data ingestion capabilities to enable timely analytics
- 4) **Data Transformation:** Utilize Azure Databricks with PySpark for data transformation. Cleanse, preprocess, and reshape the data as necessary to prepare it for analysis. Develop Spark-based jobs or notebooks to analyze streaming data, perform transformations, and derive insights in real-time.
- 5) **Data Storage and management optimization:** Optimize data storage structures and configurations in ADLS Gen2 and Azure Synapse Analytics for efficient querying, storage, and retrieval. Implement partitioning, indexing, and compression techniques to improve performance and scalability.
- 6) **Analytics:** Write SQL queries using Azure Synapse Analytics to gain insights from the transformed data. Identify trends, statistics, and patterns related to the Tokyo-Olympics data.
- 7) **Dashboard Development with PowerBI:** Connect Power BI to Azure Synapse Analytics, ADLS Gen2, and other data sources to retrieve real-time data streams and analytics results. Design interactive dashboards with Power BI's visualization tools to present insights derived from real-time. Customize dashboard layouts, visualizations, and interactivity features based on user requirement. Connect to PowerBI for visualization Process.
- 8) **Integration and connectivity:** Establish seamless integration between Azure Databricks, Azure Synapse Analytics, ADLS Gen2, Azure Data Factory, and PowerBI. Configure data connectors, APIs, and authentication mechanisms for secure data exchange and connectivity.
- 9) **Testing and Quality Assurance:** Conduct comprehensive testing of data pipelines, analytics algorithms, and dashboard functionality. Perform unit tests, integration tests, and end-to-end tests to validate data accuracy, system performance, and user experience.
- 10) **Development and production rollout:** Deploy the real-time analytics dashboard to the production environment. Monitor system performance, data integrity, and user interactions during the initial rollout phase. Address any issues or bugs identified during deployment and ensure smooth operation of the dashboard.

- 11) **Documentation and User Training:** Document the architecture, design decisions, configuration settings, and implementation details of the real-time analytics dashboard. Provide user documentation and training materials to educate users on how to interact with the dashboard and interpret analytics insights effectively.

By following this implementation and development process, you can build a robust real-time analytics dashboard that leverages the capabilities of ADLS Gen2, Azure Synapse Analytics, Azure Databricks, Azure Data Factory, and Power BI to enable data-driven decision-making and insights generation in real-time


## 5.1 Tasks Performed on Real-time analytics Project

I used the dataset from Olympics 2021 In Tokyo and tried to use every important feature Azure had to offer. I **integrated** the data from my computer to a **data lake** by using **Microsoft Azure Data Factory**. A pipeline was built to integrate all data and **validated** to check for any errors.

## Workflow

## Initial Setup

1. Create Azure Free Subscription account





2. Create a Resource Group 'Tokyo-Olympic-data' to house and manage all the Azure resources associated with this project.
3. Within the created resource group, set up a storage account. This is specifically configured to leverage Azure Data Lake Storage (ADLS) Gen2 capabilities.

Microsoft Azure

Search resources, services, and docs (g+/i)

Home > Storage accounts >

### Create a storage account

Basics Advanced Networking Data protection Encryption Tags Review

**Project details**

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription \* Free Trial

Resource group \* (New) tokyo-olympic  
[Create new](#)

**Instance details**

Storage account name tokyoolympicdebpradip

Region (Asia Pacific) Central India  
[Deploy to an edge zone](#)

Performance Standard: Recommended for most scenarios (general-purpose v2 account)

Redundancy Geo-redundant storage (GRS)  
☒ Make read access to data available in the event of regional unavailability.

[Review](#) [< Previous](#) [Next: Advanced >](#)

[Give feedback](#)

Microsoft Azure

Search resources, services, and docs (g+/i)

Home > tokyoolympicdebpradip\_1708921633423 | Overview >

### tokyoolympicdebpradip

Storage account

Search

Upload Open in Explorer Delete Move Refresh Open in mobile CLI / PS Feedback

**Essentials**

Resource group [\(move\)](#) : [tokyo-olympic](#)

Location : centralindia

Primary/Secondary Location : Primary: Central India, Secondary: South India

Subscription [\(move\)](#) : [Free Trial](#)

Subscription ID : 678415ac-ad2b-49f3-945b-cc0741522bb6

Disk state : Primary: Available, Secondary: Available

Tags [\(edit\)](#) : [Add tags](#)

Performance : Standard

Replication : Read-access geo-redundant storage (RA-GRS)

Account kind : StorageV2 (general purpose v2)

Provisioning state : Succeeded

Created : 26/02/2024, 09:57:26

**Properties** Monitoring Capabilities (5) Recommendations (0) Tutorials Tools + SDKs

**Data Lake Storage**

Hierarchical namespace	Enabled
Default access tier	Hot
Blob anonymous access	Disabled
Blob soft delete	Enabled (7 days)
Container soft delete	Enabled (7 days)
Versioning	Disabled
Change feed	Disabled
NFS v3	Disabled
SFTP	Disabled
Storage tasks assignments	None

**Security**


Require secure transfer for REST API operations	Enabled
Storage account key access	Enabled
Minimum TLS version	Version 1.2
Infrastructure encryption	Disabled

**Networking**

Allow access from	All networks
Number of private endpoint connections	0
Network routing	Microsoft network routing
Access for trusted Microsoft services	Yes
Endpoint type	Standard

**File service**

4. Create a Container inside this storage account to hold the project's data. Two directories 'raw-data' and 'transformed-data' are created to store raw data and transformed data. I made the two columns one for raw data integration and the other for the transformed data



## Data Ingestion using Azure Data Factory

1. Begin by creating an Azure Data Factory workspace within the previously established resource group.
2. After setting up the workspace, launch the Azure Data Factory Studio.
3. Upload the Tokyo Olympics dataset from Kaggle to GitHub.
4. Within the studio, initialize a new data integration pipeline. Now use the task Copy Data to move data efficiently between various supported sources and destinations.
5. Configuring the Data Source with HTTP template as we are using http request to get the data from GitHub repo.
6. Establishing the Linked Service for source.
7. Configuring the File Format for and setting up the Linked Service Sink.
8. Repeat above steps to load all the datasets.
9. You can connect all the copy data activity together and run them all at once.

# Creating Azure Data Factory

Microsoft Azure

Home > Data factories >

## Create Data Factory

Basics Git configuration Networking Advanced Tags Review + create

One-click to create data factory with sample pipeline and datasets. [Try it](#)

**Project details**

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription \*

Resource group \*  [Create new](#)

**Instance details**

Name \*

Region \*

Version \*

[Previous](#) [Next](#) [Review + create](#)

[Give feedback](#)

Microsoft Azure

Home > Microsoft.DataFactory-20240226100421 | Overview >

### tokyo-olympic-df-pradip

Data factory (V2)

Search

Delete

**Essentials**

Resource group (move) : [tokyo-olympic](#)

Status : Succeeded

Location : Central India

Subscription (move) : [Free Trial](#)

Subscription ID : 678415ac-ad2b-49f3-945b-cc0741522bb6

Type : Data factory (V2)

Getting started : [Quick start](#)

**Azure Data Factory Studio**

[Launch studio](#)

Quick Starts

Tutorials

Template Gallery



Training Modules



**Monitoring**

PipelineRuns

ActivityRuns

TriggerRuns





## Data Transformation using Azure Databricks

1. Navigate to Azure Databricks within the Azure portal and create a workspace within the previously established resource group and launch it.
2. Configuring Compute in Databricks
3. Create a new notebook within Databricks and rename it appropriately, reflecting its purpose or the dataset it pertains to.
4. Establishing a Connection to Azure Data Lake Storage (ADLS)
5. Using the credentials (Client ID, Tenant ID, Secret), write the appropriate code in the Databricks notebook to mount ADLS.
6. Writing Data Transformations mount ADLS Gen2 to Databricks.
7. Writing Transformed Data to ADLS Gen2.

After integration I connected my data lake to Azure Data Bricks using secret key. There is used Apache spark code for data cleaning like fixing the data types of various columns

### Creating Azure Databricks

The screenshot shows the 'Create an Azure Databricks workspace' page in the Microsoft Azure portal. The page is divided into two main sections: 'Project Details' and 'Instance Details'.

**Project Details:**

- Subscription:** Free Trial
- Resource group:** tokyo-olympic

**Instance Details:**

- Workspace name:** tokyo-olympic-db
- Region:** Central India
- Pricing Tier:** Premium (+ Role-based access controls)
- Managed Resource Group name:** Enter name for managed resource group

A notification message states: "We selected the recommended pricing tier for your workspace. You can change the tier based on your needs."

At the bottom, there are navigation buttons: "Review + create", "< Previous", and "Next: Networking >".

Microsoft Azure Upgrade Search resources, services, and docs (G+)

Home > tokyo-olympic-deb | Overview >

**tokyo-olympic-deb** Azure Databricks Service

Search Delete

Overview

Activity log Access control (IAM) Tags Diagnose and solve problems Settings Virtual Network Peerings Encryption Networking Properties Locks Monitoring Diagnostic settings Automation CLI / PS Tasks (preview) Export template Help Support + Troubleshooting

Essentials

Status : Active  
Resource group : [tokyo-olympic](#)  
Location : Central India  
Subscription : [Free Trial](#)  
Subscription ID : 678415ac-ad2b-49f3-945b-cc0741522bb6  
Tags ([edit](#)) : [Add tags](#)

Managed Resource Group : [databricks-rg-tokyo-olympic-deb-bdkeZrzczyZai](#)  
URL : [https://adb-7028769090811182.2.azuredatabricks.net](#)  
Pricing Tier : [Premium \(+ Role-based access controls\) \(Click to change\)](#)

Launch Workspace

Documentation Getting Started Import Data from File Import Data from Azure Storage Notebook Admin Guide Link Azure ML workspace

[https://adb-7028769090811182.2.azuredatabricks.net/aad/auth?has=8&Workspace=/su...](#)

33°C Partly sunny Search 2:25 PM 2/26/2024

Microsoft Azure databricks Search data, notebooks, recents, and more... CTRL + P tokyo-olympic-deb pmbochare007@gmail.com

New Workspace Recents Catalog Workflows Compute SQL SQL Editor Queries Dashboards Alerts Query History SQL Warehouses Data Engineering Job Runs Data Ingestion Delta Live Tables Machine Learning Experiments Features Models Serving

Untitled Notebook 2024-02-26 14:31:11 Python File Edit View Run Help Last edit was 1 minute ago New cell UI: ON

Run all Pradip Bochare's Cluster Schedule Share

Cell 1

```
from pyspark.sql.functions import col
from pyspark.sql.types import IntegerType, DoubleType, BooleanType, DateType
```

Cell 2

```
configs = {"fs.azure.account.auth.type": "OAuth",
"fs.azure.account.oauth.provider.type": "org.apache.hadoop.fs.azurebfs.oauth2.ClientCredsTokenProvider",
"fs.azure.account.oauth2.client.id": "af86c3f1-0baa-4a06-8344-77d07a8f5134",
"fs.azure.account.oauth2.client.secret": "rcv8Q-myB1H8sJLEh5C71xQeZ9uzAvhjawsDacB",
"fs.azure.account.oauth2.client.endpoint": "https://login.microsoftonline.com/Scet97dd-7d34-4c02-981e-fdb1cd60a5d5/oauth2/token"}

dbutils.fs.mount(
    source = "abfss://tokyo-olympic-data@tokyoolympicdebpradip.dfs.core.windows.net", # contrainer@storageacc
    mount_point = "/mnt/tokyoolympic",
    extra_configs = configs)


True
```

Cell 3


```
%fs
ls "/mnt/tokyoolympic"
```

Table + New result table: OFF

Breaking news Unfolding now Search 3:00 PM 2/26/2024



After integration I connected my data lake to Azure Data Bricks using secret key. There is used Apache spark code for data cleaning like fixing the data types of various columns.





# Setting Up and Using Azure Synapse Analytics

1. Creating a Synapse Analytics Workspace.
2. Within Workspace navigate to the "Data" section, choose "Lake Database" and create a Database "TokyoOlympicDB"
3. Creating Table from Data Lake from the Transformed Data folder within your ADLS Gen2 storage.

## Creating Azure synapse Analytics

The screenshot shows the 'Create Synapse workspace' wizard in the Microsoft Azure portal. The 'Basics' tab is selected, showing fields for Subscription (Free Trial), Resource group (tokyo-olympic), and Workspace details. The workspace name is 'tokyo-olympic-hexadeb', the region is 'Central India', and the primary Data Lake Storage Gen2 account is 'tokyoolympicdebpradip'.

**Create Synapse workspace**

**Basics** | Security | Networking | Tags | Review + create

Create a Synapse workspace to develop an enterprise analytics solution in just a few clicks.

**Project details**

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all of your resources.

Subscription \*

Resource group \*

Managed resource group

**Workspace details**

Name your workspace, select a location, and choose a primary Data Lake Storage Gen2 file system to serve as the default location for logs and job output.

Workspace name \*

Region \*

Select Data Lake Storage Gen2 \* ☒ From subscription ☐ Manually via URL

Account name \*

File system name \*

[Review + create](#) [< Previous](#) [Next: Security >](#)

The screenshot shows the overview page for the 'tokyo-olympic-hexadeb' Synapse workspace. It displays various settings, including the resource group, location, subscription ID, and workspace URL. It also provides links to get started with Synapse Studio and read documentation.

**tokyo-olympic-hexadeb**

**Overview**

**Essentials**

Resource group (move) : [tokyo-olympic](#)

Status : Succeeded

Location : Central India

Subscription (move) : [Free Trial](#)

Subscription ID : 678415ac-ad2b-49f3-945b-cc0741522bb6

Managed virtual network : No

Managed identity object : 4bd02c5d-c9db-4236-91e8-4b34254e35b0

Workspace web URL : <https://web.azuresynapse.net/workspace-%2fsubscriptions%2f678415ac-ad2b-49f3-945b-cc0741522bb6>

Tags (edit) : [Add tags](#)

Networking : [Show firewall settings](#)

Primary ADLS Gen2 acco... : <https://tokyoolympicdebpradip.dfs.core.windows.net>

Primary ADLS Gen2 file s... : tokyo-olympic-data

SQL admin username : sqladminuser

SQL Microsoft Entra admin : [liva.com#pmbochare007@gmail.com](mailto:liva.com#pmbochare007@gmail.com)

Dedicated SQL endpoint : tokyo-olympic-hexadeb.sql.azuresynapse.net

Serverless SQL endpoint : tokyo-olympic-hexadeb-ondemand.sql.azuresynapse.net

Development endpoint : <https://tokyo-olympic-hexadeb.dev.azuresynapse.net>

**Getting started**

**Open Synapse Studio**

Start building your fully integrated analytics solution and unlock new insights.

[Open in](#)

**Read documentation**



Learn how to be productive quickly. Explore concepts, tutorials, and samples.

[Learn more](#)

**Analytics pools**

Search to filter items...

Name	Type	Size
<b>SQL pools</b>		
Built-in	Serverless	Auto
<b>Apache Spark pools</b>		



Microsoft Azure | Synapse Analytics | tokyo-olympic-hexadab

Search

pmbochare007@gmail.com

We use optional cookies to provide a better experience. [Learn more](#)

Accept Reject More options

Synapse live Validate all Publish all

Home Data Develop Integrate Monitor Manage

Data

Workspace Linked

Filter resources by name

Lake database 1

TokyoOlympicDB

Tables

athletes

TokyoOlympicDB

athletes

abc PersonName

abc Country

abc Discipline

See less

General Columns Relationships

Filter by keyword + Column Clone Convert type Delete

<input type="checkbox"/>	Name	Keys	Description	Nullability	Data type	Format
<input checked="" type="checkbox"/>	Standard column (3)					
<input type="checkbox"/>	PersonName	<input type="checkbox"/> PK		<input checked="" type="checkbox"/> Null	abc_string	8000
<input type="checkbox"/>	Country	<input type="checkbox"/> PK		<input checked="" type="checkbox"/> Null	abc_string	8000
<input type="checkbox"/>	Discipline	<input type="checkbox"/> PK		<input checked="" type="checkbox"/> Null	abc_string	8000

33°C Mostly sunny

Search

ENG IN

4:12 PM 2/25/2024

Microsoft Azure | Synapse Analytics | tokyo-olympic-hexadab

Search

pmbochare007@gmail.com

We use optional cookies to provide a better experience. [Learn more](#)

Accept Reject More options

Synapse live Validate all Publish all

Home Data Develop Integrate Monitor Manage

Data

Workspace Linked

Filter resources by name

Lake database 1

TokyoOlympicDB

Tables

athletes

coaches

entriesgender

medals

teams

TokyoOlympicDB

athletes

coaches

entriesgender

medals

teams

abc Discipline

abc Name

abc Country

abc Name

abc Sport

See less

abc Discipline

abc TeamCountry

abc Gold

abc Silver

abc Bronze

abc Total

abc RankByGoldTotal

See less

abc TeamName

abc Discipline

abc Country

abc Sport

See less



Tomorrow's high Near record

Search

ENG IN



4:20 PM 2/25/2024


## Performing Analysis using SQL scripts and charts



## Performing Data Analysis on the Data using PowerBI

After that I connect to the PowerBI to visualize the Tokyo-Olympic data. owner BI allows users to create interactive and visually appealing reports and dashboards from their data. Users can choose from a variety of visualization options such as charts, graphs, maps, and tables to represent their data in meaningful ways







## 6.1 FINAL OUTPUT SCREENSHOT



**The final output screenshot of the analytics dashboard is:**

The final output is an interactive dashboard created using Power BI, providing users with real-time insights into their data. The dashboard includes various visualizations such as charts, graphs, tables, and maps to represent key metrics and trends. The final output adheres to data governance and security best practices to ensure data confidentiality, integrity, and availability.



Some sample outputs of visualizations are:







## **CONCLUSIONS**

The conclusion of the project to build real-time analytics is the project successfully achieved its objectives of creating a real-time analytics dashboard that provides insights into data stored in ADLS Gen2 and Azure Synapse Analytics. Leveraging Azure Databricks facilitated real-time analytics processing, enabling the extraction of valuable insights from streaming data. Azure Data Factory effectively orchestrated data pipelines, ensuring seamless and reliable data ingestion from various sources into ADLS Gen2 and Azure Synapse Analytics. Power BI empowered users with interactive and visually appealing dashboards, facilitating the interpretation of analytics insights and enabling data-driven decision-making. The real-time analytics dashboard provided stakeholders and decision-makers with timely and actionable insights, enabling them to respond promptly to changing business conditions and make informed decisions.