

In linear data structure data is organized in sequential order and in non-linear data structure data is organized in random order. A tree is a very popular non-linear data structure used in a wide range of applications.


## Tree:

Tree is a non-linear data structure which organizes data(Node) in hierarchical structure and this is a recursive definition.

In tree data structure, every individual element is called as **Node**. Node in a tree data structure stores the actual data of that particular element and link to next element in hierarchical structure.

In a tree data structure, if we have **N** number of nodes then we can have a maximum of **N-1** number of links.

## Example



**TREE with 11 nodes and 10 edges**


- In any tree with '**N**' nodes there will be maximum of '**N-1**' edges
- In a tree every individual element is called as '**NODE**'

## Terminology

In a tree data structure, we use the following terminology...

### 1. Root

In a tree data structure, the first node is called as **Root Node**. Every tree must have a root node. In any tree, there must be only one root node. We never have multiple root nodes in a tree.




Here 'A' is the 'root' node

- In any tree the first node is called as ROOT node

## 2. Edge:

In a tree data structure, the connecting link between any two nodes is called as **EDGE**. In a tree with 'N' number of nodes there will be a maximum of 'N-1' number of edges.




- In any tree, 'Edge' is a connecting link between two nodes.

## 3. Parent

In a tree data structure, the node which is a predecessor of any node is called as **PARENT NODE**. In simple words, the node which has a branch

from it to any other node is called a parent node. Parent node can also be defined as "**The node which has child / children**".




Here A, B, C, E & G are **Parent** nodes

- In any tree the node which has child / children is called '**Parent**'
- A node which is predecessor of any other node is called '**Parent**'

#### 4. Child

In a tree data structure, the node which is descendant of any node is called as **CHILD Node**. In simple words, the node which has a link from its parent node is called as child node. In a tree, any parent node can have any number of child nodes. In a tree, all the nodes except root are child nodes.



Here B & C are **Children** of A


Here G & H are **Children** of C

Here K is **Child** of G

- descendant of any node is called as **CHILD Node**

## 5. Siblings

In a tree data structure, nodes which belong to same Parent are called as **SIBLINGS**. In simple words, the nodes with the same parent are called Sibling nodes.



Here B & C are Siblings

Here D E & F are Siblings

Here G & H are Siblings

Here I & J are Siblings


- In any tree the nodes which has same Parent are called 'Siblings'

- The children of a Parent are called 'Siblings'

## 6. Leaf

In a tree data structure, the node which does not have a child is called as **LEAF Node**. In simple words, a leaf is a node with no child.

In a tree data structure, the leaf nodes are also called as **External Nodes**. External node is also a node with no child. In a tree, leaf node is also called as 'Terminal' node.




Here D, I, J, F, K & H are **Leaf** nodes

- In any tree the node which does not have children is called '**Leaf**'
- A node without successors is called a '**leaf**' node

## 7. Internal Nodes

In a tree data structure, the node which has atleast one child is called as **INTERNAL Node**. In simple words, an internal node is a node with atleast one child.

In a tree data structure, nodes other than leaf nodes are called as **Internal Nodes**. The root node is also said to be Internal Node if the tree has more than one node. Internal nodes are also called as 'Non-Terminal' nodes.




Here A, B, C, E & G are **Internal** nodes

- In any tree the node which has atleast one child is called '**Internal**' node
- Every non-leaf node is called as '**Internal**' node

## 8. Degree

In a tree data structure, the total number of children of a node is called as **DEGREE** of that Node. In simple words, the Degree of a node is total number of children it has. The highest degree of a node among all the nodes in a tree is called as '**Degree of Tree**'



Here **Degree of B is 3**


Here **Degree of A is 2**

Here **Degree of F is 0**

- In any tree, '**Degree**' of a node is total number of children it has.


## 9. Level

In a tree data structure, the root node is said to be at Level 0 and the children of root node are at Level 1 and the children of the nodes which are at Level 1 will be at Level 2 and so on... In simple words, in a tree each step from top to bottom is called as a Level and the Level count starts with '0' and incremented by one at each level (Step).



## 10. Height

In a tree data structure, the total number of edges from leaf node to a particular node in the longest path is called as **HEIGHT** of that Node. In a tree, height of the root node is said to be **height of the tree**. In a tree, **height of all leaf nodes is '0'**.




Here Height of tree is 3

- In any tree, 'Height of Node' is total number of Edges from leaf to that node in longest path.
- In any tree, 'Height of Tree' is the height of the root node.

## 11. Depth

In a tree data structure, the total number of edges from root node to a particular node is called as **DEPTH** of that Node. In a tree, the total number of edges from root node to a leaf node in the longest path is said to be

**Depth of the tree.** In simple words, the highest depth of any leaf node in a tree is said to be depth of that tree. In a tree, depth of the root node is '0'.




Here Depth of tree is 3

- In any tree, 'Depth of Node' is total number of Edges from root to that node.
- In any tree, 'Depth of Tree' is total number of edges from root to leaf in the longest path.

## 12. Path

In a tree data structure, the sequence of Nodes and Edges from one node to another node is called as **PATH** between that two Nodes. Length of a Path is total number of nodes in that path. In below example the path A - B - E - J has length 4.



- In any tree, 'Path' is a sequence of nodes and edges between two nodes.

Here, 'Path' between A & J is

A - B - E - J


Here, 'Path' between C & K is

C - G - K



### 13. Sub Tree


In a tree data structure, each child from a node forms a subtree recursively. Every child node will form a subtree on its parent node.



### Binary Tree Datastructure

In a normal tree, every node can have any number of children. A binary tree is a special type of tree data structure in which every node can have a **maximum of 2 children**. One is known as a left child and the other is known as right child.

Example :




### **Types of Binary trees:**

#### **1. Strictly Binary Tree**


A binary tree in which every node has either two or zero number of children is called Strictly Binary Tree

Example :



Strictly binary tree data structure is used to represent mathematical expressions.


Example



## 2. Complete Binary Tree

A complete binary tree is a binary tree in which every level, except possibly the last, is completely filled, and all nodes are as far as left as possible.


Example :



### 3. Fully Binary Tree

Fully Binary Tree is a binary tree in which every node other than leaves has two children.

**Full Binary Tree**



**Note :**

**Reference Books :** Taken contents and diagrams from various websites.