

**T2R**

THEORY TO REALITY

STUDENT RESOURCE · MECHANICAL ENGINEERING

Introduction to Finite Element Analysis (FEA)

How do engineers know a car door will survive a crash before building a single prototype? How do they design turbine blades that spin at 10,000 RPM without failing? The answer is FEA — and this guide explains it from absolute zero.

BRANCH

Mechanical Engineering

LEVEL

Zero to Advanced

PRIOR KNOWLEDGE

None Required

PUBLISHED BY

T2R — Theory to Reality

LET'S START WITH A REAL SITUATION

How Did ISRO Design the Vikram Lander Without Testing It on the Moon First?

When ISRO engineers were designing the Vikram lander for Chandrayaan-2, they faced an impossible testing challenge: the lander had to survive the extreme vibrations of launch, the vacuum of space, and then a controlled descent to the lunar surface — conditions that cannot be fully replicated on Earth. Building dozens of physical prototypes and testing them to destruction would cost hundreds of crores and take decades.

Instead, ISRO engineers built a **virtual model** of the lander on a computer. They applied simulated forces — the shaking of the rocket launch, the thermal stress of re-entry, the impact of landing — and watched the computer calculate exactly how every part of the structure would deform, where it would be stressed the most, and whether it would survive. They then modified the design — making some parts thicker, some lighter, some curved differently — until the simulation showed the structure could handle everything it would face.

This process is called **Finite Element Analysis (FEA)**. It is the most important computational tool in mechanical and structural engineering, used to design everything from spacecraft to pressure cookers, from car engines to knee replacements. And it is now accessible to any engineering student with a laptop.

💡 Think of it this way

Before GPS navigation, if you wanted to know the fastest route from Visakhapatnam to Hyderabad, you had to drive the road yourself multiple times trying different routes. With GPS, a computer models the road network and simulates thousands of possible routes instantly, telling you the best one before you leave home. FEA is GPS for engineering — it lets you test thousands of design options on a computer before spending a single rupee on physical material.

THE BASICS BASIC

What is FEA? Starting From Scratch.

When a force is applied to any object — a beam, a shaft, a bracket, a bone — that object deforms slightly. The metal compresses where it is pushed, stretches where it is pulled, and twists where it is torqued. Predicting exactly how much it deforms, and whether it will break, is the central problem of mechanical engineering.


For very simple shapes — a straight beam, a perfect cylinder — mathematicians have derived exact formulas. Your textbook is full of these. But real engineering components are not simple shapes. A car engine connecting rod, an aircraft wing spar, a turbine blade — these are complex three-dimensional shapes with curved surfaces, holes, fillets, and varying thicknesses. No formula exists for these. You cannot solve them by hand.

FEA solves this by doing something very clever: it **breaks the complex shape into thousands of tiny, simple shapes** called **elements**. Each tiny element is simple

enough that its behaviour under force can be calculated exactly using basic formulas. Then the computer adds up the behaviour of all the tiny elements together to get the behaviour of the whole complex shape.

💡 Think of it this way

You cannot measure the exact area of an irregular coastline — it is too complicated a shape. But you can divide the coastline into thousands of tiny straight line segments and measure each one. Add them all up and you get a very accurate total length. FEA does exactly this for stress and deformation — divide into tiny pieces, solve each piece, add them all up.



The FEA process: import the component geometry → mesh it into elements → apply forces and constraints → run the solver → read colour-coded stress results. Red areas show where failure is most likely.

CORE CONCEPTS BASIC

The Five Concepts You Must Understand

1. Elements and Nodes — The Building Blocks

When you mesh a component in FEA software, it is divided into small shapes called **elements**. The corners of these elements are called **nodes**. The software calculates the displacement (movement) at every node when a force is applied, then uses these node displacements to calculate the stress inside each element.

Common element types include: **triangular elements** (simplest, used for flat surfaces), **tetrahedral elements** (for complex 3D solid shapes), and **hexahedral**

elements (cuboid shapes, more accurate but harder to generate). A typical engineering FEA model might have 100,000 to 10 million elements.

2. Boundary Conditions — Telling the Computer What is Fixed and What Moves

Every FEA analysis requires two types of information: **where the part is held** (boundary conditions/constraints) and **what forces are applied** (loads). Getting these right is more important than any other step. A bolt that is modelled as "fixed" when it is actually slightly loose will give completely wrong results. This is why experienced FEA engineers spend a long time understanding the real physical situation before touching the software.

💡 Think of it this way

If you want to know how much a diving board bends when someone stands on it, you must first tell your model that the board is bolted to the pool edge at one end (that end cannot move). Then you apply the person's weight at the free end. If you forget to fix the board to the pool edge, the software will just show the whole board flying off — which is mathematically correct but physically meaningless. Boundary conditions are the most common source of errors in FEA.

3. Stress vs Strain — Two Different Ways of Measuring Deformation

Stress is the force per unit area inside a material (measured in MPa — megapascals). It is what causes materials to fail. **Strain** is the fractional change in dimension — how much the material has stretched or compressed relative to its original size (dimensionless ratio). They are related by the material's **Young's Modulus (E)**: $\text{Stress} = E \times \text{Strain}$. FEA calculates both and displays them as colour maps across the component.

4. Von Mises Stress — The Safety Check

A real component is stressed in multiple directions simultaneously — tension, compression, and shear all at once. The **Von Mises stress** is a single combined number that represents the overall severity of this multi-directional stress state. Engineers compare the maximum Von Mises stress in the FEA results to the material's **yield strength**. If Von Mises stress exceeds yield strength anywhere in the model, the part will permanently deform. If it exceeds ultimate strength, it will fracture. The ratio of yield strength to maximum Von Mises stress is the **Factor of Safety (FoS)** — the single most important output number in any FEA analysis.

5. Mesh Convergence — How Do You Know the Answer is Right?

A coarser mesh (fewer, larger elements) gives approximate results quickly. A finer mesh gives more accurate results but takes longer to compute. The standard verification method is **mesh convergence study**: run the analysis with a coarse mesh, then refine the mesh and run again, then refine again. When the results stop changing significantly with further refinement, the mesh is "converged" and you can trust the results. Skipping this step is one of the most dangerous mistakes in FEA — a coarse mesh can miss stress concentrations entirely.

Material	Young's Modulus (GPa)	Yield Strength (MPa)	Common Use
Mild Steel (IS 2062)	200	250	Structural frames, bridges, pressure vessels
Aluminium Alloy (6061)	69	276	Aerospace, automotive, consumer products
Stainless Steel (304)	193	215	Food processing, chemical plants, medical
Titanium Alloy (Ti-6Al-4V)	114	880	Aerospace, biomedical implants, ISRO
Cast Iron (Grade 30)	110	—	Engine blocks, pump housings, machine beds

TYPES OF FEA INTERMEDIATE

The Different Types of FEA Analysis

FEA is not just for checking if something will break under a static load. Here are the main types of analysis used in Indian industry:



Static Structural Analysis

Calculates stress and deformation under constant loads. Most common type. Used for machine parts, pressure vessels, structural brackets.



Modal / Vibration Analysis

Finds the natural frequencies at which a structure will resonate. Critical for rotating machinery, bridges, and buildings in seismic zones.



Thermal Analysis

Calculates temperature distribution and thermal stresses. Used for engine components, heat exchangers, electronic cooling systems.



Fatigue Analysis

Predicts how many load cycles a component can survive before cracking from repeated loading. Critical for automotive, aerospace, and railway components.



CFD (Computational Fluid Dynamics)

Simulates fluid flow around or through components — closely related to FEA. Used for turbine blades, car aerodynamics, HVAC systems.



Crash / Impact Analysis

Simulates high-speed impact events. Used by Tata Motors, Mahindra, and Maruti to design car bodies that meet crash safety standards.

IN Real Indian Example: Tata Nano Safety Validation

When Tata Motors developed the Nano, every structural component — the door panels, the floor pan, the roll-over protection — was validated using FEA before a single physical prototype was crash-tested. The FEA team ran hundreds of simulations modifying the thickness and shape of components until the computer predicted the structure would meet Indian crash safety standards. This process saved months of time and crores of rupees in prototype costs.

THE FULL PROCESS INTERMEDIATE

How a Real FEA Analysis is Done — Step by Step

1 Define the Problem Clearly

Before opening any software, answer: What is the component? What loads does it carry? How is it supported? What material is it made from? What is the acceptable Factor of Safety? Experienced engineers spend 30–40% of their total analysis time on this step alone. A perfectly executed FEA of the wrong problem is worse than useless.

2 Create or Import the Geometry (CAD Model)

The component's 3D shape is either designed in CAD software (SolidWorks, CATIA, Creo) or imported from an existing design file. For FEA, the CAD model is often "cleaned up" — small fillets, tiny holes, and other minor features that would create an unnecessarily complex mesh without affecting the results are removed. This is called **defeaturing**.

3

Assign Material Properties

Every element must be assigned material properties — Young's Modulus, Poisson's Ratio (how much the material expands sideways when compressed), density, and yield strength. Most FEA software includes a library of standard materials (IS 2062 steel, aluminium alloys, composites). For new or unusual materials, test data from the materials lab must be entered manually.

4

Mesh the Geometry

The software divides the geometry into elements. The mesh must be finer in areas where stress concentrations are expected (near holes, sharp corners, notches, and areas where different cross-sections meet). A **coarser mesh** can be used in low-stress regions to keep computing time manageable. Modern FEA software can generate meshes automatically, but a good engineer always reviews and refines the mesh manually in critical areas.

5

Apply Boundary Conditions and Loads

Fix the model where it would be bolted, welded, or held in reality. Apply forces, pressures, temperatures, and accelerations as they would occur in the real operating condition. For dynamic analysis, define how loads change over time. This is where engineering judgement matters most — the model is only as accurate as the loading conditions that are applied.

6

Run the Solver and Interpret Results

The solver assembles millions of simultaneous equations (one per degree of freedom per node) and solves them all at once — a task that would take a human millions of years by hand takes a modern computer minutes. Results are displayed as colour maps of Von Mises stress, displacement, and strain. The engineer identifies the maximum stress location, checks the Factor of Safety, and determines whether the design is adequate or needs modification.

7

Validate, Optimise, and Report

Run the mesh convergence study to confirm the results are accurate. If the Factor of Safety is too low, modify the design — add material where stress is high, remove it where stress is low (topology optimisation). Document the analysis with all assumptions, material properties, load cases, and results in a formal FEA report that becomes part of the design record.

FEA Software Used in Indian Industry

Software	Cost	Industry Use in India
ANSYS	Expensive (₹5–20 lakh/year)	ISRO, DRDO, Tata, L&T, aerospace & defence
Abaqus	Expensive	Automotive (Tata Motors, Mahindra), advanced research
SolidWorks Simulation	Moderate (bundled with CAD)	SMEs, product design companies, startups
ANSYS Free Student	Free (student licence)	Learning — limited model size but fully functional
FreeCAD + CalculiX	Completely free	Open-source, widely used for learning and research
SimScale	Free (cloud-based)	Browser-based, no installation, good for beginners

 Best Way to Start — SimScale (Free, No Installation)

Go to **[simscale.com](https://www.simscale.com)** and create a free account. You can run FEA analysis directly in your browser with no software to install. They have guided tutorials for static structural analysis of a bracket, a turbine blade, and a pressure vessel — all the classic beginner cases. Complete these three tutorials and you will understand FEA better than most final-year students.

YOUR LEARNING PATH

How to Build FEA Skills — Practically

1

Understand Stress–Strain First

FEA software is meaningless if you do not understand what stress, strain, Von Mises stress, and Factor of Safety mean. Review these concepts from your Strength of Materials textbook. Solve 5–10 hand calculations for simple cases (cantilever

beam, thick-walled cylinder, pressurised vessel) before running any FEA. This gives you a reference to check whether your FEA results are reasonable.

2

Run Your First Analysis on SimScale

Start with the "FEA of a Simple Bracket" tutorial on [simscale.com](https://www.simscale.com). This is a classic case that every FEA engineer has done. Understand every step: why is the fixed support applied there? Why is the mesh finer at the corner? What does the red region in the stress plot mean? Do not just follow the tutorial — question every decision.

3

Download ANSYS Student (Free)

ANSYS offers a completely free Student version at [ansys.com/academic/students](https://www.ansys.com/academic/students) with limits on model size that are fine for learning. ANSYS is the industry standard used at ISRO and DRDO — learning it gives you skills directly transferable to professional work.

4

Model Something You Can Also Test

Take a simple component from your lab — a steel ruler, a metal bracket, a connecting rod. Model it in FEA, predict its deflection under a known load, then actually apply that load and measure the deflection with a ruler. Compare the FEA result to the measurement. This validation exercise — seeing that FEA prediction matches physical reality — builds deep confidence in the method.

5

Complete One Full Analysis for a Real Component

Choose a component from your final year project, internship, or even from everyday life (bicycle crank, ceiling fan blade, water pump impeller). Run a complete FEA: geometry → material → mesh → loads → solve → mesh convergence → write a one-page result summary. This is the project that goes on your resume.

How to Present FEA Skills on Your Resume

- Performed static structural FEA of [component] using ANSYS/SimScale — identified stress concentration factor and validated against hand calculation
- Conducted mesh convergence study confirming result accuracy within 3% of analytical solution
- Determined Factor of Safety for [component] under [load condition] — recommended material change to reduce weight by 15% while maintaining FoS > 2.5
- Knowledge of FEA types: static structural, modal, thermal, and fatigue analysis

- Familiar with ANSYS Mechanical and SimScale for 3D FEA of machine components

CAREER PATHS

What Jobs Use FEA in India?

FEA / CAE Engineer

Product Design Engineer

Structural Analysis Engineer

Fatigue & Durability Engineer

Aerospace Stress Engineer

Automotive Body Engineer

Pressure Vessel Engineer

Simulation Engineer

Key employers in India: ISRO, DRDO, Tata Motors, Mahindra Research Valley, Bajaj Auto, L&T Heavy Engineering, BHEL, GE India (Aviation & Power), Wipro Infrastructure Engineering, Siemens India, Honeywell India, and the rapidly growing engineering services export sector (companies like KPIT, Cyient, QuEST Global) which do FEA work for global aerospace and automotive clients.

SUMMARY

Key Takeaways

- **FEA breaks complex shapes into tiny simple elements** — solving each element's behaviour and summing them gives the behaviour of the whole complex component
- **Boundary conditions are the most critical input** — wrong constraints or wrong loads give wrong results, no matter how sophisticated the software
- **Von Mises stress and Factor of Safety** are the two most important output numbers — every design decision flows from these
- **Always do a mesh convergence study** — results from a coarse mesh can be dangerously inaccurate in areas of stress concentration
- **FEA cannot replace engineering judgement** — it amplifies the judgment of engineers who understand the physics. In the hands of someone who does not understand stress-strain behaviour, it produces beautiful wrong answers

- **Start for free today** — SimScale (browser-based) and ANSYS Student (free download) give full access to professional FEA tools with no cost
- FEA skills are in **extremely high demand** across India's aerospace, automotive, and industrial machinery sectors — and relatively few mechanical engineering graduates can actually do it