Pytest-Playwright Test Output Issue

ZAP Full Scan Report

```
    Site: <a href="http://20.235.99.34:8080">http://20.235.99.34:8080</a> New Alerts

       Absence of Anti-CSRF Tokens [10202] total: 1:
             http://20.235.99.34:8080/WebGoat/login
       Anti-CSRF Tokens Check [20012] total: 1:
             http://20.235.99.34:8080/WebGoat/login
       • Content Security Policy (CSP) Header Not Set [10038] total: 1:
             http://20.235.99.34:8080/WebGoat/login
       Cookie No HttpOnly Flag [10010] total: 1:
             ■ <a href="http://20.235.99.34:8080/WebGoat/start.mvc">http://20.235.99.34:8080/WebGoat/start.mvc</a>
       Cookie Slack Detector [90027] total: 2:
             http://20.235.99.34:8080/WebGoat/login
             http://20.235.99.34:8080/WebGoat/start.mvc

    Cookie without SameSite Attribute [10054] total: 1:

             http://20.235.99.34:8080/WebGoat/start.mvc
       Permissions Policy Header Not Set [10063] total: 1:
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>

    Base64 Disclosure [10094] total: 1:

             http://20.235.99.34:8080/WebGoat/start.mvc
       Non-Storable Content [10049] total: 1:
             ■ <a href="http://20.235.99.34:8080/WebGoat/start.mvc">http://20.235.99.34:8080/WebGoat/start.mvc</a>
       Sec-Fetch-Dest Header is Missing [90005] total: 4:
             ■ http://20.235.99.34:8080/
             http://20.235.99.34:8080/sitemap.xml
             http://20.235.99.34:8080/WebGoat/login
             http://20.235.99.34:8080/WebGoat/start.mvc
       Sec-Fetch-Mode Header is Missing [90005] total: 4:
             ■ http://20.235.99.34:8080/
             ■ http://20.235.99.34:8080/sitemap.xml
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>
             ■ <a href="http://20.235.99.34:8080/WebGoat/start.mvc">http://20.235.99.34:8080/WebGoat/start.mvc</a>
       Sec-Fetch-Site Header is Missing [90005] total: 4:
             ■ <a href="http://20.235.99.34:8080/">http://20.235.99.34:8080/</a>
             ■ http://20.235.99.34:8080/sitemap.xml
             http://20.235.99.34:8080/WebGoat/login
             ■ <a href="http://20.235.99.34:8080/WebGoat/start.mvc">http://20.235.99.34:8080/WebGoat/start.mvc</a>
       Sec-Fetch-User Header is Missing [90005] total: 4:
             ■ http://20.235.99.34:8080/
             ■ <a href="http://20.235.99.34:8080/sitemap.xml">http://20.235.99.34:8080/sitemap.xml</a>
             http://20.235.99.34:8080/WebGoat/login
             ■ <a href="http://20.235.99.34:8080/WebGoat/start.mvc">http://20.235.99.34:8080/WebGoat/start.mvc</a>
       Session Management Response Identified [10112] total: 2:
             http://20.235.99.34:8080/WebGoat/start.mvc
             http://20.235.99.34:8080/WebGoat/start.mvc
       • Storable and Cacheable Content [10049] total: 4:
             ■ http://20.235.99.34:8080/
             http://20.235.99.34:8080/robots.txt
             ■ <a href="http://20.235.99.34:8080/sitemap.xml">http://20.235.99.34:8080/sitemap.xml</a>
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>
       User Agent Fuzzer [10104] total: 24:
             ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
             ■ http://20.235.99.34:8080/WebGoat
             ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
             ■ http://20.235.99.34:8080/WebGoat
             ■ http://20.235.99.34:8080/WebGoat
```

View the following link to download the report. RunnerID:6369531289

Metasploit-ParrotOS Test output

parrotOS metasploit

Interactive Application Security Testing: Making sure that parrot OS docker image has all the latest updates... Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB] Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB] Get:3 https:// deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB] Get:4 https://deb.parrot.sh/ parrot parrot/main amd64 Packages [17.7 MB] Get:5 https://deb.parrot.sh/parrot parrot/ contrib amd64 Packages [115 kB] Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB] Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [526 kB] Get:8 https://deb.parrot.sh/direct/parrot parrot-security/nonfree amd64 Packages [884 B] Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1147 kB] Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB] Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB] Fetched 19.9 MB in 3s (7637 kB/s) Reading package lists... Building dependency tree... Reading state information... 23 packages can be upgraded. Run 'apt list --upgradable' to see them. Reading package lists... Building dependency tree... Reading state information... Calculating upgrade... The following packages will be upgraded: bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2 libjssphinxdoc libison-c5 libk5crypto3 libkrb5-3 libkrb5support0 libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3 openssh-client openssh-server opensshsftp-server openssl python3-typing-extensions 23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. Need to get 9186 kB of archives. After this operation, 63.5 kB disk space will be freed. Do you want to continue? [Y/n] Abort. Reading package lists... Building dependency tree... Reading state information... Calculating upgrade... The following packages will be upgraded: bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2 libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0 libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3 openssh-client openssh-server openssh-sftp-server openssl python3-typing-extensions 23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. Need to get 9186 kB of archives. After this operation, 63.5 kB disk space will be freed. Do you want to continue? [Y/n] Abort. Hit:1 https://deb.parrot.sh/parrot parrot InRelease Hit:2 https://deb.parrot.sh/ direct/parrot parrot-security InRelease Hit:3 https://deb.parrot.sh/parrot parrot-backports InRelease Reading package lists... Building dependency tree... Reading state information... 23 packages can be upgraded. Run 'apt list --upgradable' to see them. Cleaning up any existing old code copies of security tests...

find a way to read it from secure place.

This is not a secure way to check out code;

Getting the latest code copy for all security tests...

Metasploit Framework Exploit Demo:

Target Web Goat Instance IP Address: 20.235.99.34

Possible Metasploit exploits or auxilaries or payloads, that can used for attacking

[*] Processing ./src/exploitwildflydirtraversal.rc for ERB directives. resource (./src/exploitwildflydirtraversal.rc)> use auxiliary/scanner/http/wildflytraversal resource (./src/exploitwildflydirtraversal.rc)> show options

Module options (auxiliary/scanner/http/wildfly_traversal):

Name Current Setting Required Description ---- Proxies no A proxy chain of format type:host:port[,type:host:port][...] RELATIVEFILEPATH standalone\configuration\standalone.xml yes Relative path to the file to read RHOSTS yes The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html RPORT 8080 yes The target port (TCP) SSL false no Negotiate SSL/TLS for outgoing connections THREADS 1 yes The number of concurrent threads (max one per host) TRAVERSAL_DEPTH 1 yes Traversal depth VHOST no HTTP server virtual host

View the full module info with the info, or info -d command.

[*] resource (./src/exploitwildflydirtraversal.rc)> Ruby Code (57 bytes) RHOSTS => resource (./src/exploitwildflydirtraversal.rc)> run [-] Msf::OptionValidateError The following options failed to validate: RHOSTS

resource (./src/ exploitwildflydir_traversal.rc)> exit

Nmap-ParrotOS Scan output

parrotOS

nmap

Nmap vulnerability scanning for 20.235.99.34 Making sure that parrot OS docker image has all the latest updates... Get:1 https://deb.parrot.sh/parrot parrot InRelease [14.6 kB] Get:2 https://deb.parrot.sh/direct/parrot parrot-security InRelease [14.4 kB] Get:3 https:// deb.parrot.sh/parrot parrot-backports InRelease [14.6 kB] Get:4 https://deb.parrot.sh/ parrot parrot/main amd64 Packages [17.7 MB] Get:5 https://deb.parrot.sh/parrot parrot/ contrib amd64 Packages [115 kB] Get:6 https://deb.parrot.sh/parrot parrot/non-free amd64 Packages [215 kB] Get:7 https://deb.parrot.sh/direct/parrot parrot-security/main amd64 Packages [526 kB] Get:8 https://deb.parrot.sh/direct/parrot parrot-security/nonfree amd64 Packages [884 B] Get:9 https://deb.parrot.sh/parrot parrot-backports/main amd64 Packages [1147 kB] Get:10 https://deb.parrot.sh/parrot parrot-backports/contrib amd64 Packages [22.6 kB] Get:11 https://deb.parrot.sh/parrot parrot-backports/non-free amd64 Packages [50.9 kB] Fetched 19.9 MB in 2s (9498 kB/s) Reading package lists... Building dependency tree... Reading state information... 23 packages can be upgraded. Run 'apt list --upgradable' to see them. Reading package lists... Building dependency tree... Reading state information... Calculating upgrade... The following packages will be upgraded: bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2 libjssphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0 libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3 openssh-client openssh-server opensshsftp-server openssl python3-typing-extensions 23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. Need to get 9186 kB of archives. After this operation, 63.5 kB disk space will be freed. Do you want to continue? [Y/n] Abort. Reading package lists... Building dependency tree... Reading state information... Calculating upgrade... The following packages will be upgraded: bind9-dnsutils bind9-host bind9-libs dnsutils file libaom0 libgssapi-krb5-2 libjs-sphinxdoc libjson-c5 libk5crypto3 libkrb5-3 libkrb5support0 libmagic-mgc libmagic1 libssl1.1 libwebp6 libwebpdemux2 libwebpmux3 openssh-client openssh-server openssh-sftp-server openssl python3-typing-extensions 23 upgraded, 0 newly installed, 0 to remove and 0 not upgraded. Need to get 9186 kB of archives. After this operation, 63.5 kB disk space will be freed. Do you want to continue? [Y/n] Abort. Hit:1 https://deb.parrot.sh/parrot parrot InRelease Hit:2 https://deb.parrot.sh/ direct/parrot parrot-security InRelease Hit:3 https://deb.parrot.sh/parrot parrot-backports InRelease Reading package lists... Building dependency tree... Reading state information... 23 packages can be upgraded. Run 'apt list --upgradable' to see them. Running basic nmap scan... Starting Nmap 7.92 (https://nmap.org) at 2023-10-01 09:24 UTC Nmap scan report for 20.235.99.34 Host is up (0.20s latency). Not shown: 65530 filtered tcp ports (no-response) PORT STATE SERVICE VERSION 22/tcp open ssh OpenSSH 8.9p1 Ubuntu 3ubuntu0.4 (Ubuntu Linux; protocol 2.0) | ssh-hostkey: | 256 10:9d:7e: 56:d9:56:30:e0:57:4b:ef:5b:f3:9e:9f:58 (ECDSA) | 256 1a:ad:3f:b6:d0:5f:48:84:60:1f:3d: 9d:6b:9c:38:ad (ED25519) 80/tcp closed http 443/tcp closed https 8080/tcp open httpproxy |http-title: Site doesn't have a title. | fingerprint-strings: | FourOhFourRequest: | HTTP/1.1 404 Not Found | Connection: close | Content-Length: 0 | Date: Sun, 01 Oct 2023 09:27:46 GMT | GenericLines, Help, Kerberos, LDAPSearchReq, LPDString, RTSPRequest, SIPOptions, SMBProgNeg, SSLSessionReq, Socks5, TLSSessionReq, TerminalServerCookie, WMSRequest, oracle-tns: | HTTP/1.1 400 Bad Request | Content-Length: 0 | Connection: close | GetRequest, HTTPOptions: | HTTP/1.1 404 Not Found | Connection: close | Content-Length: 0 | Date: Sun, 01 Oct 2023 09:27:45 GMT 9090/tcp open zeus-admin? | fingerprint-strings: | GenericLines, RTSPRequest, SqueezeCenterCLI, WMSRequest, ibm-db2-das: | HTTP/1.1 400 Bad Request | Content-Length: 0 | Connection: close | GetRequest: | HTTP/1.1 404 Not Found | Expires: 0 | Cache-Control: no-cache, no-store, max-age=0, must-revalidate | X-XSS-Protection: 1; mode=block | Pragma: no-cache | X-Frame-Options: DENY | Date: Sun, 01 Oct 2023 09:27:45 GMT | Connection: close | Vary: Origin | Vary: Access-Control-Request-Method | Vary: Access-Control-Request-Headers | X-Content-Type-Options: nosniff | Content-Type: application/ json | "timestamp" : "2023-10-01T09:27:45.567+00:00", | "status" : 404, | "error" : "Not

```
Found", | "path": "/" | HTTPOptions: | HTTP/1.1 404 Not Found | Expires: 0 | Cache-
Control: no-cache, no-store, max-age=0, must-revalidate | X-XSS-Protection: 1;
mode=block | Pragma: no-cache | X-Frame-Options: DENY | Date: Sun, 01 Oct 2023
09:28:03 GMT | Allow: GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS, PATCH |
Connection: close | Vary: Origin | Vary: Access-Control-Request-Method | Vary: Access-
Control-Request-Headers | X-Content-Type-Options: nosniff | Content-Type: application/
json | "timestamp" : "2023-10-01T09:28:03.163+00:00", | "status" : 404, | "error" : "Not
Found", | "path": "/" 2 services unrecognized despite returning data. If you know the
service/version, please submit the following fingerprints at https://nmap.org/cgi-bin/
submit.cgi?new-service: ===========NEXT SERVICE FINGERPRINT (SUBMIT
INDIVIDUALLY)======== SF-Port8080-
TCP:V=7.92\%I=7\%D=10/1\%Time=65193B91\%P=x8664-pc-linux-gnu\%r(Ge SF:tRequest,
65,"HTTP/1.1\x20404\x20Not\x20Found\r\nConnection:\x20close\r SF:\nContent-Length:
\x200\r\nDate:\x20Sun,\x2001\x20Oct\x202023\x2009:27:4 SF:5\x20GMT\r\n\r\n\r\)
%r(HTTPOptions,65,"HTTP/1.1\x20404\x20Not\x20Found\r SF:\nConnection:
\x20close\r\nContent-Length:\x200\r\nDate:\x20Sun,\x2001\x SF:
200ct\x202023\x2009:27:45\x20GMT\r\n\r\n")%r(RTSPRequest,42,"HTTP/1.1\
SF:x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20clos
SF:e\r\n\r\n")\%r(FourOhFourRequest,65,"HTTP/1.1\x20404\x20Not\x20Found\r\n
SF:nConnection:\x20close\r\nContent-Lenath:\x200\r\nDate:\x20Sun.\x2001\x2 SF:
00ct\x202023\x2009:27:46\x20GMT\r\n\r\n")%r(Socks5,42,"HTTP/1.1\x20400 SF:
\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20close\r\n\ SF:r\n")
%r(GenericLines, 42, "HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-SF:Length:
\x 200 \r\nConnection: \x 20 \close \r\n\r\n") \% \r(Help, 42, "HTTP/1.1 \x 20 \SF:
400\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20close\r SF:\n\r\n")
%r(SSLSessionReg,42,"HTTP/1.1\x20400\x20Bad\x20Reguest\r\nCont SF:ent-Length:
\x200\r\nConnection:\x20close\r\n\r\n")%r(TerminalServerCook SF:ie,42,"HTTP/
1.1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nCo SF:nnection:
\x 20 close \r \n \r \n") \% r (TLSS ession Reg, 42, "HTTP/1.1 \x 20400 \x 20 Ba)
SF:d\x20Request\r\nContent-Length:\x200\r\nConnection:\x20close\r\n\r\n")%
SF:r(Kerberos,42,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Length:\x2 SF:
00\r\nConnection:\x20close\r\n\r\n")\%r(SMBProgNeg,42,"HTTP/1.1\x20400\
SF:x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20close\r\n\r SF:\n")
%r(LPDString,42,"HTTP/1.1\x20400\x20Bad\x20Request\r\nContent-Leng SF:th:
\x200\r\nConnection:\x20close\r\n\r\n")%r(LDAPSearchReg,42,"HTTP/1. SF:
1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20cl
Length:\x200\r\nConnection:\x20close\r\n\r\n")%r(WMSRequest,42,"H SF:TTP/
1.1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection SF::
\x20close\r\n\r\n")%r(oracle-tns,42,"HTTP/1.1\x20400\x20Bad\x20Reques
SF:t\r\nContent-Length:\x200\r\nConnection:\x20close\r\n\r\n");
TCP:V=7.92\%I=7\%D=10/1\%Time=65193B91\%P=x8664-pc-linux-qnu\%r(Ge SF:tRequest,
1EF,"HTTP/1.1\x20404\x20Not\x20Found\r\nExpires:\x200\r\nCach SF:e-Control:\x20no-
cache,\x20no-store,\x20max-age=0,\x20must-revalidate\r SF:\nX-XSS-Protection:
\x201;\x20mode=block\r\nPragma:\x20no-cache\r\nX-Fra SF:me-Options:
\x20DENY\r\nDate:\x20Sun,\x2001\x20Oct\x202023\x2009:27:45\x SF:
20GMT\r\nConnection:\x20close\r\nVary:\x20Origin\r\nVary:\x20Access-Con SF:trol-
Request-Method\r\nVary:\x20Access-Control-Request-Headers\r\nX-Con SF:tent-Type-
Options:\x20nosniff\r\nContent-Type:\x20application/json\r\n\
SF:r\n{\n\x20\x20\"timestamp\"\x20:\x20\"2023-10-01T09:27:45.567+00:00\" SF:,
\n\x20\x20\"status\"\x20:\x20404,\n\x20\x20\"error\"\x20:\x20\"Not\x20 SF:Found\",
\n\x20\x20\ path\"\x20:\x20\"/\"\n}")%r(WMSRequest,42,"HTTP/1. SF:
1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nConnection:\x20cl
SF:ose\r\n\r\n")%r(ibm-db2-das,42,"HTTP/1.1\x20400\x20Bad\x20Request\r\nC SF:ontent-
Length:\x200\r\nConnection:\x20close\r\n\r\n")%r(SqueezeCenterC SF:LI,42,"HTTP/
1.1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\r\nCo SF:nnection:
\x20close\r\n\r\n")%r(GenericLines,42,"HTTP/1.1\x20400\x20Bad SF:
```

\x20Reauest\r\nContent-Lenath:\x200\r\nConnection:\x20close\r\n\r\n")%r SF: (HTTPOptions, 22B, "HTTP/1.1\x20404\x20Not\x20Found\r\nExpires:\x200\r\n SF:Cache-Control:\x20no-cache,\x20no-store,\x20max-age=0,\x20must-revalida SF:te\r\nX-XSS-Protection:\x201;\x20mode=block\r\nPragma:\x20no-cache\r\nX SF:-Frame-Options: \x20DENY\r\nDate:\x20Sun,\x2001\x20Oct\x202023\x2009:28: SF:03\x20GMT\r\nAllow: \x20GET,\x20HEAD,\x20POST,\x20PUT,\x20DELETE,\x20TRA SF:CE,\x20OPTIONS, \x20PATCH\r\nConnection:\x20close\r\nVary:\x20Origin\r\n SF:Vary:\x20Access-Control-Request-Method\r\nVary:\x20Access-Control-Reque SF:st-Headers\r\nX-Content-Type-Options:\x20nosniff\r\nContent-Type:\x20ap SF:plication/ $|son|r|n|r|n\{|n|x20|x20|\timestamp\}\||x20||x20|\|2023-10-01T09|$; SF:28:03.163+00:00\\, \n\x20\x20\"status\"\x20:\x20404,\n\x20\x20\"error\ SF:"\x20:\x20\"Not\x20Found\", $\ln x20 x20 = \frac{1}{n} x20 x20$ 1.1\x20400\x20Bad\x20Request\r\nContent-Length:\x200\ SF:r\nConnection: \x20close\r\n\r\n"); Device type: general purpose\storage-misc\firewall Running (JUST GUESSING): Linux 2.6.X|3.X|4.X (86%), Synology DiskStation Manager 5.X (86%), WatchGuard Fireware 11.X (86%), FreeBSD 6.X (85%) OS CPE: cpe:/o:linux:linuxkernel: 2.6.32 cpe:/o:linux:linuxkernel:3.10 cpe:/o:linux:linuxkernel:4.2 cpe:/o:linux:linuxkernel cpe:/a:synology:diskstationmanager:5.1 cpe:/o:watchquard:fireware:11.8 cpe:/ o:freebsd:freebsd:6.2 Aggressive OS guesses: Linux 2.6.32 (86%), Linux 2.6.32 or 3.10 (86%), Linux 2.6.39 (86%), Linux 3.10 - 3.12 (86%), Linux 3.4 (86%), Linux 3.5 (86%), Linux 4.2 (86%), Linux 4.4 (86%), Synology DiskStation Manager 5.1 (86%), WatchGuard Fireware 11.8 (86%) No exact OS matches for host (test conditions non-ideal). Network Distance: 2 hops Service Info: OS: Linux; CPE: cpe:/o:linux:linux kernel

TRACEROUTE (using port 80/tcp) HOP RTT ADDRESS 1 0.02 ms 172.17.0.1 2 5427.75 ms 20.235.99.34

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/. Nmap done: 1 IP address (1 host up) scanned in 319.89 seconds Running vulnerability scanning using basic nmap scripts - SQL Injection... Starting Nmap 7.92 (https://nmap.org) at 2023-10-01 09:29 UTC Nmap scan report for 20.235.99.34 Host is up (0.20s latency).

PORT STATE SERVICE 8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 0.80 seconds Running vulnerability scanning using CSS nmap script... Starting Nmap 7.92 (https://nmap.org) at 2023-10-01 09:29 UTC Nmap scan report for 20.235.99.34 Host is up (0.20s latency).

PORT STATE SERVICE 8080/tcp open http-proxy

Nmap done: 1 IP address (1 host up) scanned in 1.14 seconds

ZAP Full Scan Report

```
    Site: <a href="http://20.235.99.34:8080">http://20.235.99.34:8080</a>
    New Alerts

      • Absence of Anti-CSRF Tokens [10202] total: 1:
             http://20.235.99.34:8080/WebGoat/login
      Anti-CSRF Tokens Check [20012] total: 1:
             http://20.235.99.34:8080/WebGoat/login
      • Content Security Policy (CSP) Header Not Set [10038] total: 1:
             http://20.235.99.34:8080/WebGoat/login
      Permissions Policy Header Not Set [10063] total: 1:
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>
      Sec-Fetch-Dest Header is Missing [90005] total: 3:
             ■ http://20.235.99.34:8080/
             http://20.235.99.34:8080/robots.txt
             http://20.235.99.34:8080/WebGoat/login
      Sec-Fetch-Mode Header is Missing [90005] total: 3:
             ■ http://20.235.99.34:8080/
             ■ <a href="http://20.235.99.34:8080/robots.txt">http://20.235.99.34:8080/robots.txt</a>
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>
      Sec-Fetch-Site Header is Missing [90005] total: 3:
             ■ http://20.235.99.34:8080/
             ■ http://20.235.99.34:8080/robots.txt
             ■ http://20.235.99.34:8080/WebGoat/login
      Sec-Fetch-User Header is Missing [90005] total: 3:
             ■ http://20.235.99.34:8080/
             http://20.235.99.34:8080/robots.txt
             http://20.235.99.34:8080/WebGoat/login
      • Storable and Cacheable Content [10049] total: 4:
             ■ http://20.235.99.34:8080/
             ■ http://20.235.99.34:8080/robots.txt
             ■ <a href="http://20.235.99.34:8080/sitemap.xml">http://20.235.99.34:8080/sitemap.xml</a>
             ■ <a href="http://20.235.99.34:8080/WebGoat/login">http://20.235.99.34:8080/WebGoat/login</a>
      User Agent Fuzzer [10104] total: 12:
             ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
             ■ http://20.235.99.34:8080/WebGoat
             ■ http://20.235.99.34:8080/WebGoat
             ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
             ■ http://20.235.99.34:8080/WebGoat
```

View the following link to download the report. RunnerID:6369531289

ZAP Full Scan Report

```
    Site: <a href="http://20.235.99.34:8080">http://20.235.99.34:8080</a> New Alerts

      • Absence of Anti-CSRF Tokens [10202] total: 1:
            ■ http://20.235.99.34:8080/WebGoat/registration
      Anti-CSRF Tokens Check [20012] total: 1:
            http://20.235.99.34:8080/WebGoat/registration
      • Content Security Policy (CSP) Header Not Set [10038] total: 1:
            http://20.235.99.34:8080/WebGoat/registration
      Permissions Policy Header Not Set [10063] total: 1:
            http://20.235.99.34:8080/WebGoat/registration
      Sec-Fetch-Dest Header is Missing [90005] total: 3:
            ■ http://20.235.99.34:8080/
            http://20.235.99.34:8080/robots.txt
            ■ http://20.235.99.34:8080/WebGoat/registration
      Sec-Fetch-Mode Header is Missing [90005] total: 3:
            http://20.235.99.34:8080/
            ■ <a href="http://20.235.99.34:8080/robots.txt">http://20.235.99.34:8080/robots.txt</a>
            http://20.235.99.34:8080/WebGoat/registration
      Sec-Fetch-Site Header is Missing [90005] total: 3:
            ■ http://20.235.99.34:8080/
            ■ http://20.235.99.34:8080/robots.txt
            ■ http://20.235.99.34:8080/WebGoat/registration
      Sec-Fetch-User Header is Missing [90005] total: 3:
            ■ http://20.235.99.34:8080/
            http://20.235.99.34:8080/robots.txt
            ■ <a href="http://20.235.99.34:8080/WebGoat/registration">http://20.235.99.34:8080/WebGoat/registration</a>

    Storable and Cacheable Content [10049] total: 4:

            ■ http://20.235.99.34:8080/
            ■ http://20.235.99.34:8080/robots.txt
            ■ http://20.235.99.34:8080/sitemap.xml
            http://20.235.99.34:8080/WebGoat/registration
      User Agent Fuzzer [10104] total: 12:
            ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
            ■ http://20.235.99.34:8080/WebGoat
            ■ http://20.235.99.34:8080/WebGoat
            ■ <a href="http://20.235.99.34:8080/WebGoat">http://20.235.99.34:8080/WebGoat</a>
            ■ http://20.235.99.34:8080/WebGoat
```

View the following link to download the report. RunnerID:6369531289

Sonar Cloud Code Scan Report

SonarQube Cloud code scan

SonarCloud Scan for OWASP WebGoat

Go to https://sonarcloud.io/project/overview?id=pradyumna-muppirala_WebGoatSAST for full report of SonarCloud with Github SSO.

Snyk Report

Snyk_scan

Snyk Scan for OWASP WebGoat

Go to https://app.snyk.io/org/pradyumna-muppirala for full report of Snyk with Github SSO.