

PROJECT REPORT

PROJECT TITLE
Import Data using Transform Maps (Spreadsheet)

THE M.D.T. HINDU COLLEGE

TEAM ID	SWTID-2026-7613	TEAM SIZE	5
TEAM LEADER	Pradyun M		

TEAM DETAILS

S.No	Team Member	Register Number	Role
01	Pradyun M	24081071802111225	TEAM LEADER
02	Raja Ramachandran S	24081071802111227	Team Member
03	Esakki sivaramalingam G	2408107180211207	Team Member
04	Karthick M	24081071802111213	Team Member
05	Lakshmi Narayanan A	24081071802111214	Team Member

This project demonstrates the process of importing bulk external data into a target database/platform (such as ServiceNow) using **Transform Maps** and **Spreadsheets (Excel/CSV)**. Data importation is a critical operation in enterprise IT operations, configuration management, and database migrations. Using automated transform maps eliminates manual record creation, reduces human error, and ensures field-level data validation during staging and target table insertion.

2. PROJECT OBJECTIVES

- To import raw structured data from Microsoft Excel/CSV spreadsheets into a staging table.

- To map source fields from the spreadsheet to target table columns using Transform Maps.
- To implement field mapping, coalesce keys to prevent duplicate records, and write transformation scripts where necessary.
- To verify, run, and validate the data load job.

3. SYSTEM REQUIREMENTS & COMPONENTS

3.1 Software Requirements

- Enterprise Platform Instance (e.g., ServiceNow Developer Instance)
- Data File Editor (Microsoft Excel / Google Sheets)
- Web Browser (Chrome / Edge / Firefox)


3.2 Key Technical Concepts


Data Source: Defines the connection details and spreadsheet file location.

Import Set Table (Staging Table): A temporary storage table where imported data sits before transformation.

Transform Map: A set of field maps that determines how data from the staging table moves into the target destination table.

Coalesce Field: A unique identifier (e.g., Email or User ID) used as a key to match incoming records with existing records (insert vs. update logic).





Step 1: Prepare Source Spreadsheet

- Created a structured dataset in .xlsx format containing columns: First Name, Last Name, Email, Department, and Employee ID.

Step 2: Load Data Source

- Navigated to **System Import Sets > Load Data**.
- Uploaded the Excel file and created a new staging table named **u_imp_employee_data**.
- Executed the load job to populate raw staging records.

Step 3: Create Transform Map

- Created a new Transform Map naming the source as **u_imp_employee_data** and target table as **sys_user** (or custom table).
- Clicked **Auto Map Matching Fields** to map identical column names automatically.
- Manually adjusted remaining field pairs.

Source Field	Target Field
u_first_name	first_name
u_email	email
u_emp_id	user_name

Step 4: Set Coalesce Rules

Marked the **Employee ID / Email** field as **Coalesce = true**. This ensures that if a record already exists, it gets updated rather than duplicated.

Step 5: Execute Transform & Verification

- Executed the transform job.
- Verified completion in the Import Set Logs.
- Navigated to the target table to confirm accurate data placement and field alignment.

5. RESULTS & CONCLUSION

The data migration process was completed successfully. All records from the source spreadsheet were mapped, validated, and transferred to the target database table without errors or duplication. Using Transform Maps proved to be an efficient, reliable, and scalable method for bulk data integration.