Cucumber Report

| Start : Aug 03, 7:49:38.346 pm	End : Aug 03, 7:51:31.693 pm	Duration : 1 m 53.347 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 2 FAILED - 3 SKIPPED - 4

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Test the Orange HRM application	*1 m 53.347 s*	*3*	*0*	*3*	*0*	*9*	*2*	*3*	*4*

#	Feature Name	T	P	F	S	Duration
1	Test the Orange HRM application	3	0	3	0	1 m 53.347 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Orange HRM application	Test Login functionality	2	0	1	1	53.058 s
2	Test the Orange HRM application	Test Home Page Functionality	3	2	1	0	30.123 s
3	Test the Orange HRM application	PIM page Functionality	4	0	1	3	30.113 s

Test the Orange HRM application

FAILED	DURATION - 1 m 53.347 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 7:49:38.346 pm // 7:51:31.693 pm /		Pass - 0		Pass - 2	
		Fail - 3	3	Fail - 3	9
		Skip - 0		Skip - 4	

Test Login functionality

FAILED	DURATION - 53.058 s		Steps	
/ 7:49:38.351 pm // 7:50:31.409 pm /			Total - 2	
Test the Orange HRM application			Pass - 0	2
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given user is on login page	FAILED	53.035 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 44.077 (Session info: chrome=115.0.5790.111) Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a41227ee759534d9def644bf2f329e2, get {url=https://opensource-demo.orangehrmlive.com/web/index.php/auth/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PRATHA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51568/devtoo..., se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7a41227ee759534d9def644bf2f329e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297)		
	at BaseLayer.BaseClass.initialization(BaseClass.java:32)		
	at Steps.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:13)		
	at ?.user is on login page(file:///C:/Users/Prathamesh/git/OrangeHRMJuneBatch/AllFeatures/orangehrm.feature:4)		
	* Not displayable characters are replaced by '?'.		
2	When user enter valid username and password and click on login button	SKIPPED	0.001 s

Test Home Page Functionality

FAILED | DURATION - 30.123 s

/ 7:50:31.438 pm // 7:51:01.561 pm /

Test the Orange HRM application

Steps Total - 3 Pass - 2 Fail - 1 Skip - 0

#	Step / Hook Details	Status	Duration
1	When user is on home page and validate home page title	PASSED	0.064 s
2	And validate home page url	PASSED	0.013 s
3	And validate home page logo	FAILED	30.041 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//img[@alt='client brand banner']"} (Session info: chrome=115.0.5790.111) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a41227ee759534d9def644bf2f329e2, findElement {using=xpath, value=//img[@alt='client brand banner']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PRATHA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51568/devtoo..., se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7a41227ee759534d9def644bf2f329e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.isDisplayed(Unknown Source) at PageLayer.HomePage.getLogoStatus(HomePage.java:19) at Steps.HomePageSteps.validate_home_page_logo(HomePageSteps.java:26) at ?.validate home page logo(file:///C:/Users/Prathamesh/git/OrangeHRMJuneBatch/AllFeatures/orangehrm.feature:11) * Not displayable characters are replaced by '?'.		

PIM page Functionality

FAILED	DURATION - 30.113 s
/ 7:51:01.580 pm // 7:51:31.693 pm /	
Test the Orange HRM application	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	When user click on PIM link	FAILED	30.102 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='oxd-main-menu-item active']"} (Session info: chrome=115.0.5790.111) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a41227ee759534d9def644bf2f329e2,		

#	Step / Hook Details	Status	Duration

	findElement {using=xpath, value=//a[@class='oxd-main-menu-item active']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.111, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\PRATHA~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51568}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51568/devtoo..., se:cdpVersion: 115.0.5790.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7a41227ee759534d9def644bf2f329e2
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.isDisplayed(Unknown Source)
	  at UtilsLayer.UtilsClass.click(UtilsClass.java:16)
	  at PageLayer.PimPage.clickOnPimlink(PimPage.java:44)
	  at Steps.PimPageStepDef.user_click_on_pim_link(PimPageStepDef.java:19)
	  at ?.user click on PIM link(file:///C:/Users/Prathamesh/git/OrangeHRMJuneBatch/AllFeatures/orangehrm.feature:15)
	* Not displayable characters are replaced by '?'.		

2	Then Click on Add Employee	SKIPPED	0.000 s
3	And Enter Firstname MiddleName LastName and capture the Empid	SKIPPED	0.001 s
4	And Click on save button.	SKIPPED	0.001 s