

Pinging from system 10.0.0.10 to router 10.0.0.1

```
C:\>ping 10.0.0.1

Pinging 10.0.0.1 with 32 bytes of data:

Reply from 10.0.0.1: bytes=32 time=2ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 2ms, Average = 0ms
```

pinging from system 10.0.0.10 to router 20.0.0.1

```
C:\>ping 20.0.0.1

Pinging 20.0.0.1 with 32 bytes of data:

Reply from 20.0.0.1: bytes=32 time<1ms TTL=255
Reply from 20.0.0.1: bytes=32 time<1ms TTL=255
Reply from 20.0.0.1: bytes=32 time<1ms TTL=255
Reply from 20.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 20.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 20.0.0.2

Pinging 20.0.0.2 with 32 bytes of data:

Request timed out.
Reply from 20.0.0.2: bytes=32 time<1ms TTL=254
Reply from 20.0.0.2: bytes=32 time=5ms TTL=254
Reply from 20.0.0.2: bytes=32 time<1ms TTL=254

Ping statistics for 20.0.0.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 5ms, Average = 1ms
```

pinging from system 10.0.0.10 to router 30.0.0.1

```
C:\>ping 30.0.0.1

Pinging 30.0.0.1 with 32 bytes of data:

Reply from 30.0.0.1: bytes=32 time<1ms TTL=254
Reply from 30.0.0.1: bytes=32 time<1ms TTL=254
Reply from 30.0.0.1: bytes=32 time<1ms TTL=254
Reply from 30.0.0.1: bytes=32 time<1ms TTL=254

Ping statistics for 30.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 30.0.0.2

Pinging 30.0.0.2 with 32 bytes of data:

Request timed out.
Reply from 30.0.0.2: bytes=32 time<1ms TTL=253
Reply from 30.0.0.2: bytes=32 time<1ms TTL=253
Reply from 30.0.0.2: bytes=32 time<1ms TTL=253

Ping statistics for 30.0.0.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

pinging from system 10.0.0.10 to router172.19.0.1

```
C:\>ping 172.19.0.1

Pinging 172.19.0.1 with 32 bytes of data:

Reply from 172.19.0.1: bytes=32 time<1ms TTL=253
Reply from 172.19.0.1: bytes=32 time<1ms TTL=253
Reply from 172.19.0.1: bytes=32 time<1ms TTL=253
Reply from 172.19.0.1: bytes=32 time<1ms TTL=253

Ping statistics for 172.19.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 172.19.0.2

Pinging 172.19.0.2 with 32 bytes of data:

Request timed out.
Reply from 172.19.0.2: bytes=32 time<1ms TTL=252
Reply from 172.19.0.2: bytes=32 time<1ms TTL=252
Reply from 172.19.0.2: bytes=32 time<1ms TTL=252

Ping statistics for 172.19.0.2:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

pinging from system 10.0.0.10 to router 15.0.0.1

```
C:\>ping 15.0.0.1
Pinging 15.0.0.1 with 32 bytes of data:
Reply from 15.0.0.1: bytes=32 time<1ms TTL=252
Reply from 15.0.0.1: bytes=32 time<1ms TTL=252
Reply from 15.0.0.1: bytes=32 time<1ms TTL=252
Reply from 15.0.0.1: bytes=32 time<1ms TTL=252
Ping statistics for 15.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 15.0.0.10
Pinging 15.0.0.10 with 32 bytes of data:
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=13ms TTL=124
Reply from 15.0.0.10: bytes=32 time=13ms TTL=124
Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 13ms, Average = 6ms
```

pinging from system 10.0.0.10 to router 21.0.0.1

```
C:\>ping 21.0.0.1
Pinging 21.0.0.1 with 32 bytes of data:
Reply from 21.0.0.1: bytes=32 time<1ms TTL=253
Reply from 21.0.0.1: bytes=32 time<1ms TTL=253
Reply from 21.0.0.1: bytes=32 time<1ms TTL=253
Reply from 21.0.0.1: bytes=32 time<1ms TTL=253
Ping statistics for 21.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 21.0.0.2
Pinging 21.0.0.2 with 32 bytes of data:
Reply from 21.0.0.2: bytes=32 time<1ms TTL=252
Reply from 21.0.0.2: bytes=32 time=1ms TTL=252
Reply from 21.0.0.2: bytes=32 time<1ms TTL=252
Reply from 21.0.0.2: bytes=32 time<1ms TTL=252
Ping statistics for 21.0.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

pinging from system 10.0.0.10 to router 192.168.168.1

```
C:\>ping 192.168.168.1

Pinging 192.168.168.1 with 32 bytes of data:

Reply from 192.168.168.1: bytes=32 time<1ms TTL=252
Reply from 192.168.168.1: bytes=32 time<1ms TTL=252
Reply from 192.168.168.1: bytes=32 time<1ms TTL=252
Reply from 192.168.168.1: bytes=32 time<1ms TTL=252

Ping statistics for 192.168.168.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 192.168.168.2

Pinging 192.168.168.2 with 32 bytes of data:

Reply from 192.168.168.2: bytes=32 time<1ms TTL=251
Reply from 192.168.168.2: bytes=32 time<1ms TTL=251
Reply from 192.168.168.2: bytes=32 time=10ms TTL=251
Reply from 192.168.168.2: bytes=32 time=10ms TTL=251

Ping statistics for 192.168.168.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 10ms, Average = 5ms
```

Pinging from system 10.0.0.10 to router 162.14.0.1

```
C:\>ping 162.14.0.1

Pinging 162.14.0.1 with 32 bytes of data:

Reply from 162.14.0.1: bytes=32 time<1ms TTL=251
Reply from 162.14.0.1: bytes=32 time<1ms TTL=251
Reply from 162.14.0.1: bytes=32 time=11ms TTL=251
Reply from 162.14.0.1: bytes=32 time<1ms TTL=251

Ping statistics for 162.14.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 11ms, Average = 2ms
```

```
C:\>ping 162.14.0.10

Pinging 162.14.0.10 with 32 bytes of data:

Reply from 162.14.0.10: bytes=32 time=10ms TTL=123
Reply from 162.14.0.10: bytes=32 time=10ms TTL=123
Reply from 162.14.0.10: bytes=32 time=11ms TTL=123
Reply from 162.14.0.10: bytes=32 time=10ms TTL=123

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 10ms, Maximum = 11ms, Average = 10ms
```

Pinging from system 15.0.0.10 to 10.0.0.10

```
C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124
Reply from 10.0.0.10: bytes=32 time<1ms TTL=124

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 162.14.0.10

Pinging 162.14.0.10 with 32 bytes of data:

Reply from 162.14.0.10: bytes=32 time=10ms TTL=124
Reply from 162.14.0.10: bytes=32 time<1ms TTL=124
Reply from 162.14.0.10: bytes=32 time<1ms TTL=124
Reply from 162.14.0.10: bytes=32 time<1ms TTL=124

Ping statistics for 162.14.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 10ms, Average = 2ms
```

pinging from system 162.14.0.10 to 10.0.0.10

```
C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time=10ms TTL=123
Reply from 10.0.0.10: bytes=32 time=11ms TTL=123
Reply from 10.0.0.10: bytes=32 time=11ms TTL=123
Reply from 10.0.0.10: bytes=32 time=10ms TTL=123

Ping statistics for 10.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 10ms, Maximum = 11ms, Average = 10ms
```

```
C:\>ping 15.0.0.10

Pinging 15.0.0.10 with 32 bytes of data:

Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124
Reply from 15.0.0.10: bytes=32 time=3ms TTL=124
Reply from 15.0.0.10: bytes=32 time<1ms TTL=124

Ping statistics for 15.0.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 3ms, Average = 0ms
```