




QEMU (Win)

My Documents

My Computer

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-I...

Old Java ASDM

PUTTY

Server & Services

IIS Windows Server - Windows Internet Explorer

http://www.netflix.com/

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

IIS Windows Server

Windows Server

Internet Information Services

Welcome	Bienvenue	Tervetuloa
ようこそ	Benvenuto	歓迎
Bem-vindo	Bienvenido	Hoş geldiniz
		ברוכים הבאים

http://go.microsoft.com/fwlink/?linkid=66138&clcid=0x409

Internet 100%

Server & Services

Pinterest - India

YouTube Music

https://labs.suren

PNETLab | Lab is Si...

Notes/CCNA at mai...

SUREN NETWORK
PLAY WITH TECHNOLOGIES

Win 50.0.0.10

MCT 50.0.0.1

QEMU (Win)

My Documents

My Computer

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-I...

Old Java ASDM

PuTTY

http://www.hotstar.com/ - Windows Internet Explorer

http://www.hotstar.com/

File Edit View Favorites Tools Help


Favorites Suggested Sites Web Slice Gallery

http://www.hotstar.com/


Hello World! This file is located in /home/httpd

Done

Internet 100%



```
ROUTER
*Aug 5 08:02:17.060: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
ROUTER(config-if)#exit
ROUTER(config)#int e0/2
ROUTER(config-if)#ip add 50.0.0.1 255.0.0.0
ROUTER(config-if)#no sh
ROUTER(config-if)#exit
ROUTER(config)#exit
ROUTER#
ROUTER#
ROUTER#
*Aug 5 08:03:03.423: %SYS-5-CONFIG_I: Configured from console by console
ROUTER#sh ip int br
Interface                IP-Address      OK? Method Status    Prot
ocol
Ethernet0/0              172.16.0.1      YES manual  up        up
Ethernet0/1              8.0.0.1         YES manual  up        up
Ethernet0/2              50.0.0.1        YES manual  up        up
Ethernet0/3              unassigned      YES TFTP   down      down
ROUTER#
```

```
R1
R1(config)#route add 192.168.2.1 255.255.255.0 172.16.0.2
^
% Invalid input detected at '^' marker.
R1(config)#ip route 192.168.2.1 255.255.255.0 172.16.0.2
%Inconsistent address and mask
R1(config)#
R1(config)#
R1(config)#exit
R1#
R1#
R1#
*Aug 5 10:07:10.743: %SYS-5-CONFIG_I: Configured from console by console
R1#show ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR
```