

DEDICATED MENTORING SYSTEM FOR STUDENTS

(HEPro AI+)

PROJECT REPORT

Submitted in partial fulfillment of the requirements for the
AI & ML Internship Program

Organization

HEPro AI

Submitted By

Pragathi N

Internship Domain

Artificial Intelligence & Machine Learning

Under the Guidance of

Argha

Submission Date

25 February 2026

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to **HEPro AI** for providing me with the opportunity to undertake the “Dedicated Mentoring System for Students (HEPro AI+)” project as part of the AI & ML Internship Program. This internship has been a significant milestone in my learning journey, allowing me to apply theoretical knowledge to practical, real-world problem-solving.

I am deeply thankful to my mentor, **Argha**, for his continuous guidance, valuable insights, and constructive feedback throughout the duration of this project. His mentorship helped me refine my technical approach, improve my analytical thinking, and maintain clarity in designing the system architecture and machine learning components.

I also extend my appreciation to the entire HEPro AI team for creating a structured and supportive learning environment. The systematic activity-based approach adopted during the internship enabled me to progressively build the project from data collection and scoring systems to clustering and intelligent mentor matching.

This project provided me with hands-on experience in rule-based intelligence, machine learning techniques, feature engineering, and decision-system design. The exposure to real-world mentoring challenges enhanced my understanding of how artificial intelligence can be applied responsibly and effectively in educational support systems.

I am grateful to my peers and fellow interns for their collaboration, discussions, and knowledge sharing, which contributed to a productive and motivating work environment. Their perspectives and feedback helped in strengthening the quality of this project.

Finally, I would like to acknowledge everyone who directly or indirectly supported me during this internship. Their encouragement and guidance played a vital role in the successful completion of this project.

ABSTRACT

Educational institutions often rely on traditional mentoring systems that are manual, reactive, and limited in identifying early signs of academic decline, stress, or career uncertainty among students. Such systems lack a structured, data-driven mechanism to provide timely and personalized interventions. This creates a gap in proactive student support and efficient mentor allocation.

The “Dedicated Mentoring System for Students (HEPro AI+)” addresses this problem by developing a hybrid AI-driven framework that integrates rule-based intelligence with machine learning techniques. The system converts raw student data into meaningful performance scores using a transparent Student Readiness Index (SRI). It further applies K-Means clustering to segment students into distinct groups such as At-Risk, High Performers, and Career-Confused students. Based on cluster insights, a capacity-aware mentor matching engine assigns appropriate mentors and generates targeted intervention plans.

The project was implemented using Python and key data science libraries including Pandas, NumPy, and Scikit-learn. Feature engineering, data normalization using StandardScaler, K-Means clustering, and similarity-based matching logic were applied to ensure accurate segmentation and fair mentor allocation.

The system successfully demonstrates early risk detection, structured decision-making, personalized intervention strategies, and efficient mentor assignment. By combining interpretability with machine learning intelligence, the solution enhances scalability, transparency, and effectiveness in modern educational mentoring systems.

Table of Contents

1. Introduction

- 1.1 Background
- 1.2 Motivation
- 1.3 Problem Definition
- 1.4 Objectives of the Project
- 1.5 Scope of the Project
- 1.6 Limitations

2. Literature Review / Conceptual Foundation

- 2.1 Traditional Mentoring Systems
- 2.2 Role of AI in Education
- 2.3 Data-Driven Student Support Systems
- 2.4 Hybrid AI Systems (Rule-based + ML)

3. System Overview

- 3.1 Project Architecture
- 3.2 System Workflow
- 3.3 Module Breakdown
 - Data Layer
 - Intelligence Layer
 - Decision Layer
 - Action Layer
 - Feedback Layer

4. Dataset Design

- 4.1 Dataset Philosophy
- 4.2 Student Dataset Structure
- 4.3 Mentor Dataset Structure
- 4.4 Interaction Dataset Structure
- 4.5 Data Preprocessing
- 4.6 Data Quality Controls

5. Feature Engineering

- 5.1 Feature Selection
- 5.2 Feature Normalization
- 5.3 Feature Encoding
- 5.4 Derived Features

6. Scoring System Design

- 6.1 Rule-Based Intelligence
- 6.2 Academic Performance Score (APS)
- 6.3 Wellness & Wellbeing Score (WWS)
- 6.4 Productivity & Time Management Score (PTMS)
- 6.5 Career Readiness Score (CRS)

6.6 Student Readiness Index (SRI)

6.7 Risk Classification Logic

7. Machine Learning Design

7.1 Role of ML in the System

7.2 Student Segmentation Model

- Model Type: K-Means Clustering
- Feature Space
- Training Process
- Cluster Interpretation

7.3 Similarity-Based Mentor Matching

- Feature Vector Design
- Similarity Metrics
- Matching Logic

7.4 Model Evaluation Strategy

8. Intervention & Decision System

8.1 Intervention Philosophy

8.2 Rule Engine Design

8.3 Intervention Levels

- Automated
- Mentor-Assisted
- Escalation

8.4 Decision Flow

9. Mentor Playbook Framework

9.1 Purpose of Playbooks

9.2 Playbook Structure

9.3 Core Playbooks

10. System Implementation

10.1 Technology Stack (Python-Based)

10.2 Backend Architecture

10.3 Data Processing Pipeline

10.4 ML Pipeline

10.5 Dashboard / Visualization Layer

11. Results & Outputs

11.1 Scoring Results

11.2 Clustering Results

11.3 Mentor Matching Results

11.4 Sample Dashboards

11.5 Case Scenarios

12. Evaluation

12.1 System Performance

12.2 Interpretability

12.3 Scalability

12.4 Reliability

13.Discussion

13.1 Key Learnings

13.2 Challenges Faced

13.3 Design Trade-offs

14.Ethical & Social Considerations

14.1 Data Privacy

14.2 Bias Prevention

14.3 Human-in-the-Loop Design

14.4 Responsible AI Principles

15.Future Scope

15.1 System Enhancements

15.2 Advanced ML Integration

15.3 Institutional Scaling

15.4 Policy Integration

16.Conclusion

INTRODUCTION

The education ecosystem is undergoing rapid transformation due to the integration of digital platforms, online learning systems, and data-driven tools. However, despite technological advancements in content delivery and assessment systems, mentoring frameworks in many institutions remain largely manual and reactive. Students today encounter complex academic, psychological, and career-related challenges that require timely and structured support mechanisms.

Modern educational environments generate large volumes of student data, including academic scores, attendance records, engagement metrics, stress indicators, and career readiness parameters. When properly analysed, this data can provide meaningful insights into student behaviour, performance trends, and potential risks. However, in the absence of intelligent systems, much of this valuable information remains underutilized.

The “Dedicated Mentoring System for Students (HEPro AI+)” aims to bridge this gap by integrating rule-based intelligence and machine learning techniques into a unified mentoring framework. The system is designed to proactively detect risk patterns, segment students based on behavioural and academic similarity, and recommend structured mentoring interventions. By combining interpretability with analytical depth, the solution enhances the effectiveness, scalability, and fairness of mentoring processes.

1.1 Background

Student success is influenced by multiple interrelated dimensions, including academic performance, attendance consistency, productivity, mental well-being, and career clarity. Traditional monitoring systems primarily focus on grade-based evaluation, often neglecting behavioural and psychological factors that significantly impact academic outcomes.

Research and practical observations suggest that poor sleep patterns, high stress levels, low engagement, and distractions can adversely affect academic performance even before grades decline. Therefore, a holistic mentoring system must account for both quantitative academic indicators and qualitative behavioural factors.

The HEPro AI+ system is built on this holistic philosophy. It integrates multi-dimensional student attributes into structured performance scores and clustering models. The framework supports mentors by converting complex data into interpretable insights, enabling evidence-based decision-making rather than subjective judgment.

1.2 Motivation

In real educational settings, many students are classified as “average performers,” yet they may be experiencing hidden stress, career confusion, or declining motivation. By the time academic deterioration becomes visible, the opportunity for early intervention may already be missed.

Several motivating factors influenced the development of this project:

- The need for early detection of academic and behavioral risk

- The requirement for structured mentor allocation rather than manual assignment
- The importance of scalable systems in institutions with large student populations
- The growing role of AI in predictive analytics and personalized support

Additionally, there is a strong need to design systems that are not only intelligent but also transparent. Pure black-box AI models may provide predictions but lack interpretability. Therefore, a hybrid approach combining rule-based scoring and machine learning clustering was chosen to ensure both explainability and analytical depth.

1.3 Problem Definition

Despite the presence of mentoring programs in many institutions, several operational challenges persist:

- Mentoring decisions are often based on limited academic metrics.
- Behavioural and wellness indicators are rarely integrated into evaluation systems.
- Risk identification mechanisms are not standardized.
- Mentor allocation may ignore workload and expertise matching.
- Intervention strategies are not systematically categorized.

These limitations result in inefficient resource utilization and delayed support for vulnerable students.

The central problem addressed by this project is:

How can a structured, scalable, and interpretable AI-driven mentoring system be designed to accurately classify student risk levels, segment students based on multi-dimensional attributes, and allocate mentors efficiently while ensuring fairness and transparency?

This problem requires the integration of data preprocessing, feature engineering, rule-based scoring, clustering algorithms, and decision logic into a cohesive framework.

1.4 Objectives of the Project

The key objectives of this project extend beyond simple classification and include the development of a complete mentoring intelligence pipeline:

1. To design a comprehensive student dataset reflecting academic, behavioural, and career-related indicators.
2. To implement a rule-based scoring system for transparent performance evaluation.
3. To compute composite metrics such as Academic Performance Score (APS), Wellness Score (WWS), and Student Readiness Index (SRI).
4. To apply K-Means clustering for identifying hidden patterns in student data.
5. To interpret clusters meaningfully for real-world mentoring applications.
6. To design a similarity-based mentor matching engine considering expertise and capacity constraints.
7. To generate cluster-based intervention strategies aligned with student needs.
8. To simulate an alert mechanism for high-risk students.

9. To create a scalable framework adaptable to real institutional environments.

1.5 Scope of the Project

The scope of this project covers both analytical and operational dimensions of mentoring:

- Academic performance monitoring
- Wellness and stress analysis
- Productivity and engagement evaluation
- Career readiness assessment
- Student segmentation using unsupervised learning
- Intelligent mentor matching
- Structured intervention planning
- Alert simulation for high-risk detection

The framework is designed to be modular and extensible. It can be integrated into:

- Higher education institutions
- EdTech platforms
- Online mentoring systems
- Corporate training and development programs

While currently implemented as a prototype, the system architecture allows future integration with dashboards, real-time analytics, and advanced predictive models.

1.6 Limitations

Although the system demonstrates significant potential, it has certain limitations that must be acknowledged:

- The dataset used is simulated and does not include real institutional data.
- External socio-economic, family, and environmental factors are not included in the feature set.
- The clustering model is static and not dynamically retrained over time.
- Advanced deep learning or time-series models are not implemented in the current version.
- Real-time alert notifications and dashboard integration are not part of this prototype.

These limitations provide opportunities for future development and improvement. Incorporating real-world data, advanced ML models, and real-time monitoring systems can further enhance the system's predictive accuracy and operational effectiveness.

Literature Review

The integration of artificial intelligence into educational support systems has gained significant attention in recent years. Institutions are increasingly exploring data-driven approaches to enhance academic performance monitoring, risk detection, and personalized mentoring. This literature review examines traditional mentoring systems, the role of artificial intelligence in education, data-driven student support frameworks, and the emergence of hybrid AI architectures that combine rule-based systems with machine learning models.

2.1 Traditional Mentoring Systems

Traditional mentoring systems are primarily human-centered and rely on faculty advisors or assigned mentors to monitor student progress. These systems typically evaluate students based on periodic assessments, attendance records, and informal feedback. While this approach promotes personal interaction and emotional support, it suffers from structural inefficiencies.

Several limitations of traditional mentoring systems have been observed:

- **Reactive Intervention:** Support is usually provided after academic decline becomes visible rather than during early warning stages.
- **Limited Data Utilization:** Most institutions do not systematically analyze behavioural, psychological, or engagement-related data.
- **Subjective Evaluation:** Decisions are often influenced by mentor perception rather than standardized metrics.
- **Scalability Constraints:** Manual mentoring becomes inefficient as student populations grow.

Although traditional mentoring provides valuable human connection, it lacks analytical rigor and predictive capability. This gap highlights the need for integrating structured analytics into mentoring processes.

2.2 Role of AI in Education

Artificial Intelligence has transformed multiple sectors, including education. AI-driven systems enable personalized learning, adaptive assessments, and predictive analytics. In educational contexts, AI is commonly applied in:

- Intelligent tutoring systems
- Learning management systems with recommendation engines
- Predictive dropout detection models
- Behavioral analytics platforms

Machine learning algorithms can analyze complex, multi-dimensional datasets to uncover patterns that may not be immediately visible to human observers. For example, clustering techniques can group students based on similar performance or behavioral trends, while classification models can predict academic risk levels.

However, research also highlights challenges associated with AI in education:

- Lack of transparency in black-box models
- Ethical concerns related to bias and fairness
- Data privacy considerations
- Over-reliance on automation

Therefore, AI systems in mentoring contexts should function as decision-support tools rather than replacements for human judgment. Interpretability and responsible AI principles are critical for sustainable adoption.

2.3 Data-Driven Student Support Systems

Data-driven student support systems leverage structured data to enhance institutional decision-making. These systems integrate academic, behavioral, and engagement metrics to provide comprehensive insights into student performance.

Common components of data-driven support systems include:

- Academic performance dashboards
- Attendance tracking systems
- Engagement analytics
- Early warning systems

Research indicates that multi-dimensional analysis improves risk detection accuracy compared to grade-only evaluation models. For instance, declining engagement combined with high stress levels may indicate potential academic challenges even if GPA remains stable.

Despite their benefits, many existing systems remain descriptive rather than predictive. They provide reports on past performance but do not actively segment students or recommend structured interventions. Additionally, mentor allocation processes are rarely optimized using data-driven logic.

The need for intelligent segmentation and structured intervention mapping forms the foundation for the HEPPro AI+ system.

2.4 Hybrid AI Systems (Rule-based + ML)

Hybrid AI systems combine deterministic rule-based logic with probabilistic machine learning models. This architecture balances interpretability and analytical power.

Rule-based systems provide:

- Transparent scoring mechanisms

- Clear decision thresholds
- High explainability

Machine learning models provide:

- Pattern recognition
- Multi-variable interaction analysis
- Adaptive segmentation

In mentoring systems, hybrid AI offers significant advantages:

1. Improved early risk detection
2. Balanced transparency and intelligence
3. Reduced bias through structured logic
4. Enhanced scalability

The HEPro AI+ framework adopts this hybrid approach by integrating a rule-based Student Readiness Index with K-Means clustering for segmentation. This combination ensures that mentors understand how scores are calculated while benefiting from machine learning's ability to detect hidden behavioral patterns.

The conceptual foundation of this project is therefore grounded in the evolution from traditional mentoring to data-driven analytics and ultimately to hybrid AI-supported mentoring frameworks.

System Overview

The HEPro AI+ Dedicated Mentoring System is designed as a structured, multi-layered architecture that transforms raw student data into actionable mentoring decisions. The system integrates rule-based intelligence, machine learning clustering, and capacity-aware mentor matching to create a proactive mentoring framework.

The overall system follows an end-to-end pipeline that begins with student data collection and concludes with personalized intervention planning and mentor assignment


3.1 Project Architecture

The architecture of the HEPro AI+ system is organized into five logical layers:

1. **Data Layer**
2. **Intelligence Layer**
3. **Decision Layer**
4. **Action Layer**
5. **Feedback Layer**

This layered architecture ensures modularity, scalability, and interpretability.

At a high level, the system performs the following sequence:



The architecture is hybrid in nature, combining:

- Rule-Based Scoring (Student Readiness Index)
- Machine Learning Segmentation (K-Means Clustering)
- Structured Mentor Allocation Logic

This ensures both explainability and analytical depth.

3.2 System Workflow

The system workflow follows a structured end-to-end process as defined in the project documentation

Step 1: Student Data Collection

The system begins with structured student data containing:

- Academic Score indicators
- Engagement Score
- Risk-related metrics

These are derived from GPA, attendance, assignment completion, stress levels, sleep patterns, productivity, and engagement indicators.

Step 2: Rule-Based Scoring

The system computes:

- Academic Performance Score (APS)
- Wellness & Wellbeing Score (WWS)
- Productivity & Time Management Score (PTMS)
- Career Readiness Score (CRS)
- Student Readiness Index (SRI)

The SRI provides a transparent overall readiness score used for initial classification.

Step 3: Student Segmentation (Machine Learning)

Using normalized features, the system applies **K-Means Clustering** to segment students into meaningful groups.

Identified clusters include:

- At-Risk Students
- High Performers
- Career-Confused Students

This step enables pattern discovery beyond rule-based thresholds.

Step 4: Mentor Matching Engine

Based on the assigned cluster, the system:

- Maps student needs to mentor expertise
- Checks mentor availability
- Validates remaining capacity
- Dynamically updates mentor load

This ensures fair, need-based allocation

Step 5: Intervention Recommendation

Each cluster is mapped to a structured intervention plan:

- At-Risk → Immediate counseling& monitoring
- Academic Risk → Structured academic support
- Career-Confused → Career guidance & skill development
- Stable/High Performers → Growth mentorship

Step 6: Alert Simulation

- Students identified as high-risk are automatically flagged and marked with alert indicators for immediate attention.

3.3 Module Breakdown

The system is divided into five functional modules:

1. Data Layer

The Data Layer stores and manages:

- Student dataset (academic, wellness, productivity, career indicators)
- Mentor dataset (expertise, specialization, capacity, availability)

This layer ensures structured and clean data input for analysis.

2. Intelligence Layer

The Intelligence Layer performs analytical computation:

- Rule-based score calculation (APS, WWS, PTMS, CRS, SRI)
- Feature normalization using StandardScaler
- K-Means clustering for segmentation

This layer transforms raw data into meaningful insights.

3. Decision Layer

The Decision Layer interprets intelligence outputs to:

- Map clusters to required mentor types
- Apply similarity-based matching
- Enforce mentor capacity constraints

This ensures structured, bias-reduced allocation.

4. Action Layer

The Action Layer generates:

- Personalized intervention plans
- Weekly monitoring recommendations
- Career development plans
- Counselling triggers

It translates analytical results into actionable mentoring steps.

5. Feedback Layer

The Feedback Layer supports:

- High-risk alert tracking
- Mentor load updates
- Continuous monitoring of student progress

This ensures that the mentoring process remains dynamic and responsive.

Dataset Design

The effectiveness of the HEP Pro AI+ Dedicated Mentoring System depends heavily on the quality and structure of the dataset. The dataset is designed to simulate real-world student behavior by integrating academic, behavioral, wellness, productivity, and career readiness indicators.

The dataset architecture is divided into three primary components:

- Student Dataset
- Mentor Dataset
- Interaction Dataset

Each dataset is structured to support scoring, clustering, mentor matching, and intervention planning.

4.1 Dataset Philosophy

The dataset philosophy is based on a holistic student evaluation approach. Instead of focusing only on academic grades, the system incorporates multi-dimensional indicators that reflect real student challenges.

The dataset captures five major dimensions:

- Academic Performance
- Engagement & Productivity
- Mental Well-being
- Lifestyle Balance
- Career Readiness

The goal is to simulate realistic scenarios such as:

- Students with high GPA but high stress
- Students with good attendance but low engagement
- Students academically stable but career-confused
- Students with declining productivity due to distractions

By integrating these variables, the dataset enables:

- Early risk detection
- Multi-factor performance analysis
- Meaningful clustering
- Targeted mentoring interventions

This philosophy ensures that mentoring decisions are data-driven, fair, and comprehensive rather than grade-centric.

4.2 Student Dataset Structure

The student dataset contains structured attributes covering demographic, academic, behavioural, and career-related factors.

Key Fields Include:

1. Identification & Demographics

- student_id – Unique identifier
- age – Age of student
- program – Academic stream (B.Tech, MBA, B.Sc, etc.)
- semester – Current semester

2. Academic Indicators

- gpa (0–10)
- attendance (0–100%)
- assignments_completion (0–100%)

These attributes are used to compute the **Academic Performance Score (APS)**.

3. Wellness Indicators

- stress_level (1–10)
- sleep_hours (0–10)
- mental_wellbeing (1–10)

These help compute the **Wellness & Wellbeing Score (WWS)**.

4. Productivity & Engagement Indicators

- productivity_score (1–10)
- distractions (1–10)
- engagement_score (0–100)

These are used in the **Productivity & Time Management Score (PTMS)**.

5. Career Readiness Indicators

- career_clarity (1–10)
- skill_readiness (1–10)

These contribute to the **Career Readiness Score (CRS)**.

Derived Features

From these raw attributes, the system computes:

- APS
- WWS
- PTMS
- CRS
- Student Readiness Index (SRI)

These derived features are used for clustering and decision-making.

The dataset is normalized before applying machine learning to ensure fair distance-based clustering.

4.3 Mentor Dataset Structure

The mentor dataset is designed to support structured and capacity-aware allocation.

Key Fields Include:

- mentor_id – Unique identifier
- mentor_name
- expertise_area (Academic / Wellness / Career)
- specialization
- max_capacity – Maximum number of students assigned
- current_load – Current assigned count
- availability_status (Available / Not Available)

This dataset ensures:

- Need-based mentor mapping
- Capacity constraint enforcement
- Fair workload distribution
- Expertise alignment with student requirements

The mentor dataset enables the Decision Layer to filter mentors based on expertise and availability before final assignment.

4.4 Interaction Dataset Structure

The interaction dataset simulates mentoring activities and system-generated actions. It captures how students and mentors interact after allocation.

Key Components Include:

- student_id
- assigned_mentor_id
- cluster_type
- intervention_type
- alert_flag (High Risk indicator)
- monitoring_frequency

This dataset serves multiple purposes:

1. Tracks mentor allocation outcomes
2. Stores intervention recommendations
3. Flags high-risk students
4. Enables monitoring and follow-up

The interaction dataset represents the operational output of the system and ensures traceability of decisions.

4.5 Data Preprocessing

Data preprocessing is a critical step in ensuring that the dataset is clean, consistent, and suitable for analytical modeling. Since the HEPPro AI+ system integrates both rule-based scoring and machine learning clustering, proper preprocessing is essential for accurate and unbiased results.

The preprocessing process includes the following stages:

1. Data Cleaning

- Verification of unique student and mentor IDs
- Removal of duplicate records
- Handling missing or incomplete values
- Ensuring numerical fields remain within defined ranges

For example:

- GPA restricted to 0–10
- Attendance restricted to 0–100
- Stress levels limited to 1–10

Any inconsistent values were corrected or validated before further analysis.

2. Data Type Validation

Each attribute was validated to ensure correct data types:

- Numerical variables stored as integers or floats
- Categorical variables (e.g., program, expertise_area) stored as string/object types

This ensures compatibility with scoring formulas and machine learning models.

3. Feature Scaling and Normalization

Machine learning algorithms such as K-Means rely on distance calculations. If features have different scales (e.g., GPA 0–10 vs Attendance 0–100), variables with larger ranges dominate clustering results.

To address this, **StandardScaler** was applied to normalize features before clustering. This transformation:

- Centers features around mean = 0
- Scales features to unit variance

This ensures fair contribution of all variables in distance-based clustering.

4. Derived Feature Computation

After cleaning and scaling, composite scores were calculated:

- Academic Performance Score (APS)
- Wellness & Wellbeing Score (WWS)
- Productivity & Time Management Score (PTMS)
- Career Readiness Score (CRS)
- Student Readiness Index (SRI)

These derived features simplify multi-dimensional student attributes into interpretable performance indicators.

5. Data Segmentation Preparation

Before clustering:

- Relevant numerical features were selected
- Categorical features were excluded from distance calculations
- Feature matrix was prepared for K-Means algorithm

This ensured consistent input into the unsupervised learning model.

4.6 Data Quality Controls

To maintain system reliability and fairness, multiple data quality control mechanisms were implemented.

1. Range Validation Controls

Each numerical variable was validated against predefined acceptable ranges. Out-of-range values were flagged for correction. This prevents unrealistic entries from distorting scoring or clustering outcomes.

2. Consistency Checks

Logical consistency between related variables was verified. For example:

- High GPA should not coexist with extremely low assignment completion without review
- Extremely high stress combined with high wellbeing scores was flagged for validation

These checks prevent contradictory data from affecting risk classification.

3. Bias Prevention Measures

To reduce unintended bias:

- No demographic-sensitive variables (gender, income, etc.) were included
- Clustering relied only on academic and behavioral indicators
- Mentor assignment considered expertise and capacity rather than subjective attributes

This ensures fairness and ethical alignment.

4. Capacity Constraint Validation

Before mentor allocation:

- The system verifies mentor availability
- Ensures current load does not exceed maximum capacity

This prevents over-assignment and maintains balanced workload distribution.

5. Alert Verification Mechanism

High-risk students identified through clustering and scoring are automatically flagged. However, the system is designed as decision-support, meaning mentors can review flagged cases before final action.

This supports a **Human-in-the-Loop** approach, improving accountability and reducing automated decision risk.

Feature Engineering

Feature engineering plays a critical role in transforming raw student data into meaningful inputs for scoring models and machine learning algorithms. In the HEPro AI+ system, feature engineering ensures that academic, behavioral, wellness, and career indicators are structured in a way that improves interpretability, clustering performance, and decision accuracy.

The feature engineering process includes feature selection, normalization, encoding, and the creation of derived composite features.

5.1 Feature Selection

Feature selection involves identifying the most relevant variables that contribute to meaningful student segmentation and risk detection.

From the structured student dataset, the following features were selected for analytical modelling:

Academic Features:

- GPA
- Attendance Percentage
- Assignment Completion Rate

These indicators measure academic consistency and form the basis of the Academic Performance Score (APS).

Wellness Features:

- Stress Level
- Sleep Hours
- Mental Wellbeing Score

These capture emotional stability and lifestyle balance, contributing to the Wellness & Wellbeing Score (WWS).

Productivity & Engagement Features:

- Productivity Score
- Distraction Level
- Engagement Score

These variables assess focus, time management, and participation behavior.

Career Readiness Features:

- Career Clarity
- Skill Readiness

These measure professional preparedness and long-term direction.

Rationale for Feature Selection

The features were selected based on:

- Relevance to student mentoring decisions
- Contribution to multi-dimensional performance evaluation

- Suitability for clustering analysis
- Avoidance of sensitive demographic bias

Only meaningful and measurable attributes were included in the clustering feature space to maintain fairness and model stability.

5.2 Feature Normalization

Feature normalization is essential because K-Means clustering relies on Euclidean distance calculations. Features with larger numerical ranges can dominate the clustering process.

For example:

- Attendance ranges from 0–100
- GPA ranges from 0–10
- Stress ranges from 1–10

Without normalization, attendance would disproportionately influence cluster formation.

To address this, **StandardScaler** was applied:

- Mean centered at 0
- Standard deviation scaled to 1

This ensures:

- Equal contribution of all features
 - Improved clustering accuracy
 - Stable convergence of the K-Means algorithm
- Normalization enhances the fairness and mathematical consistency of the segmentation process.

5.3 Feature Encoding

Although most selected clustering features are numerical, the dataset includes categorical variables such as:

- Program (B.Tech, MBA, etc.)
- Mentor Expertise Area

These variables were handled as follows:

- Categorical attributes were excluded from distance-based clustering to prevent distortion.
 - Where required for analysis, categorical features can be converted using encoding techniques such as One-Hot Encoding.
 - However, for the current clustering model, only numerical behavioral and academic indicators were included to maintain model clarity and interpretability.
 - This approach ensures:
 - Reduced dimensional noise
 - Simplified clustering interpretation
 - Avoidance of artificial distance inflation

5.4 Derived Features

Derived features are composite metrics created from raw attributes to improve interpretability and decision support.

The HEPro AI+ system computes the following derived features:

- 1. Academic Performance Score (APS)**
APS combines GPA, attendance, and assignment completion to represent academic stability.
- 2. Wellness & Wellbeing Score (WWS)**
WWS integrates sleep and stress indicators to evaluate mental balance.
- 3. Productivity & Time Management Score (PTMS)**
PTMS captures focus, engagement, and distraction management.
- 4. Career Readiness Score (CRS)**
CRS evaluates career clarity and skill preparedness.
- 5. Student Readiness Index (SRI)**
SRI is a composite weighted score combining APS, WWS, PTMS, and CRS to represent overall readiness.

Importance of Derived Features

Derived features provide:

- Simplified mentor interpretation
- Structured risk classification
- Balanced performance measurement
- Improved clustering input quality

Instead of clustering on raw fragmented variables alone, the system leverages structured derived indicators that reflect meaningful student dimensions.

Scoring System Design

The Scoring System is the foundational intelligence layer of the HEPro AI+ Dedicated Mentoring System. It transforms raw student attributes into structured and interpretable performance indicators. The design follows a **rule-based intelligence approach**, ensuring transparency, fairness, and ease of interpretation.

Unlike purely black-box predictive systems, the rule-based scoring mechanism enables mentors to clearly understand how each score is calculated and why a student is classified into a specific risk category.

The scoring system consists of five primary components:

- Academic Performance Score (APS)
- Wellness & Wellbeing Score (WWS)
- Productivity & Time Management Score (PTMS)
- Career Readiness Score (CRS)
- Student Readiness Index (SRI)

6.1 Rule-Based Intelligence

Rule-based intelligence relies on predefined weighted formulas rather than probabilistic model predictions. This approach ensures:

- Full interpretability
- Transparent weight allocation
- Easy threshold-based classification
- Mentor-friendly explanations

Each score is computed using weighted combinations of normalized attributes. The weights are assigned based on the relative importance of each indicator in determining overall student performance.

The rule-based system serves two major purposes:

1. Provides a structured evaluation metric
2. Acts as a benchmark to compare with machine learning clustering results

This hybrid integration enhances reliability and explainability.

6.2 Academic Performance Score (APS)

The Academic Performance Score evaluates academic consistency and discipline.

Formula:

$$\text{APS} = (0.50 \times \text{GPA}) + (0.30 \times \text{Attendance}) + (0.20 \times \text{Assignment Completion})$$

Weight Justification:

- GPA (50%) – Primary indicator of academic strength
- Attendance (30%) – Reflects consistency and commitment

- Assignment Completion (20%) – Indicates responsibility and academic engagement

APS ensures that academic performance is not judged solely on grades but also on consistency and effort.

6.3 Wellness & Wellbeing Score (WWS)

The Wellness & Wellbeing Score evaluates mental balance and lifestyle stability.

Formula:

$$\text{WWS} = (0.60 \times \text{Sleep Score}) + (0.40 \times \text{Stress Score})$$

Weight Justification:

- Sleep (60%) – Strong influence on cognitive performance
- Stress (40%) – Direct impact on emotional stability

The model assumes optimal sleep duration (7–8 hours) as ideal. Balanced wellness is essential for sustainable academic performance.

6.4 Productivity & Time Management Score (PTMS)

The Productivity & Time Management Score measures focus, discipline, and engagement.

Formula:

$$\begin{aligned} \text{PTMS} = & (0.50 \times \text{Productivity Score}) \\ & + (0.30 \times (100 - \text{Distractions})) \\ & + (0.20 \times \text{Engagement Score}) \end{aligned}$$

Weight Justification:

- Productivity (50%) – Core performance behaviour
- Distraction Control (30%) – Negative factor adjustment
- Engagement (20%) – Reflects participation and involvement

This score ensures that students with high distraction levels are penalized appropriately while recognizing active engagement.

6.5 Career Readiness Score (CRS)

The Career Readiness Score evaluates preparedness for professional development.

Formula:

$$\begin{aligned} \text{CRS} = & (0.40 \times \text{Career Clarity}) \\ & + (0.40 \times \text{Skill Readiness}) \\ & + (0.20 \times \text{Engagement Score}) \end{aligned}$$

Weight Justification:

- Career Clarity (40%) – Direction and goal awareness
- Skill Readiness (40%) – Practical capability

- Engagement (20%) – Proactiveness toward opportunities
- CRS helps identify students who may be academically stable but uncertain about long-term goals.

6.6 Student Readiness Index (SRI)

The Student Readiness Index is the composite performance indicator representing overall student condition.

Formula:

$$\begin{aligned} \text{SRI} = & (0.30 \times \text{APS}) \\ & + (0.25 \times \text{WWS}) \\ & + (0.20 \times \text{PTMS}) \\ & + (0.25 \times \text{CRS}) \end{aligned}$$

Weight Distribution Logic:

- Academic Performance (30%) – Core academic responsibility
- Wellness (25%) – Sustainability factor
- Productivity (20%) – Daily behavior indicator
- Career Readiness (25%) – Future preparedness

The SRI integrates short-term academic indicators and long-term career readiness into a single interpretable score.

6.7 Risk Classification Logic

Based on the SRI value, students are classified into four categories:

Table 1: Student Readiness Index (SRI) Risk Classification Framework

SRI Range	Classification	Interpretation
≥ 80	Green	Excellent Performance
65 – 79	Blue	Good Performance
50 – 64	Yellow	Needs Improvement
< 50	Red	Immediate Intervention Required

Purpose of Classification:

- Enables quick mentor interpretation
- Supports automated intervention mapping
- Acts as a comparison baseline for clustering
- Identifies high-risk students for alert generation

Students classified as **Red** are automatically flagged for urgent mentoring and monitoring.

Machine Learning Design

The Machine Learning (ML) component of the HEPPro AI+ Dedicated Mentoring System enhances the rule-based scoring framework by identifying hidden behavioral patterns and grouping students into meaningful segments. While the rule-based system provides transparency, machine learning adds analytical depth and pattern discovery.

The ML layer primarily performs:

- Student segmentation using unsupervised learning
- Pattern detection across multi-dimensional features
- Support for targeted intervention strategies
- Input for intelligent mentor matching

7.1 Role of ML in the System

The role of machine learning in the HEPPro AI+ system is to complement rule-based intelligence. While the Student Readiness Index (SRI) uses predefined weights, machine learning:

- Detects hidden multi-variable relationships
- Identifies behaviorally similar student groups
- Captures non-linear patterns across academic and wellness dimensions
- Provides deeper segmentation beyond fixed thresholds

For example, some students classified as “Yellow” under rule-based scoring may cluster with “At-Risk” students due to stress and engagement patterns. This demonstrates the value of unsupervised learning in revealing subtle performance risks.

Machine learning therefore enhances:

- Early detection
- Segmentation accuracy
- Intervention precision

7.2 Student Segmentation Model

Model Type: K-Means Clustering

The system uses **K-Means Clustering**, an unsupervised learning algorithm that groups data points based on similarity.

K-Means was chosen because:

- It is efficient and scalable
- It performs well on structured numerical datasets
- It is suitable for behaviour-based segmentation
- It provides interpretable cluster centroids

The algorithm partitions students into K clusters by minimizing within-cluster variance using Euclidean distance.

Feature Space

The clustering model uses normalized numerical features derived from the dataset, including:

- Attendance Percentage
- Assignment Completion Rate
- Engagement Score
- Academic Performance Score (APS)
- Sleep Score
- Stress Score

These features represent academic, behavioural, and wellness dimensions.

Before clustering, features were standardized using **StandardScaler** to ensure equal contribution during distance calculation.

Training Process

The training workflow consists of:

1. Data Cleaning and Preprocessing
2. Feature Scaling (StandardScaler)
3. Determination of Optimal K using the Elbow Method
4. Application of K-Means Algorithm
5. Cluster Label Assignment

The Elbow Method was used to determine the optimal number of clusters by analysing within-cluster sum of squares (WCSS). The optimal K was selected where marginal improvement began to decline significantly.

After training, each student was assigned a cluster label.

Cluster Interpretation

The clustering process resulted in three meaningful student groups:

Cluster 0 – At-Risk Students

- Low attendance
- Low academic performance
- High stress levels
- Poor engagement

Interpretation: Students in this cluster require immediate academic and emotional support.

Cluster 1 – High Performers

- High attendance and engagement
- Strong academic performance
- Balanced stress and sleep patterns

Interpretation: These students are stable and ready for advanced opportunities.

Cluster 2 – Career-Confused Students

- Moderate academic performance
- Adequate attendance
- Low engagement
- Unclear career direction

Interpretation: These students require career guidance and motivation support.

The cluster interpretation aligns closely with real mentoring scenarios and provides actionable insights.

7.3 Similarity-Based Mentor Matching

After segmentation, the system assigns mentors using similarity-based matching.

Feature Vector Design

Each student is represented by a structured feature vector containing:

- Cluster Label
 - Academic Score Indicators
 - Risk Category
 - Career Readiness Metric
- Similarly, each mentor profile contains:
- Expertise Area (Academic / Wellness / Career)
 - Specialization
 - Capacity Constraints
 - Availability Status

This structured representation allows logical matching.

Similarity Metrics

Rather than pure distance-based matching, the system uses rule-based similarity mapping:

- At-Risk Cluster → Wellness or Academic Mentor
- Career-Confused Cluster → Career Mentor
- High Performers → Growth / Academic Mentor

The system filters mentors based on:

- Matching expertise
- Availability status
- Remaining capacity

This ensures relevance and fairness.

Matching Logic

The mentor matching engine follows these steps:

1. Identify student cluster
2. Map cluster to required mentor type
3. Filter mentors by expertise
4. Check availability
5. Validate capacity constraints
6. Assign most suitable mentor
7. Update mentor load dynamically

This prevents over-allocation and ensures structured distribution of mentoring resources.

7.4 Model Evaluation Strategy

Since clustering is unsupervised, traditional accuracy metrics are not applicable. Therefore, the evaluation strategy includes:

1. Elbow Method Validation

Ensures appropriate cluster selection.

2. Cluster Interpretability

Clusters must represent meaningful real-world categories.

3. Comparison with Rule-Based SRI

Some students classified as “Yellow” in SRI were grouped as At-Risk in clustering due to behavioral indicators. This demonstrates improved sensitivity.

4. Practical Validation

Clusters were validated against mentoring logic to ensure they translate into actionable interventions.

5. Stability Analysis

Feature normalization ensured consistent clustering results.

Intervention & Decision System

The Intervention & Decision System is the operational layer of the HEPro AI+ framework. It transforms analytical insights generated from rule-based scoring and machine learning clustering into structured mentoring actions.

While the Intelligence Layer identifies student conditions, the Intervention & Decision System ensures that insights are translated into meaningful, timely, and appropriate support mechanisms.

This system is designed to be:

- Proactive
- Structured
- Fair
- Capacity-aware
- Human-supervised

8.1 Intervention Philosophy

The intervention philosophy of the HEPro AI+ system is built on three core principles:

1. Proactive Support

Instead of waiting for academic decline, the system identifies early warning signals such as:

- Declining engagement
- Rising stress levels
- Low productivity
- Career confusion

Early detection enables preventive action rather than corrective action.

2. Personalization

Each student cluster represents a distinct profile. Therefore, intervention plans are tailored according to:

- Risk level
- Academic performance
- Behavioral indicators
- Career readiness

This ensures that students receive relevant and targeted support rather than generic advice.

3. Human-in-the-Loop Approach

Although the system generates recommendations automatically, mentors remain central decision-makers. The system provides decision support, not decision replacement.

This philosophy ensures:

- Accountability

- Ethical oversight
- Context-aware adjustments

8.2 Rule Engine Design

The Rule Engine is responsible for mapping analytical outcomes to intervention strategies. It integrates:

- Student Readiness Index (SRI)
- Cluster Label
- Risk Category
- Mentor Expertise Availability

Rule Engine Logic

The decision logic follows a structured mapping:

- If Cluster = At-Risk → Assign Academic/Wellness Mentor + Intensive Monitoring
- If Cluster = Career-Confused → Assign Career Mentor + Guidance Plan
- If Cluster = High Performer → Assign Growth Mentor + Advanced Opportunities

Additionally:

- If SRI < 50 → Activate Alert Flag
- If Mentor Capacity Full → Select Next Available Mentor
- If No Available Mentor → Escalate

This rule-based mapping ensures deterministic and consistent decision-making.

8.3 Intervention Levels

The system defines three structured levels of intervention depending on severity.

1. Automated Intervention

Triggered when:

- Moderate risk detected
- Yellow category in SRI
- Early behavioral decline

Examples:

- Automated notification to mentor
- Study plan recommendation
- Career assessment suggestion
- Productivity improvement tips

This level minimizes workload while ensuring early support.

2. Mentor-Assisted Intervention

Triggered when:

- Student is in At-Risk cluster
- SRI indicates high vulnerability
- Behavioural instability observed

Examples:

- Weekly mentoring sessions

- Academic remedial plans
- Stress counselling sessions
- Structured goal-setting meeting

This level involves active mentor participation.

3. Escalation

Triggered when:

- Repeated high-risk status
- Extremely low SRI
- Severe stress or academic decline
- Mentor capacity exceeded

Examples:

- Referral to senior faculty
- Psychological counseling referral
- Parent or administrative involvement

Escalation ensures that critical cases receive institutional attention.


8.4 Decision Flow

The Decision Flow follows a structured pipeline:

1. Compute SRI and cluster label
2. Evaluate risk classification
3. Map cluster to mentor expertise
4. Check mentor availability and capacity
5. Assign mentor
6. Generate intervention plan
7. Flag high-risk cases
8. Record interaction in system

This ensures traceability and structured action.

Simplified Decision Flow Representation:



Mentor Playbook Framework

The Mentor Playbook Framework standardizes mentoring practices within the HEPPro AI+ system. While the analytics layer identifies student needs, the Playbook Framework ensures that mentors follow structured, consistent, and measurable intervention strategies.

This framework transforms algorithmic insights into guided human action, ensuring quality, accountability, and scalability in mentoring operations.

9.1 Purpose of Playbooks

The primary purpose of mentor playbooks is to:

1. Standardize intervention procedures
2. Ensure consistent mentoring quality
3. Provide structured guidance to mentors
4. Align mentoring actions with student cluster profiles
5. Enable measurable progress tracking

Without structured playbooks, mentor interventions may vary widely in approach and effectiveness. The playbook system ensures that:

- At-Risk students receive immediate and intensive support
- Career-Confused students receive structured career guidance
- High Performers receive growth-oriented mentoring

Thus, playbooks act as operational blueprints for mentoring execution.

9.2 Playbook Structure

Each playbook follows a structured format to ensure clarity and repeatability.

Standard Playbook Components:

1. Target Student Profile

- Cluster type
- Risk category
- Key behavioural indicators
- SRI range

2. Objective of Intervention

- Academic stabilization
- Stress reduction
- Career clarity improvement
- Skill enhancement

3. Action Plan

- Frequency of meetings
- Academic plan adjustments
- Skill workshops
- Counselling sessions
- Progress checkpoints

4. Monitoring Metrics

- Change in SRI score
- Attendance improvement
- Stress reduction
- Engagement increase

5. Escalation Criteria

- No improvement after defined period
- Worsening risk indicators
- Repeated low SRI scores

This structured format ensures every mentor follows measurable and data-aligned intervention practices.

9.3 Core Playbooks

The HEPro AI+ system defines three primary playbooks aligned with clustering results.

1. At-Risk Student Playbook

Target Profile:

- Low academic performance
- High stress
- Low engagement
- SRI below threshold

Objectives:

- Stabilize academic performance
- Reduce stress levels
- Improve consistency

Action Plan:

- Weekly one-on-one mentoring sessions
- Mandatory remedial study plans
- Attendance monitoring
- Stress management support
- Parental or administrative update

Monitoring Period:

- 4–6 weeks minimum

Expected Outcome:

- Improved academic stability and movement to a higher readiness category.

2. Career-Confused Student Playbook

Target Profile:

- Moderate academic performance
- Low career clarity
- Inconsistent engagement

Objectives:

- Improve goal clarity

- Increase skill alignment
- Boost engagement

Action Plan:

- Career counseling sessions
- Skill-mapping exercises
- Resume building workshops
- Industry exposure programs
- Short-term certification guidance

Monitoring Period:

- 3–4 weeks

Expected Outcome:

- Improved Career Readiness Score and engagement metrics.

3. High Performer Playbook

Target Profile:

- High academic performance
- Strong engagement
- Balanced wellness indicators

Objectives:

- Encourage leadership
- Provide advanced opportunities
- Enhance career placement readiness

Action Plan:

- Advanced project participation
- Research or innovation tasks
- Leadership roles
- Internship referrals
- Competitive preparation programs

Monitoring Period:

- Periodic review every 4–6 weeks

Expected Outcome:

- Enhanced growth, leadership development, and placement readiness.

System Implementation

The HEPro AI+ Dedicated Mentoring System is implemented using a Python-based data science and machine learning environment. The system follows a modular architecture separating data handling, scoring, clustering, decision logic, and output generation.

The implementation ensures:

- Scalability within structured datasets
- Interpretability through rule-based scoring
- Modular design for easy enhancement
- Reproducibility using Jupyter notebooks
- Efficient processing using optimized Python libraries

10.1 Technology Stack

The system is developed using the following technologies:

Programming Language

- **Python** – Core development language

Data Processing Libraries

- **Pandas** – Data manipulation and transformation
- **NumPy** – Numerical computations

Machine Learning Libraries

- **Scikit-learn**
 - StandardScaler – Feature normalization
 - KMeans – Unsupervised clustering
 - PCA – Dimensionality reduction for visualization

Visualization Libraries

- **Matplotlib** – Elbow curve, cluster plots, bar charts
(*Seaborn was not used in this implementation.*)

Development Environment

- **Jupyter Notebook (.ipynb)**
- CSV-based structured datasets

This Python-based stack ensures transparency, experimentation flexibility, and academic reproducibility.

10.2 Backend Architecture

The backend architecture is modular and follows a layered structure within the notebook implementation.

Module 1: Data Loader

- Loads student dataset (CSV)
- Loads mentor dataset (CSV)
- Performs validation and structure checks

Module 2: Scoring Engine

- Computes APS, WWS, PTMS, CRS
- Computes Student Readiness Index (SRI)
- Applies risk classification logic

Module 3: ML Segmentation Engine

- Applies feature normalization using StandardScaler
- Executes K-Means clustering
- Assigns cluster labels
- Performs PCA for visualization

Module 4: Decision Engine

- Maps clusters to mentor expertise
- Checks mentor availability
- Validates capacity constraints
- Assigns mentor dynamically

Module 5: Output Generator

- Generates final recommendation DataFrame
- Adds alert flag for high-risk students
- Exports results to CSV (final_mentor_recommendations.csv)

This modular structure ensures logical separation of responsibilities and ease of debugging.

10.3 Data Processing Pipeline

The data processing pipeline follows a structured workflow:

Step 1: Data Ingestion

- Student and mentor datasets are loaded into Pandas DataFrames.

Step 2: Data Cleaning

- Range validation
- Missing value handling
- Data type verification

Step 3: Feature Engineering

- Derived scores calculated
- Composite index (SRI) computed

Step 4: Feature Normalization

- Selected features scaled using StandardScaler.

Step 5: Segmentation Preparation

- Feature matrix prepared for clustering.
- This pipeline ensures structured preprocessing before model execution.

10.4 ML Pipeline

The ML pipeline is designed for unsupervised student segmentation.

- **Step 1: Feature Selection**
 - Academic, wellness, productivity, and engagement indicators selected.
- **Step 2: Feature Scaling**
 - StandardScaler applied to ensure uniform contribution.
- **Step 3: Determine Optimal K**
 - Elbow Method used to identify ideal cluster count.
- **Step 4: Train K-Means Model**
 - Model fitted on scaled dataset.
- **Step 5: Assign Cluster Labels**
 - Each student receives a cluster identifier.
- **Step 6: Cluster Interpretation**
 - Clusters categorized as:
 - At-Risk
 - High Performers
 - Career-Confused

This ML pipeline enhances analytical depth beyond static rule thresholds.

10.5 Visualization Layer

All visual outputs were generated within the Jupyter Notebook environment using Matplotlib.

Visualization Components:

- Elbow Curve (optimal K selection)
- PCA-based Cluster Scatter Plot
- Cluster Distribution Bar Chart
- SRI Risk Category Distribution

Purpose of Visualizations:

- Validate clustering quality
- Interpret segmentation results
- Support mentor allocation decisions
- Provide clear academic documentation

Results & Outputs

The HEPro AI+ system generates structured outputs at multiple analytical stages, including rule-based scoring, machine learning clustering, mentor allocation, and intervention recommendation. The results demonstrate the system's ability to transform structured student data into actionable mentoring intelligence.

11.1 Scoring Results

The scoring framework converts raw academic and behavioral data into interpretable performance metrics .

Computed Scores:

- Academic Performance Score (APS)
- Wellness & Wellbeing Score (WWS)
- Productivity & Time Management Score (PTMS)
- Career Readiness Score (CRS)
- Student Readiness Index (SRI)

Risk Classification Thresholds:

- **Green (≥ 80)** – Excellent Performance
- **Blue (65–79)** – Good Performance
- **Yellow (50–64)** – Needs Improvement
- **Red (< 50)** – Immediate Intervention Required

Observed Patterns:

- Students with high GPA but poor sleep showed lower WWS.
- Students with moderate GPA but low engagement showed weaker PTMS.
- Behavioral indicators influenced final SRI significantly.

These scoring results provided the baseline input for clustering.

11.2 Clustering Results

Using K-Means clustering ($K = 3$) as described in Activity 3 , students were segmented into three meaningful clusters.




Figure 1: Elbow Method for Optimal K

The elbow curve showed a sharp reduction in WCSS at K=3, confirming the optimal cluster count.




Figure 2:PCA-Based Cluster Visualization

Clusters identified:

Cluster 1 – High Performers

- Strong academic performance
- High engagement
- Balanced stress levels

Cluster 2 – Career-Confused Students

- Moderate academic performance
- Low engagement
- Lack of career clarity

Key Insight:

Machine learning detected behavioural risk patterns that were not always visible through fixed SRI thresholds.

11.3 Mentor Matching Results

Based on Activity 4 end-to-end implementation, mentors were assigned using cluster-based mapping and capacity validation.

Allocation Logic:

- At-Risk → Academic / Wellness Mentor
- Career-Confused → Career Mentor
- High Performers → Growth Mentor

The system ensured:

- Availability validation
- Capacity constraint enforcement
- Dynamic load updates

Final Output:

The results were exported as:

final_mentor_recommendations.csv

The output included:

- Assigned Mentor
- Mentor Type
- Intervention Plan
- Alert Flag

No mentor exceeded maximum capacity.

11.4 Sample Dashboards (Notebook Visualizations)

All visualizations were generated using Matplotlib in Jupyter Notebook.




Figure 3:Cluster Distribution Bar Chart

This chart shows the number of students per cluster.




Figure 4: Risk Category Distribution

This chart validates rule-based classification distribution.

These notebook-based visualizations improve interpretability for mentors and administrators.

11.5 Case Scenarios (Cluster-Based Recommendations)

Based on the cluster-wise recommendation document :

Case 1 – At-Risk Student

Profile:

- Low academic performance
- High stress
- Low engagement

Intervention:

- Remedial academic sessions
- Weekly monitoring
- Counseling support

Expected Outcome:

Improved academic stability and reduced risk.

Case 2 – Career-Confused Student

Profile:

- Moderate GPA
- Lack of career clarity

Intervention:

- Career counseling
- Skill-mapping workshops
- Industry exposure

Expected Outcome:

Improved career direction and engagement.

Case 3 – High Performer

Profile:

- High GPA
- Strong engagement
- Balanced stress

Intervention:

- Advanced coursework
- Leadership programs
- Internship guidance

Expected Outcome:

Maximized academic and career growth.

12. Evaluation

The evaluation of the HEPPro AI+ Dedicated Mentoring System focuses on assessing its performance, interpretability, scalability, and reliability. Since the system integrates both rule-based intelligence and unsupervised machine learning, evaluation is conducted from both analytical and operational perspectives.

12.1 System Performance

The system performance was evaluated across three components:

Rule-Based Scoring Performance

The scoring system successfully:

- Converted raw academic and behavioural data into structured performance indicators.
- Generated consistent Student Readiness Index (SRI) values.
- Enabled clear classification into Green, Blue, Yellow, and Red categories.

The scoring formulas produced interpretable and logically consistent outputs aligned with student behavioural patterns.

Clustering Performance

The K-Means clustering model:

- Successfully segmented students into three meaningful clusters.
- Demonstrated clear separation in PCA visualization.
- Identified hidden behavioural risk patterns not always visible in rule-based SRI.

The Elbow Method validated the selection of $K = 3$ clusters, ensuring optimal segmentation structure.

Mentor Matching Performance

The mentor matching engine:

- Allocated mentors based on cluster needs.
- Enforced mentor capacity constraints.
- Generated structured output in `final_mentor_recommendations.csv`.
No mentor exceeded assigned capacity, confirming operational efficiency.

Overall, the system performed effectively in transforming student data into actionable mentoring decisions.

12.2 Interpretability

Interpretability is a major strength of the HEPPro AI+ system.

Transparent Rule-Based Design

The scoring formulas are clearly defined and documented.

Mentors can understand:

- How APS, WWS, PTMS, CRS are calculated
- How SRI is derived
- Why a student falls into a specific risk category

This eliminates black-box ambiguity.

Explainable Clustering

Although K-Means is unsupervised, interpretability is maintained through:

- Cluster characteristic analysis
- Behavioral profiling
- Clear mapping to intervention strategies

Each cluster has well-defined academic and behavioral traits.

Decision Transparency

The mentor matching engine follows structured rule logic :

- Cluster → Mentor Type
- Capacity Validation
- Alert Flag Activation

This ensures decisions are explainable and auditable.

12.3 Scalability

The system demonstrates scalability at multiple levels.

Data Scalability

- Designed for structured CSV datasets.
- Can handle larger student datasets with minimal architectural changes.
- K-Means clustering is computationally efficient for moderate-scale institutional datasets.

Institutional Scalability

The modular architecture supports:

- Addition of new scoring indicators
- Expansion of mentor dataset
- Integration with institutional databases

The rule-based engine can be adapted to different institutions by adjusting weights or thresholds.

Deployment Scalability

Currently implemented in Jupyter Notebook, the system can be extended to:

- Web-based dashboards
- Institutional portals
- Centralized mentoring platforms

Thus, the prototype can evolve into a production-ready mentoring intelligence system.

12.4 Reliability

Reliability refers to system consistency, fairness, and robustness.

Data Validation Controls

Range validation and pre-processing ensure clean input data.

Bias Prevention

The clustering process does not use demographic attributes such as gender or socioeconomic background.

This reduces risk of discriminatory segmentation.

Consistent Classification

Given the same dataset, the scoring and clustering produce consistent results due to deterministic formulas and standardized pre-processing.

Human-in-the-Loop Oversight

Although alerts are automatically generated for high-risk students, final mentoring decisions remain human-supervised.

This ensures ethical accountability.

13. Discussion

The development of the HEPPro AI+ Dedicated Mentoring System provided valuable insights into the integration of rule-based intelligence, machine learning, and operational decision systems within an educational context. This section reflects on key learning, challenges encountered, and design trade-offs made during implementation.

13.1 Key Learning's

Importance of Hybrid Intelligence

One of the most important learning from this project was the value of combining rule-based logic with machine learning.

- Rule-based scoring (SRI) ensured transparency and interpretability.
- Machine learning clustering revealed hidden behavioural patterns.

The hybrid approach demonstrated that structured logic and data-driven segmentation can complement each other effectively.

Feature Engineering Impacts Results Significantly

The selection and normalization of features directly influenced clustering quality.

- Behavioural indicators such as stress and engagement significantly impacted cluster grouping.
- Proper scaling using StandardScaler improved cluster stability.

This reinforced the importance of pre-processing and thoughtful feature design.

Real-World Mentoring is Multi-Dimensional

Academic performance alone does not fully represent student readiness.

The project highlighted that:

- Wellness affects academic outcomes.
- Career clarity impacts engagement.
- Stress can mask underlying risk.

A holistic dataset approach is essential for meaningful mentoring analytics.

Operational Design Matters as Much as ML

Designing the mentor matching logic required careful thought regarding:

- Capacity constraints
- Fair allocation
- Alert handling

This demonstrated that AI systems must be operationally practical, not just analytically strong.

13.2 Challenges Faced

Determining Optimal Cluster Count

Choosing the correct value of K required experimentation using the Elbow Method. Ensuring that clusters were both mathematically valid and practically meaningful required careful interpretation.

Cluster Interpretation

After clustering, assigning meaningful labels such as “At-Risk” or “Career-Confused” required:

- Behavioural analysis
- Cross-comparison with SRI
- Domain reasoning

Interpreting unsupervised learning outputs in a real-world context was a key challenge.

Balancing Simplicity and Depth

A major challenge was balancing:

- Simplicity for interpretability
- Analytical depth for accuracy

More complex models could have been used (e.g., deep learning), but interpretability was prioritized.

Designing Fair Mentor Allocation

Ensuring that:

- No mentor exceeded capacity
- Expertise aligned with cluster needs
- Allocation remained unbiased

Required careful rule structuring.

13.3 Design Trade-offs

During system development, several design trade-offs were made.

Trade-off 1: Interpretability vs Complexity

Instead of using complex predictive models, the system uses:

- Rule-based scoring
- K-Means clustering

This choice sacrifices advanced predictive power but ensures transparency and explainability.

Trade-off 2: Static Clustering vs Real-Time Adaptation

The current system performs clustering on a static dataset.

Real-time streaming updates were not implemented to maintain simplicity and clarity.

Trade-off 3: Feature Scope vs Ethical Simplicity

Sensitive demographic variables were intentionally excluded to reduce bias risk.

While this may reduce certain predictive capabilities, it improves fairness and ethical compliance.

Trade-off 4: Prototype vs Production System

The system is implemented in Jupyter Notebook for clarity and demonstration.

Full deployment architecture (web app, API, database integration) was not implemented to maintain academic focus.

Ethical & Social Considerations

The HEPro AI+ Dedicated Mentoring System is designed not only to improve mentoring efficiency but also to uphold ethical, fair, and responsible use of artificial intelligence in educational environments. Since the system analyzes student behavioral and performance data, ethical safeguards are essential to ensure privacy, fairness, transparency, and accountability.

14.1 Data Privacy

Student data is sensitive and must be handled responsibly. The dataset used in this project includes academic performance, stress levels, engagement scores, and career readiness indicators.

To ensure data privacy:

- Only structured academic and behavioural indicators were used.
- No personally sensitive attributes (e.g., financial background, religion, gender, medical conditions) were included.
- Student records are identified using anonymized IDs (e.g., S001–S050).
- Data was stored locally within a controlled Jupyter environment.

The system is designed as a decision-support prototype and does not share data externally. In real-world deployment, additional safeguards such as encryption, role-based access control, and compliance with institutional data protection policies would be required.

14.2 Bias Prevention

Bias in AI systems can result in unfair classification or discriminatory outcomes. To minimize bias:

1. The clustering model uses only academic and behavioural indicators.
2. No demographic-sensitive features were included.
3. Rule-based scoring follows transparent formulas.
4. Mentor allocation is based on expertise and capacity, not subjective attributes.

Additionally, the system avoids automated punitive actions. Even if a student is classified as “At-Risk,” the system recommends support, not penalties.

This design reduces the risk of algorithmic discrimination and promotes fairness.

14.3 Human-in-the-Loop Design

The HEPro AI+ system follows a Human-in-the-Loop (HITL) approach.

Although the system:

- Computes SRI scores
- Assigns cluster labels
- Flags high-risk students

Final mentoring decisions remain under human supervision.

Mentors can:

- Review student profiles
- Adjust intervention strategies
- Override recommendations if necessary

This ensures:

- Contextual understanding
- Ethical accountability
- Prevention of blind automation

The system functions as an intelligent assistant, not an autonomous authority.

14.4 Responsible AI Principles

The design of the HEPro AI+ system aligns with key Responsible AI principles:

- **Transparency**
Scoring formulas and cluster logic are clearly documented .
- **Explainability**
Mentors can understand why a student is classified into a particular risk category.
- **Fairness**
Sensitive attributes are excluded from modelling.
- **Accountability**
Human mentors validate automated recommendations.
- **Beneficence**
The system aims to provide support, not punishment.
- **Sustainability**
The modular design allows safe future expansion without compromising ethical standards.

15. Future Scope

The HEPro AI+ Dedicated Mentoring System currently operates as a structured prototype integrating rule-based intelligence and unsupervised machine learning. While the system demonstrates effective student segmentation and mentor allocation, several enhancements can further improve its analytical power, scalability, and institutional impact.

15.1 System Enhancements

Several practical enhancements can be implemented to improve system functionality:

Real-Time Data Integration

Currently, the system operates on static CSV datasets. Future versions can integrate:

- Real-time academic updates
- Live attendance tracking
- Continuous engagement monitoring

This would enable dynamic risk detection.

Automated Alert Notifications

Instead of only flagging high-risk students within the dataset , the system can:

- Send automated email alerts to mentors
- Notify academic coordinators
- Trigger reminder systems

This enhances responsiveness.

Performance Tracking Dashboard

A structured dashboard interface can be built to:

- Track SRI trends over time
- Monitor cluster transitions
- Analyze mentor workload distribution

This would convert the prototype into a more interactive decision-support platform.

Feedback-Based Model Refinement

Future systems can incorporate mentor feedback to:

- Adjust scoring weights
- Improve intervention mapping
- Validate clustering accuracy

This creates a continuous improvement cycle.

15.2 Advanced ML Integration

While K-Means clustering provides effective segmentation , more advanced techniques can be explored.

Predictive Risk Modelling

Supervised learning models (e.g., Logistic Regression, Random Forest) can be used to:

- Predict probability of academic failure
- Forecast dropout risk
- Identify long-term performance trends

Time-Series Analysis

Analyzing SRI changes over semesters could enable:

- Early burnout detection
- Engagement decline prediction
- Dynamic intervention scheduling

Deep Learning Models

Neural networks could model complex multi-factor relationships across:

- Behavioral patterns
- Academic progression
- Career readiness evolution

However, interpretability must remain a priority.

Recommendation Systems

A content-based recommendation engine could suggest:

- Specific learning resources
- Career pathways
- Skill development courses

This would personalize mentoring further.

15.3 Institutional Scaling

The current system is implemented within a Jupyter Notebook environment. For institutional deployment, future steps include:

Web-Based Platform Development

- Backend API integration
- Database connectivity
- Secure login for mentors and administrators

Centralized Data Storage

Integration with institutional ERP systems for:

- Automated data ingestion
- Continuous record updates
- Historical tracking

Multi-Institution Adaptability

The scoring weights and thresholds can be customized for:

- Different academic streams
- Different grading systems
- Different institutional policies

This ensures broader applicability.

15.4 Policy Integration

For large-scale adoption, policy alignment is essential.

Institutional Mentoring Policy Alignment

The system can support formal mentoring policies by:

- Defining structured intervention timelines
- Standardizing mentor responsibilities
- Ensuring accountability documentation

Data Governance Policies

Future implementations must comply with:

- Institutional data protection regulations
- Ethical AI governance frameworks
- Student consent policies

Standardization Across Departments

The framework can help institutions:

- Standardize mentoring evaluation criteria
- Establish uniform risk classification methods
- Track institutional-level performance metrics

Future Vision Summary

The HEPro AI+ system has strong potential to evolve into:

- A predictive mentoring intelligence platform
- A real-time student risk monitoring system
- A scalable institutional decision-support tool
- A policy-aligned academic governance solution

With further enhancements and institutional integration, the system can significantly transform student mentoring practices using responsible and interpretable AI.

Conclusion

The HEPro AI+ Dedicated Mentoring System successfully demonstrates how artificial intelligence can transform traditional mentoring frameworks into structured, data-driven, and proactive support systems.

The project integrates:

- A transparent rule-based scoring mechanism
- Machine learning-based student segmentation using K-Means clustering
- Cluster-specific intervention strategies
- Capacity-aware mentor matching and alert generation

Through this hybrid architecture, the system effectively converts raw academic and behavioural data into actionable mentoring intelligence.

The rule-based Student Readiness Index (SRI) ensures interpretability and fairness, while the clustering model uncovers hidden behavioural patterns that may not be visible through fixed thresholds alone. The integration of these approaches enhances early risk detection and supports personalized intervention planning.

The mentor matching engine further strengthens the system by ensuring:

- Need-based allocation
- Expertise alignment
- Capacity control
- Structured intervention mapping

By combining analytical intelligence with operational practicality, the system moves beyond simple performance reporting and provides a scalable decision-support framework for educational institutions.

Moreover, the project emphasizes ethical responsibility by incorporating:

- Data privacy considerations
- Bias prevention strategies
- Human-in-the-loop decision oversight

Overall, the HEPro AI+ Dedicated Mentoring System demonstrates that AI, when designed responsibly and transparently, can significantly enhance student mentoring effectiveness, improve academic stability, and promote holistic student development.

This project establishes a strong foundation for future expansion into predictive analytics, real-time monitoring systems, and institution-wide deployment, marking a meaningful step toward intelligent and ethical educational support systems.

References

1. HEPro AI, *Activity 1: Student Dataset Design and Data Dictionary*, Internship Documentation, 2026.
2. HEPro AI, *Activity 2: Student Scoring System – Rule-Based Intelligence*, Internship Documentation, 2026.
3. HEPro AI, *Activity 3: Student Segmentation & Risk Detection using Machine Learning*, Internship Documentation, 2026.
4. HEPro AI, *Activity 3: Cluster-Wise Student Recommendations*, Internship Documentation, 2026.
5. HEPro AI, *Activity 4: Mentor Matching & Intervention Recommendations – End-to-End Flow Explanation*, Internship Documentation, 2026.
6. Scikit-learn Developers, *Scikit-learn: Machine Learning in Python*, Available: <https://scikit-learn.org>
7. Pedregosa, F. et al., “Scikit-learn: Machine Learning in Python,” *Journal of Machine Learning Research*, 2011.
8. McKinney, W., “Data Structures for Statistical Computing in Python,” *Proceedings of the 9th Python in Science Conference*, 2010. (Pandas Library)
9. Harris, C. R. et al., “Array Programming with NumPy,” *Nature*, 2020.
10. Hunter, J. D., “Matplotlib: A 2D Graphics Environment,” *Computing in Science & Engineering*, 2007.

Appendices

The appendices provide supplementary technical details supporting the HEPro AI+ Dedicated Mentoring System. These materials include dataset samples, model configurations, representative code segments, screenshots of analytical outputs, and user-level operational guidance.

Appendix A: Dataset Samples

This appendix includes representative samples from the student and mentor datasets used in the system.

A.1 Student Dataset Sample

The student dataset includes structured academic and behavioral attributes such as:

- student_id
- gpa
- attendance
- assignments_completion
- stress_level
- sleep_hours
- productivity_score
- distractions
- career_clarity
- skill_readiness
- engagement_score

Sample Table (Illustrative)

student_id	gpa	attendance	stress_level	engagement_score
S001	8.2	88	4	72
S002	6.5	65	8	45
S003	9.1	92	3	85

A.2 Mentor Dataset Sample

The mentor dataset contains:

- mentor_id
- mentor_name
- expertise_area
- max_capacity
- current_load
- availability_status

Appendix B: Model Parameters

B.1 Scoring Parameters

From Activity 2 :

- $APS = 0.50 \times GPA + 0.30 \times Attendance + 0.20 \times Assignment\ Completion$
- $WWS = 0.60 \times Sleep + 0.40 \times Stress$
- $PTMS = 0.50 \times Productivity + 0.30 \times (100 - Distractions) + 0.20 \times Engagement$
- $CRS = 0.40 \times Career\ Clarity + 0.40 \times Skill\ Readiness + 0.20 \times Engagement$
- $SRI = 0.30 \times APS + 0.25 \times WWS + 0.20 \times PTMS + 0.25 \times CRS$

B.2 Clustering Parameters

From Activity 3 :

- Algorithm: K-Means
- Number of Clusters: 3
- Initialization: k-means++
- Preprocessing: StandardScaler
- Visualization: PCA

Appendix C: Code Snippets

C.1 Scoring System (Example)

```
df["APS"] = 0.50 * df["gpa"] + \
    0.30 * df["attendance"] + \
    0.20 * df["assignments_completion"]
df["SRI"] = 0.30 * df["APS"] + \
    0.25 * df["WWS"] + \
    0.20 * df["PTMS"] + \
    0.25 * df["CRS"]
```

C.2 K-Means Clustering

```
from sklearn.preprocessing import StandardScaler
from sklearn.cluster import KMeans
scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)
kmeans = KMeans(n_clusters=3, random_state=42)
df["Cluster"] = kmeans.fit_predict(X_scaled)
```

C.3 Mentor Matching Logic (Simplified)


```
for student in students:
    required_expertise = cluster_mapping[student.cluster]
```

```
available_mentors = mentors[
    (mentors["expertise"] == required_expertise) &
    (mentors["current_load"] < mentors["max_capacity"])
]
```


Appendix D: Screenshots

This appendix includes notebook-generated screenshots such as:


- Elbow Method plot




- PCA cluster visualization



- Cluster distribution chart



- Risk classification bar chart



Appendix E: User Guide

E.1 How to Run the System

1. Open Jupyter Notebook.
2. Load student and mentor CSV datasets.
3. Run scoring module cells.
4. Execute clustering cell.
5. Run mentor matching logic.
6. Export final_mentor_recommendations.csv.

E.2 Understanding the Output

The final output file contains:

- Student ID
- Cluster Type
- SRI Score
- Assigned Mentor
- Mentor Expertise
- Intervention Plan
- Alert Flag