

```
ssh: connect to host 31.20.74.222 port 22: Connection timed out
lokesh@loki-pc MINGW64 ~
$ cd downloads
lokesh@loki-pc MINGW64 ~/downloads
$ ssh -i mykey.pem ec2-user@13.60.23.69
ssh: connect to host 13.60.23.69 port 22: Connection timed out
lokesh@loki-pc MINGW64 ~/downloads
$ 
lokesh@loki-pc MINGW64 ~/downloads
$ $ ssh -i mykey.pem ec2-user@13.60.23.69
bash: $: command not found
lokesh@loki-pc MINGW64 ~/downloads
$ ssh -i mykey.pem ec2-user@13.60.23.69
The authenticity of host '13.60.23.69 (13.60.23.69)' can't be established.
ED25519 key fingerprint is SHA256:f0uBXoPKFXlk9TYhLfVUAF88sRGgy1y6GAAh3pq0fCc.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '13.60.23.69' (ED25519) to the list of known hosts.
```

The terminal window shows the user 'lokesh' at 'loki-pc' in the 'MINGW64' environment. They navigate to the 'downloads' directory and attempt to connect via SSH to an EC2 instance at IP 13.60.23.69 using a private key 'mykey.pem'. The first two attempts fail due to a 'Connection timed out' error. On the third attempt, the connection succeeds, displaying the standard SSH warning about the host's fingerprint. The user confirms they want to continue. The terminal output then shows the ASCII art logo for Amazon Linux 2023, followed by the URL 'https://aws.amazon.com/linux/amazon-linux-2023'. Finally, the prompt changes to '[ec2-user@ip-172-31-35-126 ~]\$', indicating a successful login as the 'ec2-user' on the remote machine.

```
lec-user@ip-172-31-35-126 ~]$ sudo su -
[root@ip-172-31-35-126 ~]# yum install httpd
Amazon Linux 2023 Kernel Livepatch repository
dependencies resolved.
322 kb/s | 38 kB | 00:00

Package Architecture Version Repository Size
Installing:
httpd x86_64 2.4.66-1.amzn2023.0.1 amazonlinux 47 k
Installing dependencies:
apr x86_64 1.7.5-1.amzn2023.0.4 amazonlinux 129 k
apr-util x86_64 1.6.3-1.amzn2023.0.2 amazonlinux 97 k
apr-util-1mdb x86_64 1.6.3-1.amzn2023.0.2 amazonlinux 13 k
generic-logos-httpd noarch 18.0.0-12.amzn2023.0.3 amazonlinux 19 k
httpd-core x86_64 2.4.66-1.amzn2023.0.1 amazonlinux 4.4 M
httpdfilesystem noarch 2.4.66-1.amzn2023.0.1 amazonlinux 13 k
httpd-tools x86_64 2.4.66-1.amzn2023.0.1 amazonlinux 81 k
libtool-lt1 x86_64 1.0.9-4.amzn2023.0.2 amazonlinux 315 k
mailcap noarch 2.1.49-3.amzn2023.0.3 amazonlinux 33 k
Installing weak dependencies:
apr-util-openssl x86_64 1.6.3-1.amzn2023.0.2 amazonlinux 15 k
mod_httpd x86_64 2.0.27-1.amzn2023.0.3 amazonlinux 166 k
mod_lua x86_64 2.4.66-1.amzn2023.0.1 amazonlinux 60 k

Transaction Summary
Install 13 Packages

Total download size: 2.4 M
Installed size: 6.9 M
Is this ok [y/n]: y
Downloading Packages:
(2/13): apr-1.7.5-1.amzn2023.0.4.x86_64.rpm 2.8 MB/s | 129 kB | 00:00
(2/13): apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64.rpm 247 kB/s | 13 kB | 00:00
(3/13): apr-util-1.6.3-1.amzn2023.0.2.x86_64.rpm 1.6 MB/s | 97 kB | 00:00
(4/13): apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64.rpm 214 kB/s | 15 kB | 00:00
(5/13): generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch.rpm 648 kB/s | 19 kB | 00:00
(6/13): httpd-2.4.66-1.amzn2023.0.1.x86_64.rpm 1.6 MB/s | 47 kB | 00:00
(7/13): httpdfilesystem-2.4.66-1.amzn2023.0.1.noarch.rpm 427 kB/s | 13 kB | 00:00
(8/13): httpd-tools-2.4.66-1.amzn2023.0.1.x86_64.rpm 2.5 MB/s | 81 kB | 00:00
(9/13): httpd-core-2.4.66-1.amzn2023.0.1.x86_64.rpm 24 MB/s | 1.4 MB | 00:00
(10/13): libtool-lt1-1.0.9-4.amzn2023.0.2.x86_64.rpm 11 MB/s | 315 kB | 00:00
(11/13): mailcap-2.1.49-3.amzn2023.0.3.noarch.rpm 1.1 MB/s | 33 kB | 00:00
(12/13): mod_lua-2.4.66-1.amzn2023.0.1.x86_64.rpm 2.0 MB/s | 60 kB | 00:00
(13/13): mod_httpd-2.0.27-1.amzn2023.0.3.x86_64.rpm 3.6 MB/s | 166 kB | 00:00

Total
10 MB/s | 2.4 MB | 00:00

Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing :
Installing : apr-1.7.5-1.amzn2023.0.4.x86_64 1/1
Installing : apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64 1/13
Installing : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 2/13
Installing : apr-util-1.6.3-1.amzn2023.0.2.x86_64 3/13
Installing : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 4/13
Installing : httpd-2.4.66-1.amzn2023.0.1.x86_64 5/13
Installing : httpdfilesystem-2.4.66-1.amzn2023.0.1.noarch 6/13
Installing : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64 7/13
Installing : httpd-core-2.4.66-1.amzn2023.0.1.x86_64 8/13
Installing : libtool-lt1-1.0.9-4.amzn2023.0.2.x86_64 9/13
Installing : mailcap-2.1.49-3.amzn2023.0.3.noarch 10/13
Installing : mod_lua-2.4.66-1.amzn2023.0.1.x86_64 11/13
Installing : mod_httpd-2.0.27-1.amzn2023.0.3.x86_64 12/13
Installing : 13/13
```

```
root@ip-172-31-35-126:~#
Install 13 Packages.
Total download size: 2.4 M
Installed size: 6.9 M
Is this ok [y/N]: Y
Downloading Packages:
(1/13): apr-1.7.5-1.amzn2023.0.4.x86_64.rpm                2.8 MB/s | 129 kB  00:00
(2/13): apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64.rpm      247 kB/s | 13 kB  00:00
(3/13): apr-util-1.6.3-1.amzn2023.0.2.x86_64.rpm          1.6 MB/s | 97 kB  00:00
(4/13): apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64.rpm   314 kB/s | 15 kB  00:00
(5/13): generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch.rpm 648 kB/s | 19 kB  00:00
(6/13): httpd-2.4.66-1.amzn2023.0.1.x86_64.rpm            1.6 MB/s | 47 kB  00:00
(7/13): httpd-filessystem-2.4.66-1.amzn2023.0.1.noarch.rpm  427 kB/s | 13 kB  00:00
(8/13): httpd-tools-2.4.66-1.amzn2023.0.1.x86_64.rpm       2.5 MB/s | 81 kB  00:00
(9/13): httpd-core-2.4.66-1.amzn2023.0.1.x86_64.rpm        24 MB/s | 1.4 MB  00:00
(10/13): libbrotli-1.0.9-4.amzn2023.0.2.x86_64.rpm         11 MB/s | 315 kB  00:00
(11/13): mailcap-2.1.49-3.amzn2023.0.3.noarch.rpm          1.1 MB/s | 33 kB  00:00
(12/13): mod_lua-2.4.66-1.amzn2023.0.1.x86_64.rpm          2.0 MB/s | 60 kB  00:00
(13/13): mod_http2-2.0.27-1.amzn2023.0.3.x86_64.rpm        3.6 MB/s | 166 kB  00:00
Total                                                       10 MB/s | 2.4 MB  00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing : apr-1.7.5-1.amzn2023.0.4.x86_64                1/1
Installing : apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64      2/13
Installing : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64   3/13
Installing : apr-util-1.6.3-1.amzn2023.0.2.x86_64           4/13
Installing : mailcap-2.1.49-3.amzn2023.0.3.noarch             5/13
Installing : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64        6/13
Installing : libbrotli-1.0.9-4.amzn2023.0.2.x86_64           7/13
Running scriptlet: httpd-filessystem-2.4.66-1.amzn2023.0.1.noarch 8/13
Installing : httpd-filessystem-2.4.66-1.amzn2023.0.1.noarch  8/13
Installing : httpd-core-2.4.66-1.amzn2023.0.1.x86_64         9/13
Installing : mod_http2-2.0.27-1.amzn2023.0.3.x86_64         10/13
Installing : mod_lua-2.4.66-1.amzn2023.0.1.x86_64           11/13
Installing : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 12/13
Installing : httpd-2.4.66-1.amzn2023.0.1.x86_64             13/13
Running scriptlet: httpd-2.4.66-1.amzn2023.0.1.x86_64       13/13
Verifying : apr-1.7.5-1.amzn2023.0.4.x86_64                1/1
Verifying : apr-util-1.6.3-1.amzn2023.0.2.x86_64           2/13
Verifying : apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64      3/13
Verifying : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64   4/13
Verifying : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 5/13
Verifying : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64        6/13
Verifying : httpd-core-2.4.66-1.amzn2023.0.1.x86_64         7/13
Verifying : httpd-filessystem-2.4.66-1.amzn2023.0.1.noarch  8/13
Verifying : httpd-2.4.66-1.amzn2023.0.1.x86_64           9/13
Verifying : libbrotli-1.0.9-4.amzn2023.0.2.x86_64          10/13
Verifying : mailcap-2.1.49-3.amzn2023.0.3.noarch           11/13
Verifying : mod_lua-2.4.66-1.amzn2023.0.1.x86_64           12/13
Verifying : mod_http2-2.0.27-1.amzn2023.0.3.x86_64         13/13
Verifying : mod_lua-2.4.66-1.amzn2023.0.1.x86_64
Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64          apr-util-1.6.3-1.amzn2023.0.2.x86_64          apr-util-1mdb-1.6.3-1.amzn2023.0.2.x86_64          apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64
generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch  httpd-2.4.66-1.amzn2023.0.1.x86_64          httpd-core-2.4.66-1.amzn2023.0.1.x86_64          httpd-filessystem-2.4.66-1.amzn2023.0.1.noarch
httpd-tools-2.4.66-1.amzn2023.0.1.x86_64          libbrotli-1.0.9-4.amzn2023.0.2.x86_64          mailcap-2.1.49-3.amzn2023.0.3.noarch          mod_http2-2.0.27-1.amzn2023.0.3.x86_64
mod_lua-2.4.66-1.amzn2023.0.1.x86_64
Complete!
[root@ip-172-31-35-126 ~]#
```

```
root@ip-172-31-35-126:~#
[root@ip-172-31-35-126 ~]# systemctl status httpd
o httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; disabled; preset: disabled)
   Active: inactive (dead)
     Docs: man:httpd.service(8)
[root@ip-172-31-35-126 ~]#
```

```
root@ip-172-31-35-126:~#
[root@ip-172-31-35-126 ~]# systemctl status httpd
o httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; disabled; preset: disabled)
   Active: inactive (dead)
     Docs: man:httpd.service(8)
[root@ip-172-31-35-126 ~]# systemctl start httpd
[root@ip-172-31-35-126 ~]# systemctl enable httpd
Created symlink /etc/systemd/system/multi-user.target.wants/httpd.service → /usr/lib/systemd/system/httpd.service.
[root@ip-172-31-35-126 ~]# systemctl status httpd
-bash: systemctl: command not found
[root@ip-172-31-35-126 ~]# systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 07:01:49 UTC; 55s ago
     Docs: man:httpd.service(8)
  Main PID: 25973 (httpd)
    Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
   Tasks: 177 (limit: 1014)
  Memory: 13.4M
    CPU: 114ms
    CGroup: /system.slice/httpd.service
            └─25973 /usr/sbin/httpd -DFOREGROUND
              └─25974 /usr/sbin/httpd -DFOREGROUND
                └─25975 /usr/sbin/httpd -DFOREGROUND
                  └─25976 /usr/sbin/httpd -DFOREGROUND
                    └─25996 /usr/sbin/httpd -DFOREGROUND

May 12 07:01:49 ip-172-31-35-126.eu-north-1.compute.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
May 12 07:01:49 ip-172-31-35-126.eu-north-1.compute.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
May 12 07:01:49 ip-172-31-35-126.eu-north-1.compute.internal httpd[25973]: Server configured, listening on: port 80
[root@ip-172-31-35-126 ~]#
```

```

May 12 07:01:49 ip-172-31-35-126.eu-north-1.compute.internal httpd[25973]: Server configured, liste
[root@ip-172-31-35-126 ~]# netstat -na | grep 80
-bash: netstat: command not found
[root@ip-172-31-35-126 ~]# netstat -na | grep 80
tcp        0      0 172.31.35.126:39378      169.254.169.254:80      TIME_WAIT
tcp6       0      0 :::80                    :::*                     LISTEN
udp6       0      0 fe80::8fa:b5ff:fe94:546 :::*
unix  3      [ ]          STREAM  CONNECTED  18000
unix  3      [ ]          STREAM  CONNECTED  15980      /run/systemd/journal/stdout
unix  3      [ ]          DGRAM    CONNECTED  13801
unix  3      [ ]          DGRAM    CONNECTED  13800
[root@ip-172-31-35-126 ~]# isof -i tcp:80
-bash: isof: command not found
[root@ip-172-31-35-126 ~]# lsof -i tcp:80
COMMAND  PID  USER  FD  TYPE DEVICE SIZE/OFF NODE NAME
httpd    25973  root   4u  IPv6 44259      0t0  TCP *:http (LISTEN)
httpd    25975  apache 4u  IPv6 44259      0t0  TCP *:http (LISTEN)
httpd    25976  apache 4u  IPv6 44259      0t0  TCP *:http (LISTEN)
httpd    25996  apache 4u  IPv6 44259      0t0  TCP *:http (LISTEN)
[root@ip-172-31-35-126 ~]# ps -ef | grep httpd
root      25973      1  0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache    25974    25973  0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache    25975    25973  0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache    25976    25973  0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache    25996    25973  0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
root      26691    1960  0 07:13 pts/1    00:00:00 grep --color=auto httpd
[root@ip-172-31-35-126 ~]#

```



Deploy a sample index.html file on Apache.

```

apache      25975      25973    0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache      25976      25973    0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
apache      25996      25973    0 07:01 ?        00:00:00 /usr/sbin/httpd -DFOREGROUND
root        26691        1960    0 07:13 pts/1    00:00:00 grep --color=auto httpd
[root@ip-172-31-35-126 ~]# find httpd -conf
find: unknown predicate '-'conf'
[root@ip-172-31-35-126 ~]# find / -name httpd -conf
find: unknown predicate '-'conf'
[root@ip-172-31-35-126 ~]# find / -name httpd.conf
/etc/httpd/conf/httpd.conf
find: '/proc/27691': No such file or directory
find: '/proc/27692': No such file or directory
/usr/lib/tmpfiles.d/httpd.conf
/usr/lib/sysusers.d/httpd.conf
[root@ip-172-31-35-126 ~]# cat /etc/httpd/conf/httpd.conf
#
# This is the main Apache HTTP server configuration file. It contains the
# configuration directives that give the server its instructions.
# See <URL:http://httpd.apache.org/docs/2.4/> for detailed information.
# In particular, see
# <URL:http://httpd.apache.org/docs/2.4/mod/directives.html>
#
# server will use that explicit path. If the filenames do "not" begin
# with "/", the value of ServerRoot is prepended -- so 'log/access_log'
# with ServerRoot set to '/www' will be interpreted by the
# server as '/www/log/access_log', where as '/log/access_log' will be
# interpreted as '/log/access_log'.
#
# ServerRoot: The top of the directory tree under which the server's
# configuration, error, and log files are kept.
#
# Do not add a slash at the end of the directory path. If you point
# ServerRoot at a non-local disk, be sure to specify a local disk on the
# Mutex directive, if file-based mutexes are used. If you wish to share the
# same ServerRoot for multiple httpd daemons, you will need to change at
# least PidFile.
#
ServerRoot "/etc/httpd"
#
# Listen: Allows you to bind Apache to specific IP addresses and/or
# ports, instead of the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on a specific IP address, but note that if
# httpd.service is enabled to run at boot time, the address may not be
# available when the service starts. See the httpd.service(8) man
# page for more information.
#
#Listen 12.34.56.78:80
Listen 80
#
# Dynamic Shared Object (DSO) Support
#
# To be able to use the functionality of a module which was built as a DSO you
# have to place corresponding 'LoadModule' lines at this location so the
# directives contained in it are actually available _before_ they are used.
# Statically compiled modules (those listed by 'httpd -l') do not need
# to be loaded here.
#
# Example:
# LoadModule foo_module modules/mod_foo.so
#
Include conf.modules.d/*.conf
#
# If you wish httpd to run as a different user or group, you must run
# httpd as root initially and it will switch.
#
# User/Group: The name (or #number) of the user/group to run httpd as.
# It is usually good practice to create a dedicated user and group for
# running httpd, as with most system services.

```

```
#EnableMMAP off
EnableSendfile on

# Supplemental configuration
#
# Load config files in the "/etc/httpd/conf.d" directory, if any.
IncludeOptional conf.d/*.conf
[root@ip-172-31-35-126 ~]# cd /etc/httpd/conf
[root@ip-172-31-35-126 conf]# ls
httpd.conf  magic
[root@ip-172-31-35-126 conf]# cp httpd.conf /opt/
[root@ip-172-31-35-126 conf]# mv httpd.conf httpd.conf.backup

# Supplemental configuration
#
# Load config files in the "/etc/httpd/conf.d" directory, if any.
IncludeOptional conf.d/*.conf
[root@ip-172-31-35-126 ~]# cd /etc/httpd/conf
[root@ip-172-31-35-126 conf]# ls
httpd.conf  magic
[root@ip-172-31-35-126 conf]# cp httpd.conf /opt/
[root@ip-172-31-35-126 conf]# mv httpd.conf httpd.conf.backup
[root@ip-172-31-35-126 conf]# ll
total 32
-rw-r--r--. 1 root root 12532 Dec  5 21:17 httpd.conf.backup
-rw-r--r--. 1 root root 13430 Dec  5 21:18 magic
[root@ip-172-31-35-126 conf]# s
```

```
[root@ip-172-31-35-126 conf]# ll
total 48
-rw-r--r--. 1 root root 12553 May 12 07:58 httpd.conf
-rw-r--r--. 1 root root 12532 Dec  5 21:17 httpd.conf.backup
-rw-r--r--. 1 root root 13430 Dec  5 21:18 magic
[root@ip-172-31-35-126 conf]# |
```

Deploy a sample index.html file on Apache.

```
# If systems or if support for these functions is otherwise
# broken on your system.
[root@ip-172-31-35-126 conf]# :wq
-bash: :wq: command not found
[root@ip-172-31-35-126 conf]# httpd -t
Syntax OK
[root@ip-172-31-35-126 conf]# systemctl restart httpd
[root@ip-172-31-35-126 conf]# systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 08:47:22 UTC; 13s ago
     Docs: man:httpd.service(8)
  Main PID: 30336 (httpd)
    Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
   Tasks: 177 (limit: 1014)
  Memory: 13.5M
    CPU: 98ms
  CGroup: /system.slice/httpd.service
          └─30336 /usr/sbin/httpd -DFOREGROUND
            └─30361 /usr/sbin/httpd -DFOREGROUND
              └─30362 /usr/sbin/httpd -DFOREGROUND
                └─30363 /usr/sbin/httpd -DFOREGROUND
                  └─30364 /usr/sbin/httpd -DFOREGROUND

May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal systemd[1]: Started The Apache HTTP Server.
May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal systemd[1]: Started The Apache HTTP Server.
May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal httpd[30336]: Server is starting...
lines 1-19/19 (END) ...skipping...
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 08:47:22 UTC; 13s ago
     Docs: man:httpd.service(8)
  Main PID: 30336 (httpd)
    Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
   Tasks: 177 (limit: 1014)
  Memory: 13.5M
    CPU: 98ms
```

```

May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal system
May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal system
May 12 08:47:22 ip-172-31-35-126.eu-north-1.compute.internal httpd[
~
~
~
~
[root@ip-172-31-35-126 conf]# cd /var/www/html/
[root@ip-172-31-35-126 html]# ll
total 0
[root@ip-172-31-35-126 html]# touch index.html
[root@ip-172-31-35-126 html]# ll
total 0
-rw-r--r--. 1 root root 0 May 12 09:00 index.html
[root@ip-172-31-35-126 html]# ;;
-bash: syntax error near unexpected token `;;'
[root@ip-172-31-35-126 html]# ll
total 0
-rw-r--r--. 1 root root 0 May 12 09:00 index.html
[root@ip-172-31-35-126 html]# vi index.html
[root@ip-172-31-35-126 html]# |

```

← → ↻ ⚠ Not secure 13.60.23.69:81

welcome to Techie Horizon

```

[root@ip-172-31-35-126 conf]# cd /var/www/html/
[root@ip-172-31-35-126 html]# ll
total 0
[root@ip-172-31-35-126 html]# touch index.html
[root@ip-172-31-35-126 html]# ll
total 0
-rw-r--r--. 1 root root 0 May 12 09:00 index.html
[root@ip-172-31-35-126 html]# ;;
-bash: syntax error near unexpected token `;;'
[root@ip-172-31-35-126 html]# ll
total 0
-rw-r--r--. 1 root root 0 May 12 09:00 index.html
[root@ip-172-31-35-126 html]# vi index.html
[root@ip-172-31-35-126 html]# cat index.html
<h> welcome to Techie Horizon </h>
[root@ip-172-31-35-126 html]# |

```

```

[root@ip-172-31-35-126 ~]# cd /etc/httpd/conf/httpd.conf
-bash: cd: /etc/httpd/conf/httpd.conf: Not a directory
[root@ip-172-31-35-126 ~]# cd /etc/httpd.conf
-bash: cd: /etc/httpd.conf: No such file or directory
[root@ip-172-31-35-126 ~]# cd /etc/httpd/conf
[root@ip-172-31-35-126 conf]# find / -name access_log
/var/log/httpd/access_log
[root@ip-172-31-35-126 conf]# cat /var/log/httpd/access_log
103.24.20.205 - - [12/May/2026:07:27:37 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:27:37 +0000] "GET /favicon.ico HTTP/1.1" 404 236 "http://13.60.23.69/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:27:55 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:27:55 +0000] "GET /favicon.ico HTTP/1.1" 404 236 "http://13.60.23.69/" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:28:17 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:28:29 +0000] "-" 408 - "-" "-"
103.24.20.205 - - [12/May/2026:07:29:10 +0000] "-" 408 - "-" "-"
103.24.20.195 - - [12/May/2026:07:32:44 +0000] "\x16\x03\x01\x06\xa0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:44 +0000] "\x16\x03\x01\x06\x00\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:44 +0000] "\x16\x03\x01\x07" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:44 +0000] "\x16\x03\x01\x06\xe0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:50 +0000] "\x16\x03\x01\x06\x00\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:50 +0000] "\x16\x03\x01\x06\xa0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:50 +0000] "\x16\x03\x01\x06\xe0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:50 +0000] "\x16\x03\x01\x06\x00\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:53 +0000] "\x16\x03\x01\x07" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:53 +0000] "\x16\x03\x01\x06\xe0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:53 +0000] "\x16\x03\x01\x06\xa0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:32:53 +0000] "\x16\x03\x01\x06\xe0\x01" 400 266 "-" "-"
103.24.20.205 - - [12/May/2026:07:33:36 +0000] "-" 408 - "-" "-"
103.24.20.205 - - [12/May/2026:07:37:33 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.24.20.205 - - [12/May/2026:07:37:44 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/147.0.0.0 Safari/537.36"
103.77.246.173 - - [12/May/2026:07:38:30 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/1.0"
103.77.246.173 - - [12/May/2026:07:38:31 +0000] "GET / HTTP/1.1" 403 191 "-" "-"
103.24.20.205 - - [12/May/2026:07:38:36 +0000] "-" 408 - "-" "-"
45.156.128.45 - - [12/May/2026:07:50:42 +0000] "GET / HTTP/1.1" 403 191 "-" "Mozilla/5.0 AppleWebKit/537.36 (KHTML, like Gecko) Chrome/123.0.6312.86 Safari/537.36"

```

Nginx Install nginx and run nginx on port number 82.

```

root@ip-172-31-35-126 ~]# cd ~
root@ip-172-31-35-126 ~]# yum install nginx
Last metadata expiration check: 3:46:19 ago on Tue May 12 06:57:42 2026.
Dependencies resolved.
=====
Package                Arch      Version                               Repository      Size
=====
Installing:
nginx                  x86_64    1:1.28.3-1.amzn2023.0.1             amazonlinux     33 k
Installing dependencies:
gperftools-libs       x86_64    2.9.1-1.amzn2023.0.3               amazonlinux     308 k
libunwind              x86_64    1.4.0-5.amzn2023.0.3               amazonlinux     66 k
nginx-core             x86_64    1:1.28.3-1.amzn2023.0.1             amazonlinux     688 k
nginx-filesystem      noarch    1:1.28.3-1.amzn2023.0.1             amazonlinux     9.8 k
nginx-mimetypes        noarch    2.1.49-3.amzn2023.0.3               amazonlinux     21 k
Transaction Summary
=====
Install 6 Packages

Total download size: 1.1 M

```

```

root@ip-172-31-35-126:~
Total download size: 1.1 M
Installed size: 3.7 M
Is this ok [y/N]: N
Operation aborted.
[root@ip-172-31-35-126 ~]# yum install nginx -y
Last metadata expiration check: 3:47:30 ago on Tue May 12 06:57:42 2026.
Dependencies resolved.

=====
Package           Arch      Version              Repository           Size
=====
Installing:
nginx            x86_64    1:1.28.3-1.amzn2023.0.1  amazonlinux         33 k
Installing dependencies:
gperftools-libs x86_64    2.9.1-1.amzn2023.0.3   amazonlinux         308 k
libunwind        x86_64    1.4.0-5.amzn2023.0.3   amazonlinux         66 k
nginx-core       x86_64    1:1.28.3-1.amzn2023.0.1  amazonlinux        688 k
nginx-filesystem noarch    1:1.28.3-1.amzn2023.0.1  amazonlinux         9.8 k
nginx-mimetypes  noarch    2.1.49-3.amzn2023.0.3   amazonlinux         21 k
=====


Transaction Summary
=====
Install 6 Packages

Total download size: 1.1 M
Installed size: 3.7 M
Downloading Packages:
(1/6): libunwind-1.4.0-5.amzn2023.0.3.x86_64.rpm 1.7 MB/s | 66 kB 00:00
(2/6): nginx-1:1.28.3-1.amzn2023.0.1.x86_64.rpm 810 kB/s | 33 kB 00:00
(3/6): gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64.rpm 6.3 MB/s | 308 kB 00:00
(4/6): nginx-filesystem-1:1.28.3-1.amzn2023.0.1.noarch 358 kB/s | 9.8 kB 00:00
(5/6): nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch 840 kB/s | 21 kB 00:00
(6/6): nginx-core-1:1.28.3-1.amzn2023.0.1.x86_64.rpm 16 MB/s | 688 kB 00:00
-----
Total                                           9.0 MB/s | 1.1 MB 00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing : 1/1
  Running scriptlet: nginx-filesystem-1:1.28.3-1.amzn2023.0.1.noarch 1/6
  Installing : nginx-filesystem-1:1.28.3-1.amzn2023.0.1.noarch 1/6
  Installing : nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch 2/6
  Installing : libunwind-1.4.0-5.amzn2023.0.3.x86_64 3/6
  Installing : gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64 4/6
  Installing : nginx-core-1:1.28.3-1.amzn2023.0.1.x86_64 5/6
  Installing : nginx-1:1.28.3-1.amzn2023.0.1.x86_64 6/6
  Running scriptlet: nginx-1:1.28.3-1.amzn2023.0.1.x86_64 6/6
  Verifying : gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64 1/6
  Verifying : libunwind-1.4.0-5.amzn2023.0.3.x86_64 2/6
  Verifying : nginx-1:1.28.3-1.amzn2023.0.1.x86_64 3/6
  Verifying : nginx-core-1:1.28.3-1.amzn2023.0.1.x86_64 4/6
  Verifying : nginx-filesystem-1:1.28.3-1.amzn2023.0.1.noarch 5/6
  Verifying : nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch 6/6

Installed:
gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64
libunwind-1.4.0-5.amzn2023.0.3.x86_64
nginx-1:1.28.3-1.amzn2023.0.1.x86_64
nginx-core-1:1.28.3-1.amzn2023.0.1.x86_64
nginx-filesystem-1:1.28.3-1.amzn2023.0.1.noarch
nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch

Complete!

```



← → ↻ ⚠ Not secure 13.60.23.69 ☆ 📄

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

```
May 12 10:49:08 ip-172-31-35-126.eu-north-1.compute.internal nginx[36491]: r
May 12 10:49:08 ip-172-31-35-126.eu-north-1.compute.internal nginx[36491]: r
May 12 10:49:08 ip-172-31-35-126.eu-north-1.compute.internal systemd[1]: Sta
```

```
~
~
~
~
```

```
[root@ip-172-31-35-126 ~]# cd /usr/share/nginx/html/
[root@ip-172-31-35-126 html]# ls
404.html  50x.html  icons  index.html  nginx-logo.png  poweredby.png
[root@ip-172-31-35-126 html]# |
```

```
~
[root@ip-172-31-35-126 ~]# cd /usr/share/nginx/html/
[root@ip-172-31-35-126 html]# ls
404.html  50x.html  icons  index.html  nginx-logo.png  poweredby.png
[root@ip-172-31-35-126 html]# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[root@ip-172-31-35-126 html]#
```

```

[root@ip-172-31-35-126 ~]# cd /usr/share/nginx/html/
[root@ip-172-31-35-126 html]# ls
404.html  50x.html  icons  index.html  nginx-logo.png  poweredby.png
[root@ip-172-31-35-126 html]# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[root@ip-172-31-35-126 html]# vi index.html
[root@ip-172-31-35-126 html]# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>WELCOME to Nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[root@ip-172-31-35-126 html]#

```

```

[root@ip-172-31-35-126 html]# ls
404.html  50x.html  icons  index.html  nginx-logo.png  poweredby.png
[root@ip-172-31-35-126 html]# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[root@ip-172-31-35-126 html]# vi index.html
[root@ip-172-31-35-126 html]# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>WELCOME to Nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
[root@ip-172-31-35-126 html]# cat /etc/nginx/nginx.conf
# For more information on configuration, see:
# * Official English Documentation: http://nginx.org/en/docs/
# * Official Russian Documentation: http://nginx.org/ru/docs/

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

# Load dynamic modules. See /usr/share/doc/nginx/README.dynamic.
include /usr/share/nginx/modules/*.conf;

```

```

        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

access_log /var/log/nginx/access.log main;

sendfile        on;
tcp_nopush      on;
keepalive_timeout 65;
types_hash_max_size 4096;

include          /etc/nginx/mime.types;
default_type     application/octet-stream;

# Load modular configuration files from the /etc/nginx/conf.d directory.
# See http://nginx.org/en/docs/nginx_core_module.html#include
# for more information.
include /etc/nginx/conf.d/*.conf;

server {
    listen      80;
    listen      [::]:80;
    server_name _;
    root        /usr/share/nginx/html;

    # Load configuration files for the default server block.
    include /etc/nginx/default.d/*.conf;

    error_page 404 /404.html;
    location = /404.html {
    }

    error_page 500 502 503 504 /50x.html;
    location = /50x.html {
    }
}

# Settings for a TLS enabled server.
#
#
server {
    listen      443 ssl;
    listen      [::]:443 ssl;
    http2       on;
    server_name _;
    root        /usr/share/nginx/html;

    ssl_certificate "/etc/pki/nginx/server.crt";
    ssl_certificate_key "/etc/pki/nginx/private/server.key";
    ssl_session_cache shared:SSL:1m;
    ssl_session_timeout 10m;
    ssl_ciphers PROFILE=SYSTEM;
    ssl_prefer_server_ciphers on;

    # Load configuration files for the default server block.
    include /etc/nginx/default.d/*.conf;

    error_page 404 /404.html;
    location = /404.html {
    }

    error_page 500 502 503 504 /50x.html;
    location = /50x.html {
    }
}
}
[root@ip-172-31-35-126 html]#

```

```

root@ip-172-31-35-126 html]# pwd
/usr/share/nginx/html
root@ip-172-31-35-126 html]# cat /etc/nginx/nginx.conf^C
root@ip-172-31-35-126 html]# cd /var/log/nginx
root@ip-172-31-35-126 nginx]# ll
bash: ll: command not found
root@ip-172-31-35-126 nginx]# ii
bash: ii: command not found
root@ip-172-31-35-126 nginx]# ll
total 8
-rw-r--r--. 1 root root 893 May 12 11:04 access.log
-rw-r--r--. 1 root root 712 May 12 11:04 error.log
root@ip-172-31-35-126 nginx]#

```

Yum

```
[root@ip-172-31-35-126 ~]# yum install tomcat
Last metadata expiration check: 4:43:35 ago on Tue May 12 06:57:42 2026.
No match for argument: tomcat
Error: Unable to find a match: tomcat
[root@ip-172-31-35-126 ~]# yum install tomcat10
Last metadata expiration check: 4:44:20 ago on Tue May 12 06:57:42 2026.
Dependencies resolved.
```

Package	Arch	Version	Repository	Size
Installing:				
tomcat10	noarch	1:10.1.52-1.amzn2023.0.1	amazonlinux	93 k
Installing dependencies:				
alsa-lib	x86_64	1.2.7-2.1.amzn2023.0.3	amazonlinux	503 k
cairo	x86_64	1.18.0-4.amzn2023.0.3	amazonlinux	717 k
dejavu-sans-fonts	noarch	2.37-16.amzn2023.0.2	amazonlinux	1.3 M
dejavu-sans-mono-fonts	noarch	2.37-16.amzn2023.0.2	amazonlinux	467 k
dejavu-serif-fonts	noarch	2.37-16.amzn2023.0.2	amazonlinux	1.0 M
ecj	noarch	1:4.23-1.amzn2023.0.4	amazonlinux	2.4 M
fontconfig	x86_64	2.13.94-2.amzn2023.0.2	amazonlinux	273 k
fonts-filesystem	noarch	1:2.0.5-12.amzn2023.0.2	amazonlinux	9.5 k
freetype	x86_64	2.13.2-5.amzn2023.0.2	amazonlinux	422 k
google-noto-fonts-common	noarch	20240401-1.amzn2023.0.2	amazonlinux	17 k
google-noto-sans-vf-fonts	noarch	20240401-1.amzn2023.0.2	amazonlinux	593 k
graphite2	x86_64	1.3.14-7.amzn2023.0.2	amazonlinux	97 k
harfbuzz	x86_64	7.0.0-2.amzn2023.0.2	amazonlinux	873 k
java-17-amazon-corretto-headless	x86_64	1:17.0.19+10-1.amzn2023.1	amazonlinux	91 M
javapackages-filesystem	noarch	6.0.0-7.amzn2023.0.6	amazonlinux	12 k
javapackages-tools	noarch	6.0.0-7.amzn2023.0.6	amazonlinux	25 k
langpacks-core-font-en	noarch	3.0-21.amzn2023.0.4	amazonlinux	10 k
libx11	x86_64	1.8.10-2.amzn2023.0.1	amazonlinux	659 k
libx11-common	noarch	1.8.10-2.amzn2023.0.1	amazonlinux	147 k
libxau	x86_64	1.0.11-6.amzn2023.0.1	amazonlinux	33 k
libxext	x86_64	1.3.6-1.amzn2023.0.1	amazonlinux	42 k
libxrender	x86_64	0.9.11-6.amzn2023.0.1	amazonlinux	29 k
libjpeg-turbo	x86_64	2.1.4-2.amzn2023.0.5	amazonlinux	190 k
libpng	x86_64	2:1.6.37-10.amzn2023.0.12	amazonlinux	128 k
libxcb	x86_64	1.17.0-1.amzn2023.0.1	amazonlinux	235 k
pixman	x86_64	0.43.4-1.amzn2023.0.4	amazonlinux	296 k
tomcat10-el-5.0-api	noarch	1:10.1.52-1.amzn2023.0.1	amazonlinux	108 k
tomcat10-jsp-3.1-api	noarch	1:10.1.52-1.amzn2023.0.1	amazonlinux	76 k
tomcat10-lib	noarch	1:10.1.52-1.amzn2023.0.1	amazonlinux	7.0 M
tomcat10-servlet-6.0-api	noarch	1:10.1.52-1.amzn2023.0.1	amazonlinux	360 k
xml-common	noarch	0.6.3-56.amzn2023.0.2	amazonlinux	32 k
Installing weak dependencies:				
tomcat-native	x86_64	2.0.14-4.amzn2023.0.1	amazonlinux	48 k

Transaction Summary

Install 33 Packages

Total download size: 109 M

Installed size: 272 M

Is this ok [y/N]: y

Downloading Packages:

(1/33):	alsa-lib-1.2.7-2.1.amzn2023.0.3.x86_64.	12 MB/s	503 kB	00:00
(2/33):	cairo-1.18.0-4.amzn2023.0.3.x86_64.rpm	13 MB/s	717 kB	00:00
(3/33):	dejavu-sans-fonts-2.37-16.amzn2023.0.2.	18 MB/s	1.3 MB	00:00
(4/33):	dejavu-sans-mono-fonts-2.37-16.amzn2023	12 MB/s	467 kB	00:00
(5/33):	dejavu-serif-fonts-2.37-16.amzn2023.0.2	26 MB/s	1.0 MB	00:00
(6/33):	ecj-4.23-1.amzn2023.0.4.noarch.rpm	56 MB/s	2.4 MB	00:00
(7/33):	fontconfig-2.13.94-2.amzn2023.0.2.x86_6	6.4 MB/s	273 kB	00:00
(8/33):	fonts-filesystem-2.0.5-12.amzn2023.0.2.	330 kB/s	9.5 kB	00:00
(9/33):	freetype-2.13.2-5.amzn2023.0.2.x86_64.r	15 MB/s	422 kB	00:00

graphite2-1.3.14-7.amzn2023.0.2.x86_64
harfbuzz-7.0.0-2.amzn2023.0.2.x86_64
java-17-amazon-corretto-headless-1:17.0.19+10-1.amzn2023.1.x86_64
javapackages-filesystem-6.0.0-7.amzn2023.0.6.noarch
javapackages-tools-6.0.0-7.amzn2023.0.6.noarch
langpacks-core-font-en-3.0-21.amzn2023.0.4.noarch
libx11-1.8.10-2.amzn2023.0.1.x86_64
libx11-common-1.8.10-2.amzn2023.0.1.noarch
libxau-1.0.11-6.amzn2023.0.1.x86_64
libxext-1.3.6-1.amzn2023.0.1.x86_64
libxrender-0.9.11-6.amzn2023.0.1.x86_64
libjpeg-turbo-2.1.4-2.amzn2023.0.5.x86_64
libpng-2:1.6.37-10.amzn2023.0.12.x86_64
libxcb-1.17.0-1.amzn2023.0.1.x86_64
pixman-0.43.4-1.amzn2023.0.4.x86_64
tomcat-native-2.0.14-4.amzn2023.0.1.x86_64
tomcat10-1:10.1.52-1.amzn2023.0.1.noarch
tomcat10-el-5.0-api-1:10.1.52-1.amzn2023.0.1.noarch
tomcat10-jsp-3.1-api-1:10.1.52-1.amzn2023.0.1.noarch
tomcat10-lib-1:10.1.52-1.amzn2023.0.1.noarch
tomcat10-servlet-6.0-api-1:10.1.52-1.amzn2023.0.1.noarch
xml-common-0.6.3-56.amzn2023.0.2.noarch

Complete!

```
[root@ip-172-31-35-126 ~]# systemctl status tomcat
```

Unit tomcat.service could not be found.

```
[root@ip-172-31-35-126 ~]# systemctl status tomcat10
```

o tomcat10.service - Apache Tomcat 10 Web Application Container

Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; disabled; preset: **enabled**)

Active: inactive (dead)

lines 1-2/2 (END) ... skipping...

o tomcat10.service - Apache Tomcat 10 Web Application Container

Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; disabled; preset: disabled)

Active: inactive (dead)

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

~

```
[root@ip-172-31-35-126 ~]# systemctl start tomcat10
[root@ip-172-31-35-126 ~]# systemctl status tomcat10
● tomcat10.service - Apache Tomcat 10 Web Application Container
   Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; disabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 11:45:21 UTC; 13s ago
     Main PID: 39295 (java)
       Tasks: 30 (limit: 1014)
      Memory: 58.7M
         CPU: 2.293s
    CGroup: /system.slice/tomcat10.service
            └─39295 /usr/lib/jvm/jre/bin/java -Djava.sql.DataSource.Factory=org.apache.commons.dbcp.BasicDataSourceFactory --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.base/java.io=ALL-UNNAMED

May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.094 INFO [main] org.apache.catalina.startup.VersionLoggerListener.log Command line argument: -Djava.util.logging.config.file=/usr/lib/tomcat/conf/logging.properties
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.095 INFO [main] org.apache.catalina.startup.VersionLoggerListener.log Command line argument: -Djava.util.logging.config.file=/usr/lib/tomcat/conf/logging.properties
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.101 INFO [main] org.apache.catalina.core.AprLifecycleListener.lifecycleEvent Loaded Apache Tomcat Native library.
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.107 INFO [main] org.apache.catalina.core.AprLifecycleListener.initializeSSL OpenSSL successfully initialized [OpenSSL version 3.0.13]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.578 INFO [main] org.apache.coyote.AbstractProtocol.init Initializing ProtocolHandler ["http-nio-8080"]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.649 INFO [main] org.apache.catalina.startup.Catalina.load Server initialization in [898] milliseconds
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.731 INFO [main] org.apache.catalina.core.StandardService.startInternal Starting service [Catalina]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.732 INFO [main] org.apache.catalina.core.StandardEngine.startInternal Starting Servlet engine: [Apache Tomcat/10.0.18]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.761 INFO [main] org.apache.coyote.AbstractProtocol.start Starting ProtocolHandler ["http-nio-8080"]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.781 INFO [main] org.apache.catalina.startup.Catalina.start Starting startup in [131] milliseconds

lines 1-20/20 (END) ...skipping...
● tomcat10.service - Apache Tomcat 10 Web Application Container
   Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; disabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 11:45:21 UTC; 13s ago
     Main PID: 39295 (java)
       Tasks: 30 (limit: 1014)
      Memory: 58.7M
         CPU: 2.293s
    CGroup: /system.slice/tomcat10.service
            └─39295 /usr/lib/jvm/jre/bin/java -Djava.sql.DataSource.Factory=org.apache.commons.dbcp.BasicDataSourceFactory --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.base/java.io=ALL-UNNAMED
```

```
[root@ip-172-31-35-126 ~]# systemctl status tomcat10 -l
● tomcat10.service - Apache Tomcat 10 Web Application Container
   Loaded: loaded (/usr/lib/systemd/system/tomcat10.service; disabled; preset: disabled)
   Active: active (running) since Tue 2026-05-12 11:45:21 UTC; 1min 22s ago
     Main PID: 39295 (java)
       Tasks: 30 (limit: 1014)
      Memory: 58.8M
         CPU: 2.410s
    CGroup: /system.slice/tomcat10.service
            └─39295 /usr/lib/jvm/jre/bin/java -Djava.sql.DataSource.Factory=org.apache.commons.dbcp.BasicDataSourceFactory --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.base/java.io=ALL-UNNAMED

May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.094 INFO [main] org.apache.catalina.startup.VersionLoggerListener.log Command line argument: -Djava.util.logging.config.file=/usr/lib/tomcat/conf/logging.properties
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.095 INFO [main] org.apache.catalina.startup.VersionLoggerListener.log Command line argument: -Djava.util.logging.config.file=/usr/lib/tomcat/conf/logging.properties
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.101 INFO [main] org.apache.catalina.core.AprLifecycleListener.lifecycleEvent Loaded Apache Tomcat Native library.
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.107 INFO [main] org.apache.catalina.core.AprLifecycleListener.initializeSSL OpenSSL successfully initialized [OpenSSL version 3.0.13]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.578 INFO [main] org.apache.coyote.AbstractProtocol.init Initializing ProtocolHandler ["http-nio-8080"]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.649 INFO [main] org.apache.catalina.startup.Catalina.load Server initialization in [898] milliseconds
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.731 INFO [main] org.apache.catalina.core.StandardService.startInternal Starting service [Catalina]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.732 INFO [main] org.apache.catalina.core.StandardEngine.startInternal Starting Servlet engine: [Apache Tomcat/10.0.18]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.761 INFO [main] org.apache.coyote.AbstractProtocol.start Starting ProtocolHandler ["http-nio-8080"]
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.781 INFO [main] org.apache.catalina.startup.Catalina.start Starting startup in [131] milliseconds

lines 1-20/20 (END)
```

```
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.781 INFO [main] org.apache.catalina.startup.Catalina.start Starting startup in [131] milliseconds
```

```
[root@ip-172-31-35-126 ~]# netstat -na | grep 8080
```

```
tcp6      0      0 :::8080          :::*              LISTEN
```

```
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.781 INFO [main] org.apache.catalina.startup.Catalina.start Starting startup in [131] milliseconds
```

```
[root@ip-172-31-35-126 ~]# netstat -na | grep 8080
```

```
tcp6      0      0 :::8080          :::*              LISTEN
```

```
[root@ip-172-31-35-126 ~]# curl localhost:80
```

```
<!DOCTYPE html>
<html>
<head>
<title>WELCOME to Nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

```
May 12 11:45:22 ip-172-31-35-126.eu-north-1.compute.internal server[39295]: 12-May-2026 11:45:22.781 INFO [main] org.apache.catalina.startup.Catalina.start Starting startup in [131] milliseconds
```

```
[root@ip-172-31-35-126 ~]# 8080
```

```
-bash: 8080: command not found
```

```
[root@ip-172-31-35-126 ~]# curl localhost:8080
```

```
<!doctype html><html lang="en"><head><title>HTTP Status 404 - Not Found</title><
style type="text/css">body {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b
{color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;
} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;ba
ckground-color:#525D76;border:none;}</style></head><body><h1>HTTP Status 404 - N
ot Found</h1><hr class="line" /><p><b>Type</b> Status Report</p><p><b>Descriptio
n</b> The origin server did not find a current representation for the target res
ource or is not willing to disclose that one exists.</p><hr class="line" /><h3>A
[root@ip-172-31-35-126 ~]# |
```

```

The origin server did not find a current representation for the target resource or is not willing to disclose that one exists.

```

```

[root@ip-172-31-35-126 ~]# java -version
openjdk version "17.0.19" 2026-04-21 LTS
OpenJDK Runtime Environment Corretto-17.0.19.10.1 (build 17.0.19+10-LTS)
OpenJDK 64-Bit Server VM Corretto-17.0.19.10.1 (build 17.0.19+10-LTS, mixed mode, sharing)
[root@ip-172-31-35-126 ~]#

```

```

[root@ip-172-31-35-126 ~]# yum install nginx -y
Last metadata expiration check: 5:07:59 ago on Tue May 12 06:57:42 2026.
No match for argument: nginx
Error: Unable to find a match: nginx
[root@ip-172-31-35-126 ~]# yum isntall nginx -y
No such command: isntall. Please use /usr/bin/yum --help
It could be a YUM plugin command, try: "yum install 'dnf-command(isntall)'"
[root@ip-172-31-35-126 ~]# yum install nginx -y
Last metadata expiration check: 5:08:28 ago on Tue May 12 06:57:42 2026.
Package nginx-1:1.28.3-1.amzn2023.0.1.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-35-126 ~]# systemctl stop httpd
[root@ip-172-31-35-126 ~]# vi /etc/nginx/nginx.conf

```

```

[root@ip-172-31-35-126 ~]#

```

V

```

root@ip-172-31-35-126~
# For more information on configuration, see:
# * Official English Documentation: http://nginx.org/en/docs/
# * Official Russian Documentation: http://nginx.org/ru/docs/

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

# Load dynamic modules. See /usr/share/doc/nginx/README.dynamic.
include /usr/share/nginx/modules/*.conf;

events {
    worker_connections 1024;
}

http {
    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;

    sendfile        on;
    tcp_nopush      on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    # Load modular configuration files from the /etc/nginx/conf.d directory.
    # See http://nginx.org/en/docs/nginx_core_module.html#include
    # for more information.
    include /etc/nginx/conf.d/*.conf;

    server {
        listen      81;
        listen      [::]:81;
        server_name _;
        root /usr/share/nginx/html;

        # Load configuration files for the default server block.
        include /etc/nginx/default.d/*.conf;

        error_page 404 /404.html;
        location = /404.html {
        }

        error_page 500 502 503 504 /50x.html;
        location = /50x.html {
        }
    }
}

# Settings for a TLS enabled server.
#
# server {
#     listen      443 ssl;
#     listen      [::]:443 ssl;
#     http2        on;
#     server_name _;
#     root /usr/share/nginx/html;
#
#     ssl_certificate "/etc/pki/nginx/server.crt";
#     # INSERT ...

```


Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.



WELCOME to Nginx

WELCOME TO TECHIE HORIZON!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

```
~  
~  
~  
~  
~  
~  
[root@ip-172-31-35-126 ~]# ss -tulnp | grep 81  
tcp        LISTEN    0          511                0.0.0.0:*           0.0.0.0:*  
   users:(("nginx",pid=40427,fd=8),("nginx",pid=40425,fd=8))  
tcp        LISTEN    0          511                [::]:81         [::]:*  
   users:(("nginx",pid=40427,fd=9),("nginx",pid=40425,fd=9))  
[root@ip-172-31-35-126 ~]# cd /usr/share/nginx/html  
[root@ip-172-31-35-126 html]# ls  
404.html  50x.html  icons     index.html  nginx-logo.png  poweredby.png  
[root@ip-172-31-35-126 html]# vi index.html
```