

Practical 3

Name:Pragati Santosh Gaikwad

PRN:202501040136

The screenshot shows the CodeTANTRA website interface. At the top, there's a dark blue header with the CodeTANTRA logo on the left and user information (2023010401350@mitboocai.in) and a 'Logout' button on the right. Below the header, a sidebar on the left lists five practicals: '1. Practical 1', '2. Practical 2', '3. Practical 3' (which is highlighted with a dark blue background), '4. Practical 4', and '5. Practical 5'. The main content area has a large purple header for 'Practical 3'. Underneath, there's a section titled 'About this unit' with a sub-header 'Practical 3'. This section contains two items: 'Practice Lab Assignment' and 'Lab Assignment'. Each item shows 'Unit - 100% completed' with a blue progress bar and a right-pointing arrow.

[Home](#)
[Join Anywhere](#)

202301040136@mitaca.in
[Support](#)
[Logout](#)

3.1.4. Numpy Array Operations

Write a Python program to create a NumPy array based on user input and display the following:

- The created NumPy array.
- The number of dimensions of the array using `ndim`.
- The shape of the array using `shape`.
- The total number of elements in the array using `size`.

Assume all input elements are valid integers.

Input Format:

- The first line contains two space-separated integers, `r` and `c`, representing the number of rows and the number of columns.
- The next `r` lines contain `c` space-separated integers representing the elements of the array, entered row by row.

Output Format:

- The created NumPy array (printed as a 2D array).
- An integer representing the number of dimensions of the array.
- A tuple representing the shape of the array.
- An integer representing the total number of elements in the array.

Note: Use `reshape()` function to reshape the input array with the specified number of rows and columns.

Sample Test Cases

```

import numpy as np
rows,cols =map(int,input().split())
elements = []
for i in range(rows):
    elements.append(input().split())
array=np.array(elements).reshape(rows,cols)
print(array)
print(array.ndim)
print(array.shape)
print(array.size)
    
```

Average time: **0.012 s**
Maximum time: **0.027 s**

2 out of 2 shown test case(s) passed
10 out of 10 hidden test case(s) passed

Test case %	Debug	Actual output
Expected output		
[[3 4]]		[[3 4]]
[[2 3 4]]		[[2 3 4]]
[[1 2 3]]		[[1 2 3]]
[[4 3 1 1 2]]		[[4 3 1 1 2]]
[[1 1 2 1 4]]		[[1 1 2 1 4]]
[[5 6 7 8]]		[[5 6 7 8]]

Course

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d5e/6774e3fff4ab787eca9da092

CodeTantra Teach &... Adobe Acrobat Course

CODETANTRA Home Learn Anywhere

202501040136@mitaoe.ac.in Support Logout

3.2.1. Numpy: Matrix Operations

The given code takes two 3 x 3 matrices, matrix_a, and matrix_b, as input from the user and converts them into NumPy arrays.

Task:
You are required to compute and display the results of the following matrix operations:
1. Addition (matrix_a + matrix_b)
2. Subtraction (matrix_a - matrix_b)
3. Element-wise Multiplication (matrix_a * matrix_b)
4. Matrix Multiplication (matrix_a . matrix_b)
5. Transpose of Matrix A

Input Format:
• The user will input 3 rows for matrix_a, each containing 3 integers separated by spaces.
• Similarly, the user will input 3 rows for matrix_b, each containing 3 integers separated by spaces.

Output Format:
The program should display the results of the operations in the following order:
1. The result of Addition.
2. The result of Subtraction.
3. The result of Element-wise Multiplication.
4. The result of Matrix Multiplication.
5. The Transpose of Matrix A.

Sample Test Cases

matrixOp...

1 import numpy as np
2
3 # Input matrices
4 print("Enter Matrix A:")
5 matrix_a = np.array([list(map(int, input().split())) for i in range(3)])
6
7 print("Enter Matrix B:")
8 matrix_b = np.array([list(map(int, input().split())) for i in range(3)])
9
10
11 # Addition
12 madd = matrix_a + matrix_b
13 print("Addition (A + B):")
14 print(madd)
15
16 # Subtraction
17 msub = matrix_a - matrix_b
18 print("Subtraction (A - B):")
19 print(msub)
20
21 # Element-wise Multiplication
22 mem = matrix_a * matrix_b
23 print("Element-wise Multiplication (A * B):")
24 print(mem)
25
26 # Matrix Multiplication
27 mmul = matrix_a . matrix_b
28 print("Matrix Multiplication (A . B):")
29 print(mmul)
30
31 # Transpose of Matrix A
32 print("Transpose of Matrix A:")
33 print(matrix_a.T)

Average time: 0.024 s
Maximum time: 0.034 s
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1
Expected output: Enter Matrix A:
1 2 3
4 5 6
7 8 9
Enter Matrix B:
1 1 1
Actual output: Enter Matrix A:
1 2 3
4 5 6
7 8 9
Enter Matrix B:
1 1 1

Terminal Test cases

36°C Clear

Search

ENG IN

22:12 03-05-2025

Course

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d5e/6774e3fff4ab787eca9da092

CodeTantra Teach &... Adobe Acrobat Course

CODETANTRA Home Learn Anywhere

202501040136@mitaoe.ac.in Support Logout

3.2.2. Numpy: Horizontal and Vertical Stacking of Arrays

You are given two arrays arr1 and arr2. You need to perform horizontal and vertical stacking operations on them using NumPy.

• Horizontal Stacking: Stack the two matrices horizontally (side by side).
• Vertical Stacking: Stack the two matrices vertically (one below the other).

Input Format:
• The program should first prompt the user to input two 2x3 arrays.
• Each array consists of 3 rows, and each row contains 3 space-separated integers.
• The user will input the two arrays row by row.

Output Format:
• The program should display the result of the Horizontal Stack (side-by-side stacking) of the two arrays.
• The program should then display the result of the Vertical Stack (one below the other) of the two arrays.

Sample Test Cases

stacking.py

1 import numpy as np
2
3 # Input matrices
4 print("Enter Array1:")
5 arr1 = np.array([list(map(int, input().split())) for i in range(3)])
6
7 print("Enter Array2:")
8 arr2 = np.array([list(map(int, input().split())) for i in range(3)])
9
10
11 # Perform horizontal stacking (hstack)
12 a = np.hstack((arr1, arr2))
13 print("Horizontal Stack:")
14 print(a)
15
16
17 # Perform vertical stacking (vstack)
18 b = np.vstack((arr1, arr2))
19 print("Vertical Stack:")
20 print(b)

Average time: 0.021 s
Maximum time: 0.025 s
2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1
Expected output: Enter Array1:
1 2 3
4 5 6
7 8 9
Enter Array2:
4 5 6
Actual output: Enter Array1:
1 2 3
4 5 6
7 8 9
Enter Array2:
4 5 6

Terminal Test cases

36°C Clear

Search

ENG IN

22:13 03-05-2025

3.2.3. Numpy: Custom Sequence Generation

Write a Python program that takes the following inputs from the user:

- Start value: The starting point of the sequence.
- Stop value: The sequence should end before this value.
- Step value: The increment between each number in the sequence.

The program should then generate a sequence using `numpy` based on these inputs and print the generated sequence.

Input Format:

- The user will input three integer values: start, stop, and step, each on a new line.

Output Format:

- The program should print the generated sequence based on the input values.

Sample Test Cases

```

1 import numpy as np
2
3 # Take user input for the start, stop, and step of the sequence
4 start = int(input())
5 stop = int(input())
6 step = int(input())
7
8 # Generate the sequence using np.arange()
9 a = np.arange(start, stop, step)
10 print(a)
11 # Print the generated sequence
12

```

Average time: 0.011 s
Maximum time: 0.017 s
11.33 ms 17.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 (100%) Debug

Expected output	Actual output
5	5
10	10
15	15
[5 10 15]	[5 10 15]

Test case 2 (100%)

Terminate Test cases

3.2.4. Numpy: Arithmetic and Statistical Operations, Mathematical Operations, Bitwise...

You are given two arrays `a` and `b`. Your task is to complete the function `array_operations`, which will convert these lists into `numpy` arrays and perform the following operations:

- Arithmetic Operations:**
 - Compute the element-wise sum, difference, and product of the two arrays.
- Statistical Operations:**
 - Calculate the mean, median, and standard deviation of array `a`.
- Bitwise Operations:**
 - Perform bitwise `and`, bitwise `or`, and bitwise `xor` on the arrays (see `a1` or `b1`).

Input Format:

- The first line contains space-separated integers representing the elements of array `a`.
- The second line contains space-separated integers representing the elements of array `b`.

Output Format:

- For each operation (arithmetic, statistical, and bitwise), print the results in the specified format as shown in sample test cases.

Sample Test Cases

```

1 import numpy as np
2
3 def array_operations(a, b):
4
5     # Convert A and B to numpy arrays
6     a = np.array(a)
7     b = np.array(b)
8
9     # Arithmetic Operations
10    sum_result = a+b
11    diff_result = a-b
12    prod_result = a*b
13
14    # Statistical Operations
15    mean_a = np.mean(a)
16

```

Average time: 0.012 s
Maximum time: 0.018 s
11.37 ms 18.00 ms

1 out of 1 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 (100%) Debug

Expected output	Actual output
5 2 3 4	5 2 3 4
5 2 7 9	5 2 7 9
Element-wise Sum: 5 8 10 12	Element-wise Sum: 5 8 10 12
Element-wise Difference: 4 4 4 4	Element-wise Difference: 4 4 4 4
Element-wise Product: 5 10 12 16	Element-wise Product: 5 10 12 16
Mean of A: 2.50	Mean of A: 2.50

Terminate Test cases

Course

mitaoe.codedtantra.com/secure/course.jsp?euid=698c54860aba96214c8b7d5e#/contents/698c54860aba96214c8b7d65/698c54860aba96214c8b7d67/67d7b11d1a7a4033e4f225

CodeTantra Teach & Learn Anywhere

202501040136@mitaoe.ac.inSupportLogout

3.2.7. Student Data Analysis and Operations

Write a Python program that takes the file name of a CSV file containing student details, including roll numbers and their marks in three subjects as input, reads the data, and performs the following operations:

- Print all student details: Display the complete details of all students, including roll numbers and marks for all subjects.
- Find total students: Determine the total number of students in the dataset.
- Print all student roll numbers: Extract and print the roll numbers of all students.
- Print Subject 1 marks: Extract and print the marks of all students in Subject 1.
- Find minimum marks in Subject 2: Identify the lowest marks in Subject 2.
- Find maximum marks in Subject 3: Identify the highest marks in Subject 3.
- Print all subject marks: Display the marks of all students for each subject.
- Find total marks of students: Compute the total marks for each student across all subjects.
- Find the average marks of each student: Compute the average marks for each student.
- Find average marks of each subject: Compute the average marks for all students in each subject.
- Find average marks of Subject 1 and Subject 2: Compute the average marks for Subject 1 and Subject 2.
- Find average marks of Subject 1 and Subject 3: Compute the average marks for Subject 1 and Subject 3.
- Find the roll number of the student with maximum marks in Subject 3: Identify the student with the highest marks in Subject 3 and print their roll number.
- Find the roll number of the student with minimum marks in Subject 2: Identify the student with the lowest marks in Subject 2 and print their roll number.
- Find the roll number of students who scored 24 marks in Subject 2: Identify students who obtained exactly 24 marks in Subject 2 and print their roll numbers.
- Find the count of students who got less than 40 marks in Subject 1: Count the number of students who scored less than 40 marks in Subject 1.
- Find the count of students who got more than 90 marks in Subject 2: Count the number of students who scored more than 90 marks in Subject 2.
- Find the count of students who scored >=90 in each subject: Count the number of students who scored 90 or more marks in each subject.
- Find the count of subjects in which each student scored >=90: Determine how many subjects each student scored 90 or more marks in.
- Print Subject 1 marks in ascending order: Sort and print the marks of students in Subject 1 in ascending order.
- Print students who scored between 50 and 90 in Subject 1: Display students who scored marks between 50 and 90 in Subject 1.

Operation...

```
1 import numpy as np
2
3 a = np.loadtxt("Sample.csv", delimiter=',', skiprows=1)
4
5 # 1. Print all student details
6 print("All student Details:\n",a)
7
8 # 2. print total students
9
10 print("Total Students:",a.shape[0])
11
12 # 3. Print all student Roll numbers
13 print("All Student Roll Nos",a[:,0])
14
15 # 4. Print subject 1 marks
16 print("Subject 1 marks",a[:,1])
```

Average time0.020 s20.00 ms

Maximum time0.020 s20.00 ms

1 out of 1 shown test case(s) passed

Test case 120 msDebug

Expected output	Actual output
All student Details:--	All student Details:--
[[101... 87... 77... 88...]]	[[101... 87... 77... 88...]]
[102... 78... 88... 77...]	[102... 78... 88... 77...]
[103... 45... 55... 85...]	[103... 45... 55... 85...]
[104... 88... 98... 40...]	[104... 88... 98... 40...]
[105... 78... 88... 99...]	[105... 78... 88... 99...]
...	...

Terminal

Test cases

99% Clear

Search

22:13 08/05/2026