Pacific Research Platform and The Pacific Rim

Presenter: Tom DeFanti, Research Scientist, QI, Co-PI
Larry Smarr, Calit2 Director and PI
Ilkay Altintas, Camille Crittenden, Ken Kreutz-Delgado, Phil

Papadopoulos, Tajana Rosing, Frank Wuerthwein, co-Pls


John Graham, Senior Development Engineer

Dima Mishin, Isaac Nealey, Joel Polizzi, Mark Yashar, Programmers

UC San Diego and UC Berkeley



2015 Vision: The Pacific Research Platform will Connect Science DMZs Creating a Regional End-to-End Science-Driven Community Cyberinfrastructure



NSF CC*DNI Grant \$6.3M 10/2015-10/2020 Year 5 Starts in 3 Weeks!

PI: Larry Smarr, UC San Diego Calit2 Co-PIs:

- Camille Crittenden, UC Berkeley CITRIS,
- Tom DeFanti, UC San Diego Calit2/QI,
- Philip Papadopoulos, UCI
- Frank Wuerthwein, UCSD Physics and SDSC

Letters of Commitment from:

- 50 Researchers from 15 Campuses
- 32 IT/Network Organization Leaders

ESnet: Given Fast Networks, Need DMZs and Fast/Tuned DTNs





Source: John Hess, CENIC

PRP Technical Deliverables 2015 - 2017

- Phase 0: Tested Layer2 CENIC Networks and FIONAs—early 2015
- Phase 1: A Scalable Network for Optimizing Data Transfer—2015-2017
 - Layer 3 Data Transfer & Measurement Network
 - Tested, Debugged, Measured, Optimized, and MaDDash'ed Layer 3
 - Supported Rates up to 9.7/10, 37/40 Gb/s in 10GB Bursts
 - Included UvAmsterdam and Korea (KISTI)
 - Showed Full Bandwidth Utilization
 - Essentially No TCP Backoff on Long Distance Best-Efforts Networks
- This is What Most Other Research Platforms are Focusing on—Big Data Transfer






Nautilus Mesh - Latency - Loss Loss rate is <= 0.001% Loss rate is > 0.001% Loss rate is >= 0.1% Unable to find test data Check has not run yet ! Found a total of 8 problems involving 6 hosts in the grid 60 Hosts KISTI-to-SDSC Shown -ci-06.calit2.optiputer.net_interr ci-01 calit2.optiputer.net_inter ci-02.calit2.optiputer.net_inte ci-05.calit2.optiputer.net_inte -ci-07.calit2.optiputer.net_inte ci-03.calit2.optiputer.net_int epyc-01.sdsc.optiputer.net_internal ci-01.noc.ucsb.edu_internal s-bharadia-04,sdsc.optiputer.net_ir ravi-01.calit2.optiputer.net_inte m-fiona01.ucmerced.edu_internal chic.nrp.internet2.edu_internal newy32aoa.nrp.internet2.edu stw-fiona.stanford.edu_internal tternlab.calit2.optiputer.net_ini sheache.t2.ucsd.edu_internal cache-11.t2.ucsd.edu_internal dtn-1 calit2.uci.edu_int 8s-bharadia-03.sdsc.optiputer. -01.ultralight.org_in dtn.noc.ucsb.edu_internal n-gpu2.kreonet.net_internal na-dtn-1.ucsc.edu_internal washington.edu_in gpu-2.ucsc.edu_internal ar.csusb.edu_internal nwsc.ucar.edu_interna nvme-01.sdsc.optiputer vldtm.evl.uic.edu_internal rea.ucsc.edu_internal -bharadia-01.sdsc gpu-01.calit2.optipu gpu-02.calit2.optip tools.ucla.net_inte gpu-03.sdsc.optipu its.hawaii.edu_in clu-fiona2.ucmerced.edu_internal dtn-gpu2.kreonet.net_internal dtn-main.ucr.edu internal dtn0.noc.ucdavis.edu_internal dtn2-daejeon.kreonet.net internal evldtn.evl.uic.edu internal Average packet loss is 0.000% fiona-dtn-1.calit2.uci.edu_internal fiona-dtn-1.ucsc.edu_internal fiona-r-uva.vlan7.uvalight.net internal fiona.cac.washington.edu_internal fiona.its.hawaii.edu_internal fiona.nwsc.ucar.edu internal fiona.sdsu.edu internal

PRPv1 to PRPv2: <u>The Transition from Network Diagnosing to Application Support</u>

- PRPv1 Designed, Built, and Installed ~40 Purpose-built FIONAs,
 Tuned to Measure and Diagnose End-to-End 10G, 40G and 100G
- But, Our PRP NSF Funding Requires Showing Use of the PRP by Scientists and Engineers—It's a Data Grant, not a Networking Grant
- Note: Our Scientists Clearly Need More than Bandwidth Tests
 - Teams of Scientists Want to Share Their Data at High Speed and Compute on It
 - They Need to Interoperate with Commercial and University Clouds
- So PRPv2 Added DMZ-Distributed Temporary Storage
 - _ 1.7PB total in 14 ~200GB previous PRPv1 FIONAs in Campus DMZs




Detailed Real-Time Monitoring of PRP Nautilus: UCD, UCSD, UCI, UCSB, UCLA, UCR, Stanford, UCAR, UCM, UCSC, UHM Ceph



> Ceph Versions (4 panels)


Regional Scale Cluster: Connected by PRP's Use of CENIC 100G Network PRP's Nautilus Hypercluster Nautilus



Grafana Showing State of Nautilus 9-10-19



2017-2020: CHASE-CI Adds Machine-Learning to the Data-Science Community Cyberinfrastructure



CI-New: Cognitive Hardware and Software Ecosystem Community Infrastructure (CHASE-CI)

For the Period September 1, 2017 - August 31, 2020

SUBMITTED - January 18, 2017

PI: Larry Smarr, Professor of Computer Science and Engineering, Director Calit2, UCSD

Co-PI: Tajana Rosing, Professor of Computer Science and Engineering, UCSD

Co-PI: Ken Kreutz-Delgado, Professor of Electrical and Computer Engineering, UCSD

Co-PI: Ilkay Altintas, Chief Data Science Officer, San Diego Supercomputer Center, UCSD

Co-PI: Tom DeFanti, Research Scientist, Calit2, UCSD

NSF Grant for 256 High Speed "Cloud" GPUs For 32 ML Faculty & Their Students at 10 Campuses To Train Al Algorithms on Big Data





Road Trip! Installing Community Shared Storage and GPUs in June, December & January at UC Merced, UC Santa Cruz, UC Riverside, and Stanford













PRP Engineers Designed and Built Several Generations of Optical-Fiber Big-Data Flash I/O Network Appliances (FIONAs)

UCSD-Designed FIONAs Solved the Disk-to-Disk Data Transfer Problem at Near Full Speed on Best-Effort 10G, 40G and 100G Networks



Two FIONA DTNs at UC Santa Cruz: 40G & 100G Up to 192 TB Rotating Storage





Add Up to 8 Nvidia GPUs Per 2U FIONA To Add Machine Learning Capability







Top Nautilus GPU users August 2019						
PI	Campus	August 2019 GPU SU	FIONA8 Equivalent	August 2019 CPU SU	August 2019 Mem SU	
Frank Wuerthwein	UCSD	80084	13.90	398124.41	8.13864E+14	
Mark Alber	UCR	40761	7.08	37131.21	6.60061E+13	
Hao Su	UCSD	16396	2.85	42547.91	2.78718E+14	Top Nautilus GPU
Nuno Vasconcelos	UCSD	10991	1.91	11218.07	9.11693E+13	-
Jeff Krichmar	UCI	6587	1.14	6997.06	2.20582E+13	Users in August
Falko Kuester	UCSD	6211	1.08	35404.91	5.68019E+14	2019
Anshul Kundaje	Stanford	6063	1.05	1481.62	5.38638E+13	2010
Ravi Ramamoorthi	UCSD	4822	0.84	6767.49	3.83436E+13	
Larry Smarr	UCSD	4359	0.76	3171.25	2.20892E+13	FIONA8
Manmohan Chandraker	UCSD	3788	0.66	3304.47	1.02188E+14	
Tom DeFanti	UCSD	3203	0.56	2040.4	8.82778E+12	equivalent:
Nuno Vasconcelos	UCSD	2293	0.40	3797.22	3.37342E+13	running an 8-GPU
Kurt Schoenhoff	Australia	1921	0.33	4910.91	1.79054E+13	•
Nuno Vasconcelos	UCSD	1888	0.33	1017.46	1.67571E+13	machine 24x7x30
Dinesh Bharadia	UCSD	1771	0.31	5724.15	2.71821E+13	
Padhraic Smyth	UCI	1387	0.24	647.53	1.09787E+13	Tan Hannin
Jurgen Schulze	UCSD	1330	0.23	10.88	3.9717E+12	Top User is
Larry Smarr	UCSD	1314	0.23	0.57	2.34185E+12	IceCube in OSG
Jurgen Schulze	UCSD	1306	0.23	0.7	1.92583E+13	
Nuno Vasconcelos	UCSD	1209	0.21	5984.29	1.33191E+13	background mode
Eric Shearer	UCI	1131	0.20	1308.7	3.85832E+12	_
PACIFIC RESEARCH PLATFORM						Others are ML

2017: PRP Connected 70 UCSD SunCAVE and 20 UCM WAVE 4K Screens to Share VR 2018: Added their 90 Game GPUs to PRP/OSG for Machine Learning Computations



UC Merced WAVE 20 Screens 20 GPUs



UCSD SunCAVE 70 Screens 70 GPUs








- by Ambie Own work, CC bit-3A 3.0, https://commons.wikimedia.org/w/index.php?cund=6773720
- IceCube Neutrino Observatory has been using 120 Nautilus GPUs since March 8
- This would cost \$2,880/day in a commercial cloud (at \$1/hr) or ~\$20,000/week
- An 8-GPU FIONA8 for Nautilus costs \$20,000 to buy



GPU Simulations are Needed to Improve Ice Model.

=> Results in Significant Improvement in Pointing Resolution for Multi-Messenger Astrophysics







March 13, 2019: "This morning there was a big demo in the SunCAVE. The IceCube pods were kicked out automatically when the SunCAVE GPUs were in use, and restarted when the demo was over. **No admin intervention needed**."—Igor Sfiligoi, SDSC



Very Cost-Effective for Academic Machine Learning and Data Sharing


- Data science researchers need DTNs with lots of storage, encryption and lots of GPUS
- One UC spends \$40,000 in cloud GPU per published grad student paper
- Another spends \$20,000 for undergrad ML AWS access in just one course
- Instead, add to our Nautilus hypercluster (or clone it & federate):
 - UCSD ECE Department bought 4 FIONA8s, buying 4 more
 - UCSD Physics Department. bought 6 FIONA8s
 - UCSD CSE researchers bought 4 FIONA8s to add to Nautilus, buying 20 more
 - UCSD Instructional IT has 13 FIONA8s for Machine Learning/AI class labs
- Working Storage on Nautilus FIONAs is
 - very inexpensive (12TB drives are ~\$430 each—16 per FIONA. FISA encrypted drives @ same cost)
 - and very high speed (most FIONAs are 40/100G and are located in ScienceDMZs)



Clemson's Alex Feltus: "I cannot wait to add a node to the Nautilus compute fabric!" (He didn't wait)



UCSD's Information Technology Services Adapted PRP FIONA8s To Support Data Science Courses






- 104 GPUs
 - 80 GTX 1080Ti
 - 16 RTX 2080Ti
 - 1.05 Petaflops
- 28 nodes
 - 544 CPU cores
 - 6.5TB RAM
- 40TB Flash Storage
- 10G networking



The Student GPUs Have Supported Thousands of Students in Dozens of Courses

Source: UCSD ITS








Student GPU Demand Is Variable Allowing for Other Student Uses

WI18 Instructional GPU Utilization






Source: UCSD ITS

405 Research GPUs in Nautilus 9-10-2019



Community Participation Allowed PRP-Paid Nautilus Nodes to be Quadrupled—*Pot Luck Supercomputing*™



Why PRPv2 Adopted Kubernetes

- PRP FIONAs Are Coupled by Kubernetes Into the "Nautilus Hypercluster"
 - Kubernetes "Pods" Encapsulate Application Container(s), Storage Resources, and Execution Options
 - Implements PRP Cooperative Research Groups Support with Policy-Based Scheduling by Use of CILogon and Kubernetes Namespaces—704 Users in Namespaces as of 7/15/19
 - Allows Cloud Native Storage Integration (e.g., Rook/Ceph/EdgeFS)
 - Enables Us to Update Overnight, without local assistance, a RP Scaling Necessity
 - Emerging Solutions for Sophisticated SDN Overlay Network, Firewall, and Network Policy Controls
- Allows Easy User Job Scaling to Heterogeneous Platforms:
 - Deskside, Rack-Mounted, Supercomputers, even IOT Gizmos like ML on Remote Cameras
 - Amazon Elastic Container Service for Kubernetes (Amazon EKS)
 - Google Kubernetes Engine (GKE) (TensorFlow)
 - Microsoft Azure Kubernetes Service (AKS)
 - Also Comet and other XSEDE assets



"Kubernetes with Rook/Ceph Allows Us to Manage Petabytes of Distributed Storage and GPUs for Data Science,

While We Measure and Monitor Network Use."

--John Graham, Calit2/QI UC San Diego




2018-2019: National-Scale Pilot - Using CENIC & Internet2 to Connect Quilt Regional R&E Networks


"Towards
The NRP"
3-Year Grant
Funded
by NSF
\$2.5M
October 2018

PI Smarr Co-PIs Altintas Papadopoulos Wuerthwein Rosing DeFanti










TNRP = PRP (CENIC, PNWGP, FRGP, HI, and MREN) + OSG + ESnet + Quilt + NRP Pilot (I2, KINBER, Learn, GPN, NYSERnet) + MCNC + NM Tribal + ...



Nautilus Has International Nodes The Global Research Platform is Emerging (1GRP Next Week Here!)




Excellent Performance California to UQ (100G)







ElastiFlow: See Inter-cluster Campus-Level Traffic Flow Grouped by AS



PRP Tech Coming

- Support users with IoT/Robotics/Augmented Reality needs
 - Nvidia Jetson Xaviers and Nanos
- Also FPGA data-center boards (Xilinx U200s, Micron SB-852)
 - Compute: application acceleration (e.g., TensorFlow)
 - Climate/weather segmentation
 - Inferencing
 - Satellite imagery ortho-rectification (align w/wildfire maps)
 - 100G SDX P4 build out (SDSU, USC, NU, FIU, UCSD, Caltech)
- And Tensor Flow Cores and TPUs
 - Nvidia 2080-Ti cards: 544 Tensor Cores each, 4,352 per FIONA8
 - Our Nautilus Users can Access Google Cloud TPUs
 - Google Edge TPU Coral Development Boards and USB-C Edge TPU Accelerator/co-Processor







P2PRP: Pacific to Pacific Rim Platform!

- Top down Great Networking with 10-100Gbps Science DMZ Performance is a Necessary but not Sufficient Condition for Data-Driven Researchers
 - They need Science DMZs & DTNs with Lots of Low-Cost Storage, Encryption, Large RAM CPUs, GPUs, TPUs, FPGAs, and High-Availability Computing
- Measuring and Monitoring is Key to Better Usage and Security
- Compatibility with CloudBank, Google, Microsoft, and Amazon Clouds, and NSF/DOE Supercomputers Helps Ensure Scalability and Continuation
- Convergence with Open Science Grid/I2 Brings In Global Experience





PRP/TNRP/CHASE-CI Support and Community:

- US National Science Foundation (NSF) awards to UCSD, NU, and SDSC
 - CNS-1456638, CNS-1730158, ACI-1540112, ACI-1541349, & OAC-1826967
 - > OAC 1450871 (NU) and OAC-1659169 (SDSU)
- UC Office of the President, Calit2 and Calit2's UCSD Qualcomm Institute
- San Diego Supercomputer Center and UCSD's Research IT and Instructional IT
- Partner Campuses: UCB, UCSC, UCI, UCR, UCLA, USC, UCD, UCSB, SDSU, Caltech, NU, UWash UChicago, UIC, UHM, CSUSB, HPWREN, UMo, MSU, NYU, UNeb, UNC,UIUC, UTA/Texas Advanced Computing Center, FIU, KISTI, UVA, AIST
- CENIC, Pacific Wave/PNWGP, StarLight/MREN, The Quilt, Kinber, Great Plains Network, NYSERNet, LEARN, Open Science Grid
- Internet2, DOE ESnet, NCAR/UCAR and Wyoming Supercomputing Center



