

## Session 2: Edge Computing

### Participants:

Renato Figueiredo, Ken Subratie, Michael Elliot, Parth (UFL)

Paul Hanson (U. Wisconsin)

Cayelan Carey (V. Tech)

Prapaport Rattanatamrong (Thammasat)

Kohei Ichikawa (NAIST)

Sri C. Haryanti (YARSI)

Martin Swany (Indiana University)

### Renato:

Description of workflow with overlay, git storage, event triggers, microservices

### Nan:

InfluxDB time-series database

What are the interfaces from R?

For interfacing with sensors: telegraf

### Cayelan:

Important to expose Rstudio interfaces for the end user

Improvements in visualization are needed

### Kohei:

Testbed?

Use cases: cameras in sporting events, crowd detection, missing person in crowd

### Cayelan/Paul:

Adaptive sampling - emergent properties, zooming in on events of interest

Can we generate a time-series (synthetic) that captures data sampled at different rates

Trash can in lab generates dataset?

Limnologists are excited about thinking about emergent properties of computer network linked to ecosystem network. Is there a way that the computer network emergent properties could detect emergent properties of lake water quality as an early warning indicator of lake regime shifts?

Needs: limnologists will generate time series that show adaptive sampling of events based on developed triggers of events- the two primary events are 1) increased rate of sampling of certain sensors and 2) new analyses are being run that could trigger new analyses

THEN, we do trash can in lab of temperature sensors as a simple testbed of design once R scripts are written

THEN, we go from back end and generate faux time series using theoretical basis for EWIs and feed into system to see how it responds (synthetic datasets)

Ken:

How to simulate sensors?

Towards testbed:

Distributed Raspberry Pi clusters

VMs near edge

All run Docker

Connected by a virtual network

Experiments with middleware: Kubernetes, OpenWhisk, etc

Emulated sensors