


# Immunostaining and Super-Resolution Imaging of Structures In Cardiac Myocytes

Shirley Zhang  
Auckland, New Zealand  
August 10, 2012


# Proposed Research



- Super-resolution fluorescent imaging of ryanodine receptors (RyR) and microtubule structures in mouse cardiac myocytes with altered expression of protein junctophilin-II
  - Compare relative positions of labeled structures to wild type samples
- 




# Progress This Week








Mouse control  
cells  
(C57BCC#3)

Cav 3, red (680)  
RyR, green (750)









TAC sham 1

JPH, red (680)




RyR, green (750)











TAC 9



JPH, red (680)  
RyR, green (750)










TAC sham 2

JPH, red (680)

T-tubules, green (750)



TAC 11

JPH, red (680)


T-tubules, green (750)

# Future Plans

- Label and image TAC vs. sham cells for RyR and Cav 3
- Discuss how to wrap up the last two weeks



# Cultural Aspect



Multi-cultural food at the Britomart farmer's market, downtown



# Acknowledgments



Many thanks to:

- Gabriele Wienhausen, Teri Simas, Peter Arzberger – UCSD PRIME
- Masahiko Hoshijima – UCSD Mentor
- Christian Soeller – Host Mentor
- The University of Auckland School of Medical Sciences
- The National Science Foundation

