

60 HTML Tags and their functions with Examples

1. HTML Doctype Tag

This HTML tag is used to define the document type.

```
<!DOCTYPE html>
```

2. HTML Anchor Tag

The anchor tag is used to create hyperlinks.

```
<a href=" #" "></a>
```

3. HTML Address Tag

This tag is used to define the contact information for the author or owner of a document.

```
<address></address>
```

4. HTML Article Tag

This HTML tags represents an independent, and self-contained piece of content within a document.

```
<article> </article>
```

7. HTML Bold Tag

This HTML tag is used to render the text in bold.

```
<b></b>
```

8. HTML BlockQuote Tag

This tag indicates a section of quoted content from another source.

```
< blockquote> </ blockquote>
```

9. HTML Body Tag

The body tag contains the main content of an HTML document.

```
<body></body>
```

10. HTML Button Tag

The HTML Button tag is used to represent a clickable button.

```
<button></button>
```

11. HTML Break Tag

This HTML tag is used for a line-break and to create a new line without creating any new paragraph.

```
<br>
```

15. HTML Details Tag

The HTML tag creates a disclosure widget which is used to show or hide the additional content on the web page.

```
<details></details>
```

16. HTML Dialog Tag

The tag is used to represent a dialog box or a modal window.

```
<dialog></dialog>
```

17. HTML Div Tag

This HTML tag is used to define a division or section within an HTML document.

```
<div></div>
```

18. HTML Em Tag

The HTML tag is used to render the text in italics, indicating emphasis.

```
<em></em>
```

19. HTML Fieldset Tag

The HTML tag groups related form elements together and provide a visual representation.

```
<fieldset></fieldset>
```

20. HTML Figcaption Tag

This HTML tag is used to represent a caption or legend for an element.

```
<figcaption></figcaption>
```

21. HTML Figure Tag

It is a self-contained content, such as images, diagrams, or code snippets.

```
<figure></figure>
```

22. HTML Footer Tag

The HTML tag is used to define the footer section of a document or a section in the webpage.

```
<footer></footer>
```

23. HTML Form Tag

It is used to create a form for gathering user input and submitting on the server.

```
<form></form>
```

24. HTML h1 to h6 Tag

These HTML tags are used to define different levels of heading on the webpage, where H1 is the highest and H6 is the lowest heading in HTML.

```
<h1></h1>
```

```
<h2></h2>
```

```
<h3></h3>
```

```
<h4></h4>
```

```
<h5></h5>
```

```
<h6></h6>
```

25. HTML Head Tag

It contains meta-information about the HTML document, such as the title and link to external stylesheets and more.

```
<head></head>
```

26. HTML Header Tag

This HTML tag is used to represent the introductory content or a container for the header of a document or a section.

```
<header></header>
```

27. HTML Tag

This tag represents the root element of an HTML document. Here is the syntax to define it:

```
<html></html>
```

28. HTML I Tag

The tag is used to render the text in italics.

```
<i></i>
```

29. HTML iframe Tag

The HTML tag is used to embed an external web page or document within the current HTML document.

```
<iframe src="" frameborder="0"></iframe>
```

30. HTML Image Tag

This HTML tag is used to insert an image into the web page.

```
<img src="" alt="">
```

31. HTML Input Tag

The HTML tag is used to create an input field and input tag is used for such as a text field, radio button, checkbox and more.

```
<input type="text"/>
```

32. HTML Label Tag

This HTML tag is used to define a label for an element.

```
<label for=""></label>
```

33. HTML Legend Tag

This tag is used to provide a caption or title for a element in HTML document.

```
<legend></legend>
```

34. HTML List Tag

This HTML tag is used to crate list item within an ordered or unordered list.

```
<li></li>
```

35. HTML Link Tag

This tag is used to define a link to an external resource, such as a CSS stylesheet or an icon. or an icon.

```
<link rel="stylesheet" href=" #">
```

Or

```
<link rel="shortcut icon" href="favicon.ico" type="image/x-icon">
```

36. HTML Main Tag

The HTML tag is used to specify the main content of a HTML document, excluding headers, footers, and sidebars.

```
<main></main>
```

37. HTML Mark Tag

It is used to highlight or marks specific text within the document.

```
<mark></mark>
```

38. HTML Meta Tag

This HTML tag provides metadata about the HTML document, such as character encoding or page description.

```
<meta name="content"/>
```

39. HTML Meter Tag

This HTML tag is used to represent a scalar measurement within a known range in the document.

```
<meter min="0" max="100" value="80"></meter>
```

40. HTML Nav Tag

The HTML tag is used to define a section of navigation links in the HTML document or it is used to create the navigation bar.

```
<nav></nav>
```

41. HTML ol Tag

The tag is used to create an ordered list.

```
<ol></ol>
```

43. HTML Paragraph Tag

This HTML tag is used to create a paragraph

```
<p></p>
```

44. HTML Pre Tag

It is used to define preformatted text in the document.

```
<pre></pre>
```

45. HTML Progress Tag

The tag in HTML is used to represent the progress of a task or process.

```
<progress></progress>
```

46. HTML q Tag

This HTML tag is used to indicate a short inline quotation in the document.

```
<q></q>
```

47. HTML s Tag

This tag is used to define a strikethrough text.

```
<s></s>
```

48. HTML Script Tag

The <script> tag is used to embed or reference external JavaScript code within an HTML document.

```
<script></script>
```

49. HTML Section Tag

The tag is used to define a section within a document.

```
<section></section>
```

42. HTML Option Tag

This HTML tag is used to define options within a dropdown or control.

```
<option value=""></option>
```

50. HTML Select Tag

This HTML tag is used to define a dropdown list in the document.

```
<select name="id">  
<option> xyz </option>  
</select>
```

51. HTML Small Tag

The tag is used to indicate smaller text. This tag is mainly used for disclaimers, and copyright.

```
<small></small>
```

52. HTML Span Tag

This tag is used to define text content as a span or an inline element. It is mainly used to style the specific part of a text.

```
<span></span>
```

53. HTML Table Tag

The tag is used to define a table in HTML document.

```
<table></table>
```

54. HTML tr Tag

This HTML tag is used to define a table row.

```
<tr></tr>
```

55. HTML td Tag

This HTML tag is used to define a table cell.

<td></td>

56. HTML th Tag

This HTML tag is used to define a table header cell.

<th></th>

57. HTML Title Tag

This HTML tag is used to define the title of the HTML page.

<title></title>

58. HTML Textarea

Tag The tag is used to define a multiline text input control in the HTML document.

<textarea name="" id="" cols="30" rows="10">

60. HTML ul Tag

This tag is used to create an unordered list.

