

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Console Terminal Background Jobs

R - R 4.6.1 · ~/

R version 4.6.1 (2026-06-24 ucrt) -- "Happy Hop"
Copyright (C) 2026 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Workspace loaded from ~/.RData]

```
> students <- c(45, 50, 40, 55)
> subjects <- c("Math", "Science",
+              "English", "Computer")
> sales <- c(30, 25, 20, 25)
> labels <- c("Electronics", "Clothing",
+            "Food", "Books")
> marks <- c(45, 50, 55, ..., 90)
```

Error: '...' used in an incorrect context

```
> height <- c(150, 155, 160, 165, 170)
> weight <- c(50, 55, 60, 65, 70)
> sales1 <- c(100, 120, 140, 160, 180)
> sales2 <- c(90, 110, 135, 150, 170)
> barplot(students,
+         names.arg = subjects,
+         col = "skyblue",
+         main = "Bar Chart",
+         xlab = "Subjects",
+         ylab = "Students")
> |
```

Environment History Connections Tutorial

Import Dataset 133 MiB

R Global Environment

Values


height	num [1:5]	150 155 160 165 170
labels	chr [1:4]	"Electronics" "Clothing" "Food" "Books"
sales	num [1:4]	30 25 20 25
sales1	num [1:5]	100 120 140 160 180
sales2	num [1:5]	90 110 135 150 170
students	num [1:4]	45 50 40 55
subjects	chr [1:4]	"Math" "Science" "English" "Computer"
weight	num [1:5]	50 55 60 65 70

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

Bar Chart

Subjects	Students
Math	45
Science	50
English	40
Computer	55



RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Console Terminal Background Jobs

R 4.6.1 ~/
R is free software and comes with absolutely no warranty.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Workspace loaded from ~/.RData]

```
> students <- c(45, 50, 40, 55)
> subjects <- c("Math","Science",
+              "English","Computer")
> sales <- c(30, 25, 20, 25)
> labels <- c("Electronics","Clothing",
+            "Food","Books")
> marks <- c(45,50,55,...,90)
```

Error: '...' used in an incorrect context

```
> height <- c(150,155,160,165,170)
> weight <- c(50,55,60,65,70)
> sales1 <- c(100,120,140,160,180)
> sales2 <- c(90,110,135,150,170)
> barplot(students,
+         names.arg = subjects,
+         col = "skyblue",
+         main = "Bar Chart",
+         xlab = "Subjects",
+         ylab = "Students")
> pie(sales,
+     labels = labels,
+     col = c("red","green",
+            "blue","yellow"),
+     main = "Pie Chart")
> |
```

Environment History Connections Tutorial

Import Dataset 133 MiB

R Global Environment

Values	
height	num [1:5] 150 155 160 165 170
labels	chr [1:4] "Electronics" "Clothing" "Food" "Books"
sales	num [1:4] 30 25 20 25
sales1	num [1:5] 100 120 140 160 180
sales2	num [1:5] 90 110 135 150 170
students	num [1:4] 45 50 40 55
subjects	chr [1:4] "Math" "Science" "English" "Computer"
weight	num [1:5] 50 55 60 65 70

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

Pie Chart

Category	Sales
Electronics	30
Books	25
Food	20
Clothing	25

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Console Terminal Background Jobs

```
R 4.6.1 ~/  
> marks <- c(45,50,55,...,90)  
Error: '...' used in an incorrect context  
  
> height <- c(150,155,160,165,170)  
> weight <- c(50,55,60,65,70)  
> sales1 <- c(100,120,140,160,180)  
> sales2 <- c(90,110,135,150,170)  
> barplot(students,  
+   names.arg = subjects,  
+   col = "skyblue",  
+   main = "Bar Chart",  
+   xlab = "Subjects",  
+   ylab = "Students")  
> pie(sales,  
+   labels = labels,  
+   col = c("red","green",  
+   "blue","yellow"),  
+   main = "Pie Chart")  
> hist(marks,  
+   col = "lightgreen",  
+   main = "Histogram",  
+   xlab = "Marks")  
Error: object 'marks' not found  
  
> hist(marks,  
+   col = "lightgreen",  
+   main = "Histogram",  
+   xlab = "Marks")  
Error: object 'marks' not found  
  
> marks <- c(45, 67, 78, 89, 56, 72, 91, 63, 85, 74)  
>  
> hist(marks,  
+   col = "lightgreen",  
+   main = "Histogram of Marks",  
+   xlab = "Marks")  
> |
```

Environment History Connections Tutorial

Import Dataset 133 MiB

R Global Environment

Values

height	num [1:5] 150 155 160 165 170
labels	chr [1:4] "Electronics" "Clothing" "Food" "Books"
marks	num [1:10] 45 67 78 89 56 72 91 63 85 74
sales	num [1:4] 30 25 20 25
sales1	num [1:5] 100 120 140 160 180
sales2	num [1:5] 90 110 135 150 170
students	num [1:4] 45 50 40 55
subjects	chr [1:4] "Math" "science" "English" "Computer"
weight	num [1:5] 50 55 60 65 70

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

Histogram of Marks

Marks Range	Frequency
40-50	1
50-60	1
60-70	2
70-80	3
80-90	2
90-100	1

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Console Terminal Background Jobs

R 4.6.1

```
+ col = c("red","green",
+         "blue","yellow"),
+ main = "Pie Chart")
> hist(marks,
+      col = "lightgreen",
+      main = "Histogram",
+      xlab = "Marks")

Error: object 'marks' not found

> hist(marks,
+      col = "lightgreen",
+      main = "Histogram",
+      xlab = "Marks")

Error: object 'marks' not found

> marks <- c(45, 67, 78, 89, 56, 72, 91, 63, 85, 74)
>
> hist(marks,
+      col = "lightgreen",
+      main = "Histogram of Marks",
+      xlab = "Marks")
> plot(sales1,
+      type = "l",
+      col = "blue",
+      lwd = 2,
+      main = "Line Chart",
+      xlab = "Month",
+      ylab = "Sales")
> plot(height, weight,
+      pch = 19,
+      col = "red",
+      main = "Scatter Plot",
+      xlab = "Height (cm)",
+      ylab = "Weight (kg)")
> boxplot(marks,
+         col = "orange",
+         main = "Box Plot",
+         ylab = "Marks")
>
```

Environment History Connections Tutorial

Import Dataset 135 MiB

R Global Environment


Values

height	num [1:5] 150 155 160 165 170
labels	chr [1:4] "Electronics" "Clothing" "Food" "Books"
marks	num [1:10] 45 67 78 89 56 72 91 63 85 74
sales	num [1:4] 30 25 20 25
sales1	num [1:5] 100 120 140 160 180
sales2	num [1:5] 90 110 135 150 170
students	num [1:4] 45 50 40 55
subjects	chr [1:4] "Math" "Science" "English" "Computer"
weight	num [1:5] 50 55 60 65 70

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

Box Plot



A box plot showing the distribution of marks. The y-axis is labeled 'Marks' and ranges from 50 to 90. The box is orange, with a median line at approximately 73. The interquartile range (IQR) is from approximately 63 to 85. The whiskers extend from approximately 45 to 91.

Statistic	Value
Minimum	45
First Quartile (Q1)	63
Median	73
Third Quartile (Q3)	85
Maximum	91

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Console Terminal Background Jobs

```
R 4.6.1 ~/  
+ xlab = "Subjects",  
+ ylab = "Students")  
> pie(sales,  
+ labels = labels,  
+ col = c("red","green",  
+ "blue","yellow"),  
+ main = "Pie Chart")  
> hist(marks,  
+ col = "lightgreen",  
+ main = "Histogram",  
+ xlab = "Marks")  
Error: object 'marks' not found  
  
> hist(marks,  
+ col = "lightgreen",  
+ main = "Histogram",  
+ xlab = "Marks")  
Error: object 'marks' not found  
  
> marks <- c(45, 67, 78, 89, 56, 72, 91, 63, 85, 74)  
>  
> hist(marks,  
+ col = "lightgreen",  
+ main = "Histogram of Marks",  
+ xlab = "Marks")  
> plot(sales1,  
+ type = "l",  
+ col = "blue",  
+ lwd = 2,  
+ main = "Line Chart",  
+ xlab = "Month",  
+ ylab = "Sales")  
> plot(height, weight,  
+ pch = 19,  
+ col = "red",  
+ main = "Scatter Plot",  
+ xlab = "Height (cm)",  
+ ylab = "Weight (kg)")  
>
```

Environment History Connections Tutorial

Import Dataset 134 MiB

R Global Environment

Values

height	num [1:5] 150 155 160 165 170
labels	chr [1:4] "Electronics" "Clothing" "Food" "Books"
marks	num [1:10] 45 67 78 89 56 72 91 63 85 74
sales	num [1:4] 30 25 20 25
sales1	num [1:5] 100 120 140 160 180
sales2	num [1:5] 90 110 135 150 170
students	num [1:4] 45 50 40 55
subjects	chr [1:4] "Math" "Science" "English" "Computer"
weight	num [1:5] 50 55 60 65 70

Files Plots Packages Help Viewer Presentation

Zoom Export Publish

Scatter Plot

A scatter plot titled "Scatter Plot" showing the relationship between Height (cm) on the x-axis and Weight (kg) on the y-axis. The x-axis ranges from 150 to 170 with major ticks every 5 units. The y-axis ranges from 50 to 70 with major ticks every 5 units. There are five red data points plotted, showing a positive correlation between height and weight.

Height (cm)	Weight (kg)
150	50
155	55
160	60
165	65
170	70